

# 2015 Nevada High School Youth Risk Behavior Survey (YRBS): American Indian / Alaska Native Report



Department of Health and Human Services  
Division of Public and Behavioral Health  
Office of Public Health Informatics and Epidemiology

Brian Sandoval, Governor  
State of Nevada  
Richard Whitley, MS, Director  
Department of Health and Human Services

Cody L. Phinney, MPH, Administrator  
Tracey D. Green, MD, Chief Medical Officer  
Division of Public and Behavioral Health

January 2015  
edition 1.0

### **Acknowledgements**

We would like to thank Monty Williams and the staff from the Statewide Native American Coalition (SNAC) for their assistance with this survey. We also appreciate the help from administrators and teachers from the tribal schools throughout Nevada.

### **Recommended Citation**

Lensch, T., Baxa, A., Zhang, F., Gay, C., Larson, S., Clements-Nolle, K., Yang, W. State of Nevada, Division of Public and Behavioral Health and the University of Nevada, Reno. *2015 Nevada High School Youth Risk Behavior Survey (YRBS): American Indian / Alaska Native Report*. January, 2016.

### **Funding Source**

This research was partially supported by a grant from the Centers for Disease Control and Prevention (CDC-PS13-1308). Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention.

### **Additional Resources**

<http://chs.unr.edu/subpages/research/YRBS.htm>  
<http://www.cdc.gov/HealthyYouth/yrbs/index.htm>

### **Nevada YRBS Team Members**

#### ***State of Nevada, Division of Public and Behavioral Health***

Sandra Larson, MPH

Office of Public Health Informatics and Epidemiology, Manager

Amberlee Baxa, MPH

YRBS Program Coordinator

#### ***University of Nevada, Reno, School of Community Health Sciences***

#### ***Nevada Center for Health Statistics and Informatics***

Wei Yang, PhD

Professor and YRBS Principal Investigator

Kristen Clements-Nolle, PhD, MPH

Associate Professor and YRBS Co-Principal Investigator

Taylor Lensch, BS

MPH Graduate Student and YRBS Coordinator

Christopher Gay, BS

MPH Graduate Student and Research Assistant

Fannie Zhang, MS

YRBS Biostatistician

## Contents

INTRODUCTION .....	9
METHODS.....	9
KEY FINDINGS.....	10
RESULTS .....	11
<b>Participant Characteristics .....</b>	<b>11</b>
Table 1: Demographic characteristics of participating students .....	11
Table 2: Percentage of high school students who have parents or other adults in the family serving on active duty in the military.....	12
Table 3: Percentage of high school students who qualify for or get free and reduced lunch at school .....	13
Table 4: Percentage of students who made mostly A's or B's in school .....	14
<b>Safety .....</b>	<b>15</b>
Table 5: Percentage of high school students who rarely or never wore a bicycle helmet....	15
Table 6: Percentage of high school students who rarely or never wore a seat belt.....	16
Table 7: Percentage of high school students who rode in a car or other vehicle driven by someone who had been drinking alcohol .....	17
Table 8: Percentage of high school students who drove a car or other vehicle when they had been drinking alcohol .....	18
Table 9: Percentage of high school students who texted or e-mailed while driving a car or other vehicle .....	19
<b>Violence-Related Behaviors .....</b>	<b>20</b>
Table 10: Percentage of high school students who carried a weapon .....	20
Table 11: Percentage of high school students who carried a gun.....	21
Table 12: Percentage of high school students who carried a weapon on school property ..	22
Table 13: Percentage of high school students who were threatened or injured with a weapon on school property .....	23
Table 14: Percentage of high school students who were in a physical fight.....	24
Table 15: Percentage of high school students who were injured in a physical fight.....	25
Table 16: Percentage of high school students who were in a physical fight on school property .....	26
Table 17: Percentage of high school students who were bullied on school property .....	27
Table 18: Percentage of high school students who were electronically bullied .....	28
Table 19: Percentage of high school students who did not go to school because they felt unsafe at school or on their way to or from school .....	29

Table 20: Percentage of high school students who experienced physical dating violence ..	30
Table 21: Percentage of high school students who experienced sexual dating violence ....	31
Table 22: Percentage of high school students who were ever physically forced to have sexual intercourse.....	32
Table 23: Percentage of high school students who have ever been physically hurt by an adult.....	33
Table 24: Percentage of high school students who have ever seen adults in their home slap, hit, kick, punch, or beat each other up .....	34
<b>Emotional Health .....</b>	<b>35</b>
Table 25: Percentage of high school students who felt sad or hopeless.....	35
Table 26: Percentage of high school students who seriously considered attempting suicide .....	36
Table 27: Percentage of high school students who made a plan about how they would attempt suicide.....	37
Table 28: Percentage of high school students who attempted suicide.....	38
Table 29: Percentage of high school students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse .....	39
Table 30: Percentage of high school students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose .....	40
Table 31: Percentage of high school students who have ever lived with someone who was depressed, mentally ill, or suicidal.....	41
<b>Tobacco Use .....</b>	<b>42</b>
Table 32: Percentage of high school students who ever smoked cigarettes.....	42
Table 33: Percentage of high school students who smoked a whole cigarette for the first time before age 13 .....	43
Table 34: Percentage of high school students who currently smoked cigarettes .....	44
Table 35: Percentage of high school students who frequently currently smoked cigarettes	45
Table 36: Percentage of high school students who smoked more than 10 cigarettes per day .....	46
Table 37: Percentage of high school students who usually obtained their own cigarettes by buying them in a store or gas station.....	47
Table 38: Percentage of high school students who currently used smokeless tobacco .....	48
Table 39: Percentage of high school students who currently smoked cigars .....	49
Table 40: Percentage of high school students who currently used tobacco.....	50
<b>Electronic Cigarette Use .....</b>	<b>51</b>
Table 41: Percentage of high school students who ever used electronic vapor products ...	51

Table 42: Percentage of high school students who currently use electronic vapor products .....	52
<b>Alcohol Use.....</b>	<b>53</b>
Table 43: Percentage of high school students who ever drank alcohol .....	53
Table 44: Percentage of high school students who drank alcohol for the first time before age 13 years .....	54
Table 45: Percentage of high school students who currently drank alcohol.....	55
Table 46: Percentage of high school students who recently participated in binge drinking .	56
Table 47: Percentage of high school students who usually obtained the alcohol they drank by someone giving it to them.....	57
<b>Marijuana Use .....</b>	<b>58</b>
Table 48: Percentage of high school students who ever used marijuana .....	58
Table 49: Percentage of high school students who tried marijuana for the first time before age 13 years .....	59
Table 50: Percentage of high school students who currently use marijuana.....	60
<b>Drug Use .....</b>	<b>61</b>
Table 51: Percentage of high school students who ever used cocaine.....	61
Table 52: Percentage of high school students who ever used inhalants.....	62
Table 53: Percentage of high school students who ever used heroin .....	63
Table 54: Percentage of high school students who ever used methamphetamines.....	64
Table 55: Percentage of high school students who used ecstasy.....	65
Table 56: Percentage of high school students who ever used synthetic marijuana .....	66
Table 57: Percentage of high school students who currently use synthetic marijuana.....	67
Table 58: Percentage of high school students who ever took steroids without a doctor’s prescription .....	68
Table 59: Percentage of high school students who ever took prescription drugs without a doctor’s prescription .....	69
Table 60: Percentage of high school students who currently take prescription drugs without a doctor’s prescription .....	70
Table 61: Percentage of high school students who ever injected any illegal drugs.....	71
Table 62: Percentage of high school students who were offered, sold, or given an illegal drug by someone on school property .....	72
Table 63: Percentage of high school students who have ever lived with someone who was a problem drinker or alcoholic or abused street or prescription drugs.....	73
<b>Sexual Behaviors.....</b>	<b>74</b>

Table 64: Percentage of high school students who ever had sexual intercourse .....74

Table 65: Percentage of high school students who had sexual intercourse for the first time before age 13 years .....75

Table 66: Percentage of high school students who had sexual intercourse with four or more persons during their life.....76

Table 67: Percentage of high school students who were currently sexually active .....77

Table 68: Percentage of high school students who drank alcohol or used drugs before last sexual intercourse.....78

Table 69: Percentage of high school students who used a condom during last sexual intercourse .....79

Table 70: Percentage of high school students who used birth control pills before last sexual intercourse .....80

Table 71: Percentage of high school students who used Depo-Provera.....81

Table 72: Percentage of high school students who used birth control pills, Depo-Provera .82

Table 73: Percentage of high school students who used both a condom and birth control pills, Depo-Provera .....83

Table 74: Percentage of high school students who did not use any method to prevent pregnancy during last sexual intercourse .....84

Table 75: Percentage of high school students who did not have sexual contact, had sexual contact with the opposite sex only, and had sexual contact with the same sex or both sexes .....85

Table 76: Percentage of high school students who were heterosexual (straight), gay or lesbian, bisexual, or not sure.....86

Table 77: Percentage of high school students who have ever been tested for HIV .....87

**Diet .....88**

Table 78: Percentage of high school students who did not eat fruit or drink 100% fruit juices .....88

Table 79: Percentage of high school students who ate fruit or drank 100% fruit juices one or more times/day .....89

Table 80: Percentage of high school students who ate fruit or drank 100% fruit juices two or more times/day .....90

Table 81: Percentage of high school students who ate fruit or drank 100% fruit juices three or more times/day .....91

Table 82: Percentage of high school students who did not eat vegetables.....92

Table 83: Percentage of high school students who ate vegetables one or more times/day 93

Table 84: Percentage of high school students who ate vegetables two or more times/day.94

Table 85: Percentage of high school students who ate vegetables three or more times/day .....	95
Table 86: Percentage of high school students who did not drink milk.....	96
Table 87: Percentage of high school students who drank one or more glasses/day of milk	97
Table 88: Percentage of high school students who drank two or more glasses/day of milk	98
Table 89: Percentage of high school students who drank three or more glasses/day of milk .....	99
Table 90: Percentage of high school students who did not drink soda or pop .....	100
Table 91: Percentage of high school students who drank soda or pop one or more times/day .....	101
Table 92: Percentage of high school students who drank soda or pop two or more times/day .....	102
Table 93: Percentage of high school students who drank soda or pop three or more times/day .....	103
Table 94: Percentage of high school students who did not eat breakfast .....	104
Table 95: Percentage of high school students who ate breakfast all 7 days.....	105
Table 96: Percentage of high school students who go hungry because there is not enough food in the house .....	106
Table 97: Percentage of high school students who visited a dentist.....	107
<b>Physical Activity.....</b>	<b>108</b>
Table 98: Percentage of high school students who did not participate in at least 60 minutes of physical activity on any day.....	108
Table 99: Percentage of high school students who were physically active at least 60 minutes/day on 5 or more days .....	109
Table 100: Percentage of high school students who were physically active at least 60 minutes/day for 7 days.....	110
Table 101: Percentage of high school students who watched 3 or more hours/day of television.....	111
Table 102: Percentage of high school students who played video or computer games or used a computer for 3 or more hours/day.....	112
Table 103: Percentage of high school students who attended physical education (PE) classes.....	113
Table 104: Percentage of high school students who attended physical education (PE) classes daily .....	114
Table 105: Percentage of high school students who played on at least one sports team .	115
Table 106: Percentage of students who had 8 or more hours of sleep .....	116

<b>Weight</b> .....	<b>117</b>
Table 107: Percentage of high school students who were obese .....	117
Table 108: Percentage of high school students who were overweight.....	118
Table 109: Percentage of high school students who described themselves as slightly or very overweight.....	119
Table 110: Percentage of high school students who were trying to lose weight .....	120
<b>Resilience</b> .....	<b>121</b>
Table 111: Percentage of high school students whose parents or other adults asked where they were going or who they would be with .....	121
Table 112: Percentage of high school students who felt comfortable talking to their friends, a parent or other adult family member, or a teacher or other adult about important life questions .....	122



## INTRODUCTION

Priority health risk behaviors (i.e. preventable behaviors that contribute to the leading causes of morbidity and mortality) are often established during childhood and adolescence and extend into adulthood. Ongoing surveillance of youth risk behaviors is critical for the design, implementation, and evaluation of public health interventions to improve adolescent health. The Youth Risk Behavior Survey (YRBS) is a national surveillance system that was established in 1991 by the Centers for Disease Control and Prevention (CDC) to monitor the prevalence of health risk behaviors among youth. The Nevada High School YRBS is a biennial, anonymous, and voluntary survey of students in 9<sup>th</sup> through 12<sup>th</sup> grade in regular public, charter, and alternative schools. In 2015, tribal schools in Nevada were also surveyed. The survey asks students to self-report their behaviors in six major areas of health that directly lead to morbidity and mortality, these include:

- 1) Behaviors that contribute to unintentional injuries and violence;
- 2) Sexual behaviors that contribute to human immunodeficiency virus (HIV) infection, other sexually transmitted diseases, and unintended pregnancy;
- 3) Tobacco use;
- 4) Alcohol and other drug use;
- 5) Unhealthy dietary behaviors; and
- 6) Physical inactivity.

## METHODS

This report summarizes YRBS data for American Indian / Alaska Native high school students from tribal and non-tribal schools. Three tribal schools with high school students participated in the 2015 YRBS and represent the tribal school sample: Pyramid Lake High School, McDermitt High School, and Owyhee High School. Parents of all tribal high school students were notified about the survey and provided passive parental permission by returning a form if they did not want their child to participate. All students who did not have their parent decline participation were surveyed during normal class periods. The non-tribal high school sample was obtained from the statewide 2015 YRBS and represents American Indian / Alaska Native students who do not attend tribal schools. The 2015 Nevada High School YRBS was designed to ensure that every eligible student had an equal chance of selection and classes with eligible students were randomly selected for participation. The procedure for obtaining parental consent varied by school district (please see 2015 Nevada High School YRBS Report).

The YRBS was administered to all students in sampled classes from February to May, 2015. Tribal high school data and non-tribal high school data were weighted separately to account for non-response bias and increase generalizability of results. The 2015 American Indian / Alaska Native High School YRBS report summarizes survey responses from the tribal school sample, the non-tribal school sample, and a combined sample. The statewide High School YRBS estimates are also provided for comparison.

## KEY FINDINGS

### Tribal Schools compared to Non-Tribal Schools

The prevalence estimates for most risk behaviors were higher among tribal school American Indian / Alaska Native students compared to non-tribal school American Indian / Alaska Native students. While most of these differences are not statistically significant due to small sample size, we have highlighted risk behaviors with the largest difference below.

#### Driving Safety

- Drove a car while drinking in the past 30 days (20.5% vs. 7.9%)
- Texted while driving in the past 30 days (59.9% vs. 41.5%)

#### Violence-Related Behaviors

- Carried a weapon in the past 30 days (44% vs. 27%)
- Carried a gun in the past 30 days (27.6% vs. 12.3%)
- Carried a weapon on school property in the past 30 days (23.5% vs. 8.6%)
- Physical fighting in the past 12 months (44.5% vs. 30.9%)
- Physical fighting on school property in the past 12 months (25.7% vs. 5.2%)
- Ever experienced physical dating violence (40.0% vs. 10.4%)
- Ever experienced sexual dating violence (29.8% vs. 7.7%)
- Ever witnessed adult violence in the household (35.7% vs. 19.9%)
- Purposely hurt themselves without wanting to die in the past 12 months (36.7% vs. 21.6%)

#### Tobacco Use

- Ever smoked cigarettes (70.2% vs. 51.8%)
- Smoked a cigarette before age 13 (33.4% vs. 17.4%)
- Smoked a cigar in the past 30 days (25.5% vs. 14.7%)
- Any tobacco use in the past 30 days (39.7% vs. 26.4%)

#### Electronic Cigarette Use

- Ever smoked an electronic cigarette (76.4% vs. 63.1%)

#### Marijuana and Other Drug Use

- Smoked marijuana before age 13 (28.1% vs. 16.8%)
- Ever used inhalants (20.9% vs. 8.4%)
- Ever lived with an alcoholic, problem drinker, or drug abuser (54.8% vs. 32.9%)

#### Diet

- Drank soda at least one time per day in the past week (37.3% vs. 9.3%)
- Drank soda at least two times per day in the past week (23.5% vs. 5.6%)

#### Weight

- Obesity (40.0% vs. 7.2%)
- Described themselves as slightly or very overweight (55.2% vs. 34.0%)

#### Protective Behaviors

- Participated on a sports team in the past 12 months (80.1% vs. 47.8%)
- Slept 8 or more hours on an average school night (29.9% vs. 18.3%)

## RESULTS

### Participant Characteristics

**Table 1: Demographic characteristics of participating students, by sex, age, grade, and school type — Nevada, Youth Risk Behavior Survey, 2015**

		State Total		All American Indian / Alaska Native Students		Tribal Schools		Non-Tribal Schools	
		Participants ¶¶	Unweighted %	Participants ¶¶	Unweighted %	Participants ¶¶	Unweighted %	Participants ¶¶	Unweighted %
<b>Total</b>		5108	100.0%	162	100.00%	69	100.00%	93	100.00%
<b>Sex</b>	<b>Female</b>	2600	51.18%	79	48.77%	40	57.97%	39	41.94%
	<b>Male</b>	2480	48.82%	83	51.23%	29	42.03%	54	58.06%
<b>Age</b>	<b>14 years or younger</b>	610	11.98%	14	8.64%	7	10.29%	7	7.45%
	<b>15 years</b>	1401	27.52%	52	32.10%	23	33.83%	29	30.85%
	<b>16 years</b>	1347	26.46%	55	33.95%	20	29.41%	35	37.23%
	<b>17 years</b>	1173	23.05%	26	16.05%	13	19.12%	13	13.83%
	<b>18 years or older</b>	559	10.98%	15	9.26%	5	7.35%	10	10.64%
<b>Grade</b>	<b>9th</b>	1490	29.54%	49	31.01%	25	37.31%	24	26.37%
	<b>10th</b>	1334	26.45%	53	33.54%	20	29.85%	33	36.26%
	<b>11th</b>	1249	24.76%	32	20.25%	13	19.40%	19	20.88%
	<b>12th</b>	958	18.99%	23	14.56%	9	13.43%	14	15.38%
	<b>Ungraded or other grade</b>	13	0.26%	1	0.63%	0	0.0%	1	1.10%

¶¶ The sample size in the total and subgroups may differ due to missing data

**Table 2: Percentage of high school students who have parents or other adults in the family serving on active duty in the military, by sex and school type - Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		671	13.1%	(11.8-14.5)	4375	86.9%	(85.5-88.2)
<b>Sex</b>	<b>Female</b>	349	13.3%	(11.6-14.9)	2230	86.7%	(85.1-88.4)
	<b>Male</b>	320	13.0%	(10.9-15.1)	2129	87.0%	(84.9-89.1)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		24	15.1%	(5.7-24.4)	136	84.9%	(75.6-94.3)
<b>Sex</b>	<b>Female</b>	10	8.2%	(0.8-15.6)	66	91.8%	(84.4-99.2)
	<b>Male</b>	14	20.2%	(5.5-34.9)	69	79.8%	(65.1-94.5)
<b>Tribal High School</b>							
<b>Total</b>		9	12.7%	(4.5-20.8)	57	87.3%	(79.2-95.5)
<b>Sex</b>	<b>Female</b>	5	9.7%	(0.0-22.5)	32	90.3%	(77.5-100.0)
	<b>Male</b>	4	15.2%	(0.5-29.9)	25	84.8%	(70.1-99.5)
<b>Non-Tribal High School</b>							
<b>Total</b>		15	15.2%	(5.2-25.3)	79	84.8%	(74.7-94.8)
<b>Sex</b>	<b>Female</b>	5	8.1%	(0.1-16.1)	34	91.9%	(83.9-99.9)
	<b>Male</b>	10	20.6%	(4.9-36.2)	44	79.4%	(63.8-95.1)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 3: Percentage of high school students who qualify for or get free and reduced lunch at school, by sex and school type - Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I.† (95%)	N <sup>¶¶</sup>	%*	C.I.† (95%)
<b>State Sample</b>							
<b>Total</b>		1981	40.8%	(37.7-43.9)	3074	59.2%	(56.1-62.3)
<b>Sex</b>	<b>Female</b>	1066	42.6%	(38.6-46.6)	1522	57.4%	(53.4-61.4)
	<b>Male</b>	905	38.9%	(35.7-42.2)	1541	61.1%	(57.8-64.3)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		80	32.6%	(20.9-44.3)	81	67.4%	(55.7-79.1)
<b>Sex</b>	<b>Female</b>	40	38.7%	(21.6-55.9)	39	61.3%	(44.1-78.4)
	<b>Male</b>	39	25.7%	(11.7-39.7)	42	74.3%	(60.3-88.3)
<b>Tribal High School</b>							
<b>Total</b>		41	62.6%	(54.3-70.8)	26	37.4%	(29.2-45.7)
<b>Sex</b>	<b>Female</b>	23	57.7%	(43.2-72.2)	17	42.3%	(27.8-56.8)
	<b>Male</b>	18	67.3%	(59.0-75.6)	9	32.7%	(24.4-41.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		39	30.4%	(18.1-42.7)	55	69.6%	(57.3-81.9)
<b>Sex</b>	<b>Female</b>	17	37.0%	(18.5-55.4)	22	63.0%	(44.6-81.5)
	<b>Male</b>	21	23.1%	(8.6-37.5)	33	76.9%	(62.5-91.4)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 4: Percentage of students who made mostly A's or B's in school<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		3264	70.2%	(67.5-72.9)	1361	29.8%	(27.1-32.5)
<b>Sex</b>	<b>Female</b>	1802	74.6%	(71.6-77.7)	579	25.4%	(22.3-28.4)
	<b>Male</b>	1455	65.9%	(62.8-69.1)	776	34.1%	(30.9-37.2)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		88	53.0%	(40.7-65.3)	61	47.0%	(34.7-59.3)
<b>Sex</b>	<b>Female</b>	48	63.3%	(45.5-81.1)	26	36.7%	(18.9-54.5)
	<b>Male</b>	40	44.8%	(29.3-60.3)	35	55.2%	(39.7-70.7)
<b>Tribal High School</b>							
<b>Total</b>		37	66.3%	(52.5-80.2)	22	33.7%	(19.8-47.5)
<b>Sex</b>	<b>Female</b>	21	68.0%	(46.1-89.8)	13	32.0%	(10.2-53.9)
	<b>Male</b>	16	64.9%	(42.5-87.3)	9	35.1%	(12.7-57.5)
<b>Non-Tribal High School</b>							
<b>Total</b>		51	52.0%	(38.9-65.2)	39	48.0%	(34.8-61.1)
<b>Sex</b>	<b>Female</b>	27	62.9%	(43.8-82.1)	13	37.1%	(17.9-56.2)
	<b>Male</b>	24	43.4%	(27.0-59.8)	26	56.6%	(40.2-73.0)

§ During the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Safety**

**Table 5: Percentage of high school students who rarely or never wore a bicycle helmet<sup>§</sup>, by sex and school type— Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		2719	85.0%	(83.2-86.8)	479	15.0%	(13.2-16.8)
<b>Sex</b>	<b>Female</b>	1192	85.5%	(83.1-87.8)	221	14.5%	(12.2-16.9)
	<b>Male</b>	1513	84.6%	(82.4-86.8)	255	15.4%	(13.2-17.6)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		91	80.2%	(66.1-94.3)	11	19.8%	(5.7-33.9)
<b>Sex</b>	<b>Female</b>	39	79.9%	(65.2-94.6)	7	20.1%	(5.4-34.8)
	<b>Male</b>	52	80.4%	(58.4-100.0)	4	19.6%	(0.0-41.6)
<b>Tribal High School</b>							
<b>Total</b>		37	89.8%	(77.1-100.0)	3	10.2%	(0.0-22.9)
<b>Sex</b>	<b>Female</b>	17	81.1%	(47.9-100.0)	2	18.9%	(0.0-52.1)
	<b>Male</b>	20	94.5%	(82.4-100.0)	1	5.5%	(0.0-17.6)
<b>Non-Tribal High School</b>							
<b>Total</b>		54	79.5%	(64.5-94.5)	8	20.5%	(5.5-35.5)
<b>Sex</b>	<b>Female</b>	22	79.8%	(64.4-95.3)	5	20.2%	(4.7-35.6)
	<b>Male</b>	32	79.2%	(55.4-100.0)	3	20.8%	(0.0-44.6)

§ Among students who had ridden a bicycle during the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 6: Percentage of high school students who rarely or never wore a seat belt<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		364	6.2%	(5.3-7.1)	4707	93.8%	(92.9-94.7)
<b>Sex</b>	<b>Female</b>	146	5.5%	(4.3-6.7)	2443	94.5%	(93.3-95.7)
	<b>Male</b>	211	6.9%	(5.6-8.1)	2248	93.1%	(91.9-94.4)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		26	17.8%	(7.9-27.7)	137	82.2%	(72.3-92.1)
<b>Sex</b>	<b>Female</b>	10	15.4%	(1.2-29.5)	69	84.6%	(70.5-98.8)
	<b>Male</b>	16	20.2%	(6.3-34.1)	67	79.8%	(65.9-93.7)
<b>Tribal High School</b>							
<b>Total</b>		14	22.1%	(11.4-32.8)	55	77.9%	(67.2-88.6)
<b>Sex</b>	<b>Female</b>	6	16.3%	(3.5-29.1)	34	83.7%	(70.9-96.5)
	<b>Male</b>	8	27.4%	(4.8-50.1)	21	72.6%	(49.9-95.2)
<b>Non-Tribal High School</b>							
<b>Total</b>		12	17.5%	(6.9-28.1)	82	82.5%	(71.9-93.1)
<b>Sex</b>	<b>Female</b>	4	15.3%	(0.0-30.7)	35	84.7%	(69.3-100.0)
	<b>Male</b>	8	19.7%	(4.9-34.5)	46	80.3%	(65.5-95.1)

§ When riding in a car driven by someone else

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



**Table 7: Percentage of high school students who rode in a car or other vehicle driven by someone who had been drinking alcohol<sup>§</sup>, by sex and school type— Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1101	21.4%	(19.7-23.0)	3963	78.6%	(77.0-80.3)
<b>Sex</b>	<b>Female</b>	602	24.1%	(21.7-26.5)	1986	75.9%	(73.5-78.3)
	<b>Male</b>	492	18.8%	(16.8-20.7)	1962	81.2%	(79.3-83.2)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		51	30.5%	(19.3-41.6)	110	69.5%	(58.4-80.7)
<b>Sex</b>	<b>Female</b>	29	38.8%	(21.6-56.0)	50	61.2%	(44.0-78.4)
	<b>Male</b>	22	26.2%	(11.1-41.3)	59	73.8%	(58.7-88.9)
<b>Tribal High School</b>							
<b>Total</b>		26	36.4%	(24.5-48.4)	42	63.6%	(51.6-75.5)
<b>Sex</b>	<b>Female</b>	17	42.3%	(29.8-54.8)	23	57.7%	(45.2-70.2)
	<b>Male</b>	9	30.9%	(6.2-55.6)	19	69.1%	(44.4-93.8)
<b>Non-Tribal High School</b>							
<b>Total</b>		25	30.0%	(18.1-42.0)	68	70.0%	(58.0-81.9)
<b>Sex</b>	<b>Female</b>	12	38.5%	(19.6-57.4)	27	61.5%	(42.6-80.4)
	<b>Male</b>	13	25.9%	(9.8-41.9)	40	74.1%	(58.1-90.2)

§ One or more time during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 8: Percentage of high school students who drove a car or other vehicle when they had been drinking alcohol<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		197	6.9%	(5.8-8.0)	2505	93.1%	(92.0-94.2)
<b>Sex</b>	<b>Female</b>	85	6.7%	(4.9-8.5)	1265	93.3%	(91.5-95.1)
	<b>Male</b>	112	7.1%	(5.5-8.7)	1233	92.9%	(91.3-94.5)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		13	8.8%	(0.0-19.6)	88	91.2%	(80.4-100.0)
<b>Sex</b>	<b>Female</b>	9	19.3%	(0.0-46.9)	41	80.7%	(53.1-100.0)
	<b>Male</b>	4	3.7%	(0.0-8.4)	46	96.3%	(91.6-100.0)
<b>Tribal High School</b>							
<b>Total</b>		10	20.5%	(4.9-36.1)	32	79.5%	(63.9-95.1)
<b>Sex</b>	<b>Female</b>	8	27.4%	(9.8-45.0)	20	72.6%	(55.0-90.2)
	<b>Male</b>	2	12.5%	(0.0-32.5)	12	87.5%	(67.5-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		3	7.9%	(0.0-19.5)	56	92.1%	(80.5-100.0)
<b>Sex</b>	<b>Female</b>	1	18.3%	(0.0-49.7)	21	81.7%	(50.3-100.0)
	<b>Male</b>	2	3.2%	(0.0-8.0)	34	96.8%	(92.0-100.0)

§ One or more times during the 30 days before the survey, among students who drove a car or other vehicle one or more times during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 9: Percentage of high school students who texted or e-mailed while driving a car or other vehicle<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1018	37.7%	(34.6-40.8)	1761	62.3%	(59.2-65.4)
<b>Sex</b>	<b>Female</b>	507	39.4%	(35.1-43.7)	867	60.6%	(56.3-64.9)
	<b>Male</b>	506	36.3%	(32.8-39.8)	888	63.7%	(60.2-67.2)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		50	42.9%	(25.6-60.2)	59	57.1%	(39.8-74.4)
<b>Sex</b>	<b>Female</b>	25	40.4%	(14.1-66.6)	26	59.6%	(33.4-85.9)
	<b>Male</b>	25	47.1%	(24.1-70.2)	32	52.9%	(29.8-75.9)
<b>Tribal High School</b>							
<b>Total</b>		29	59.9%	(44.1-75.6)	18	40.1%	(24.4-55.9)
<b>Sex</b>	<b>Female</b>	18	61.0%	(33.3-88.6)	11	39.0%	(11.4-66.7)
	<b>Male</b>	11	58.8%	(21.1-96.6)	7	41.2%	(3.4-78.9)
<b>Non-Tribal High School</b>							
<b>Total</b>		21	41.5%	(22.7-60.3)	41	58.5%	(39.7-77.3)
<b>Sex</b>	<b>Female</b>	7	37.7%	(7.8-67.6)	15	62.3%	(32.4-92.2)
	<b>Male</b>	14	46.4%	(21.8-70.9)	25	53.6%	(29.1-78.2)

§ On at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle one or more times during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

## Violence-Related Behaviors

**Table 10: Percentage of high school students who carried a weapon<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		926	16.9%	(15.3-18.5)	4016	83.1%	(81.5-84.7)
<b>Sex</b>	<b>Female</b>	278	10.0%	(8.4-11.5)	2271	90.0%	(88.5-91.6)
	<b>Male</b>	642	23.3%	(21.0-25.7)	1733	76.7%	(74.3-79.0)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		52	28.5%	(17.7-39.4)	104	71.5%	(60.6-82.3)
<b>Sex</b>	<b>Female</b>	18	29.5%	(13.1-45.8)	58	70.5%	(54.2-86.9)
	<b>Male</b>	34	29.2%	(14.7-43.7)	45	70.8%	(56.3-85.3)
<b>Tribal High School</b>							
<b>Total</b>		25	44.0%	(27.9-60.0)	41	56.0%	(40.0-72.1)
<b>Sex</b>	<b>Female</b>	9	30.1%	(9.0-51.3)	29	69.9%	(48.7-91.0)
	<b>Male</b>	16	56.4%	(39.0-73.9)	12	43.6%	(26.1-61.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		27	27.3%	(15.7-39.0)	63	72.7%	(61.0-84.3)
<b>Sex</b>	<b>Female</b>	9	29.4%	(11.6-47.2)	29	70.6%	(52.8-88.4)
	<b>Male</b>	18	27.3%	(11.7-42.8)	33	72.7%	(57.2-88.3)

§ For example, a gun, knife, or club

¶ On at least 1 day during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 11: Percentage of high school students who carried a gun<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		298	4.8%	(3.9-5.6)	4660	95.2%	(94.4-96.1)
<b>Sex</b>	<b>Female</b>	68	2.3%	(1.6-3.1)	2483	97.7%	(96.9-98.4)
	<b>Male</b>	229	7.1%	(5.8-8.4)	2161	92.9%	(91.6-94.2)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		26	13.4%	(4.5-22.2)	132	86.6%	(77.8-95.5)
<b>Sex</b>	<b>Female</b>	7	11.5%	(0.0-25.5)	71	88.5%	(74.5-100.0)
	<b>Male</b>	19	15.3%	(3.2-27.3)	60	84.7%	(72.7-96.8)
<b>Tribal High School</b>							
<b>Total</b>		15	27.6%	(11.0-44.2)	53	72.4%	(55.8-89.0)
<b>Sex</b>	<b>Female</b>	5	19.6%	(0.0-39.6)	35	80.4%	(60.4-100.0)
	<b>Male</b>	10	35.2%	(11.0-59.4)	18	64.8%	(40.6-89.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		11	12.3%	(2.8-21.7)	79	87.7%	(78.3-97.2)
<b>Sex</b>	<b>Female</b>	2	10.7%	(0.0-26.2)	36	89.3%	(73.8-100.0)
	<b>Male</b>	9	13.9%	(1.2-26.6)	42	86.1%	(73.4-98.8)

§ On at least 1 day during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 12: Percentage of high school students who carried a weapon on school property<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		246	3.7%	(3.1-4.4)	4780	96.3%	(95.6-96.9)
<b>Sex</b>	<b>Female</b>	81	2.9%	(2.0-3.8)	2494	97.1%	(96.2-98.0)
	<b>Male</b>	164	4.6%	(3.6-5.6)	2265	95.4%	(94.4-96.4)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		17	9.7%	(1.0-18.4)	140	90.3%	(81.6-99.0)
<b>Sex</b>	<b>Female</b>	6	11.3%	(0.0-25.3)	71	88.7%	(74.7-100.0)
	<b>Male</b>	11	9.0%	(0.0-20.3)	68	91.0%	(79.7-100.0)
<b>Tribal High School</b>							
<b>Total</b>		12	23.5%	(8.5-38.5)	53	76.5%	(61.5-91.5)
<b>Sex</b>	<b>Female</b>	4	17.2%	(0.0-37.8)	34	82.8%	(62.2-100.0)
	<b>Male</b>	8	29.4%	(10.9-47.8)	19	70.6%	(52.2-89.1)
<b>Non-Tribal High School</b>							
<b>Total</b>		5	8.6%	(0.0-18.0)	87	91.4%	(82.0-100.0)
<b>Sex</b>	<b>Female</b>	2	10.8%	(0.0-26.0)	37	89.2%	(74.0-100.0)
	<b>Male</b>	3	7.6%	(0.0-19.6)	49	92.4%	(80.4-100.0)

§ For example, a gun, knife, or club

¶ On at least 1 day during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 13: Percentage of high school students who were threatened or injured with a weapon on school property<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		353	6.7%	(5.6-7.8)	4702	93.3%	(92.2-94.4)
<b>Sex</b>	<b>Female</b>	134	5.1%	(3.9-6.3)	2446	94.9%	(93.7-96.1)
	<b>Male</b>	212	8.2%	(6.7-9.8)	2239	91.8%	(90.2-93.3)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		25	16.0%	(6.6-25.3)	137	84.0%	(74.7-93.4)
<b>Sex</b>	<b>Female</b>	6	11.4%	(0.0-25.4)	72	88.6%	(74.6-100.0)
	<b>Male</b>	19	19.7%	(6.9-32.5)	64	80.3%	(67.5-93.1)
<b>Tribal High School</b>							
<b>Total</b>		11	17.8%	(6.8-28.9)	57	82.2%	(71.1-93.2)
<b>Sex</b>	<b>Female</b>	3	7.8%	(0.0-16.5)	36	92.2%	(83.5-100.0)
	<b>Male</b>	8	26.3%	(7.3-45.4)	21	73.7%	(54.6-92.7)
<b>Non-Tribal High School</b>							
<b>Total</b>		14	15.8%	(5.8-25.8)	80	84.2%	(74.2-94.2)
<b>Sex</b>	<b>Female</b>	3	11.7%	(0.0-26.8)	36	88.3%	(73.2-100.0)
	<b>Male</b>	11	19.2%	(5.6-32.9)	43	80.8%	(67.1-94.4)

§ For example, a gun, knife, or club

¶ One or more times during the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 14: Percentage of high school students who were in a physical fight<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		999	19.3%	(17.6-20.9)	3975	80.7%	(79.1-82.4)
<b>Sex</b>	<b>Female</b>	387	13.6%	(11.8-15.3)	2168	86.4%	(84.7-88.2)
	<b>Male</b>	607	24.8%	(22.4-27.2)	1791	75.2%	(72.8-77.6)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		56	31.9%	(20.2-43.6)	98	68.1%	(56.4-79.8)
<b>Sex</b>	<b>Female</b>	29	35.4%	(18.8-52.0)	46	64.6%	(48.0-81.2)
	<b>Male</b>	27	31.0%	(15.6-46.4)	51	69.0%	(53.6-84.4)
<b>Tribal High School</b>							
<b>Total</b>		28	44.5%	(26.2-62.9)	35	55.5%	(37.1-73.8)
<b>Sex</b>	<b>Female</b>	17	47.3%	(21.9-72.6)	20	52.7%	(27.4-78.1)
	<b>Male</b>	11	41.9%	(20.6-63.2)	15	58.1%	(36.8-79.4)
<b>Non-Tribal High School</b>							
<b>Total</b>		28	30.9%	(18.4-43.5)	63	69.1%	(56.5-81.6)
<b>Sex</b>	<b>Female</b>	12	34.3%	(16.1-52.5)	26	65.7%	(47.5-83.9)
	<b>Male</b>	16	30.3%	(13.9-46.7)	36	69.7%	(53.3-86.1)

§ One or more times during the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



**Table 15: Percentage of high school students who were injured in a physical fight<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		149	2.9%	(2.3-3.6)	4861	97.1%	(96.4-97.7)
<b>Sex</b>	<b>Female</b>	44	1.6%	(1.0-2.2)	2519	98.4%	(97.8-99.0)
	<b>Male</b>	103	4.2%	(3.1-5.3)	2325	95.8%	(94.7-96.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		10	5.1%	(0.0-11.2)	149	94.9%	(88.8-100.0)
<b>Sex</b>	<b>Female</b>	2	0.9%	(0.0-2.1)	75	99.1%	(97.9-100.0)
	<b>Male</b>	8	8.1%	(0.0-18.1)	73	91.9%	(81.9-100.0)
<b>Tribal High School</b>							
<b>Total</b>		6	12.3%	(2.5-22.1)	60	87.7%	(77.9-97.5)
<b>Sex</b>	<b>Female</b>	2	10.6%	(0.0-25.3)	36	89.4%	(74.7-100.0)
	<b>Male</b>	4	13.8%	(0.0-31.2)	24	86.2%	(68.8-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		4	4.6%	(0.0-11.1)	89	95.4%	(88.9-100.0)
<b>Sex</b>	<b>Female</b>	0	0.0%	(0.0-0.0)	39	100.0%	(100.0-100.0)
	<b>Male</b>	4	7.8%	(0.0-18.4)	49	92.2%	(81.6-100.0)

§ One or more times during the 12 months before the survey

¶ Injuries had to be treated by a doctor or nurse

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 16: Percentage of high school students who were in a physical fight on school property<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		304	5.3%	(4.6-6.1)	4667	94.7%	(93.9-95.4)
<b>Sex</b>	<b>Female</b>	116	4.2%	(3.3-5.1)	2442	95.8%	(94.9-96.7)
	<b>Male</b>	185	6.4%	(5.3-7.6)	2208	93.6%	(92.4-94.7)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		20	6.6%	(2.3-10.9)	133	93.4%	(89.1-97.7)
<b>Sex</b>	<b>Female</b>	11	8.0%	(0.8-15.2)	65	92.0%	(84.8-99.2)
	<b>Male</b>	9	6.1%	(0.5-11.7)	67	93.9%	(88.3-99.5)
<b>Tribal High School</b>							
<b>Total</b>		14	25.7%	(10.3-41.1)	49	74.3%	(58.9-89.7)
<b>Sex</b>	<b>Female</b>	8	26.5%	(0.6-52.5)	31	73.5%	(47.5-99.4)
	<b>Male</b>	6	24.8%	(1.0-48.7)	18	75.2%	(51.3-99.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		6	5.2%	(0.8-9.6)	84	94.8%	(90.4-99.2)
<b>Sex</b>	<b>Female</b>	3	6.0%	(0.0-13.4)	34	94.0%	(86.6-100.0)
	<b>Male</b>	3	5.0%	(0.0-10.7)	49	95.0%	(89.3-100.0)

§ One or more times during the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 17: Percentage of high school students who were bullied on school property<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1049	18.5%	(17.1-19.9)	3958	81.5%	(80.1-82.9)
<b>Sex</b>	<b>Female</b>	625	21.3%	(19.2-23.3)	1948	78.7%	(76.7-80.8)
	<b>Male</b>	420	15.8%	(14.2-17.5)	1995	84.2%	(82.5-85.8)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		52	24.7%	(14.5-34.8)	107	75.3%	(65.2-85.5)
<b>Sex</b>	<b>Female</b>	26	27.6%	(14.5-40.7)	52	72.4%	(59.3-85.5)
	<b>Male</b>	26	22.7%	(8.6-36.8)	55	77.3%	(63.2-91.4)
<b>Tribal High School</b>							
<b>Total</b>		24	32.8%	(22.5-43.1)	43	67.2%	(56.9-77.5)
<b>Sex</b>	<b>Female</b>	15	34.3%	(16.5-52.1)	24	65.7%	(47.9-83.5)
	<b>Male</b>	9	31.4%	(15.2-47.7)	19	68.6%	(52.3-84.8)
<b>Non-Tribal High School</b>							
<b>Total</b>		28	24.1%	(13.2-34.9)	64	75.9%	(65.1-86.8)
<b>Sex</b>	<b>Female</b>	11	27.0%	(12.7-41.4)	28	73.0%	(58.6-87.3)
	<b>Male</b>	17	22.1%	(7.2-37.0)	36	77.9%	(63.0-92.8)

§ During the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 18: Percentage of high school students who were electronically bullied<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		787	13.8%	(12.5-15.0)	4254	86.2%	(85.0-87.5)
<b>Sex</b>	<b>Female</b>	547	18.7%	(16.6-20.7)	2032	81.3%	(79.3-83.4)
	<b>Male</b>	231	9.0%	(7.6-10.4)	2211	91.0%	(89.6-92.4)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		38	22.3%	(11.9-32.6)	122	77.7%	(67.4-88.1)
<b>Sex</b>	<b>Female</b>	25	32.0%	(15.8-48.3)	54	68.0%	(51.7-84.2)
	<b>Male</b>	13	16.6%	(3.5-29.8)	67	83.4%	(70.2-96.5)
<b>Tribal High School</b>							
<b>Total</b>		18	25.0%	(16.2-33.9)	49	75.0%	(66.1-83.8)
<b>Sex</b>	<b>Female</b>	13	31.4%	(19.5-43.4)	27	68.6%	(56.6-80.5)
	<b>Male</b>	5	18.9%	(0.0-38.5)	22	81.1%	(61.5-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		20	22.1%	(11.0-33.2)	73	77.9%	(66.8-89.0)
<b>Sex</b>	<b>Female</b>	12	32.1%	(14.3-49.9)	27	67.9%	(50.1-85.7)
	<b>Male</b>	8	16.5%	(2.5-30.5)	45	83.5%	(69.5-97.5)

§ During the 12 months before the survey

¶ Including being bullied through e-mail, chat rooms, instant messaging, websites, or texting

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 19: Percentage of high school students who did not go to school because they felt unsafe at school or on their way to or from school<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		399	7.6%	(6.6-8.6)	4675	92.4%	(91.4-93.4)
<b>Sex</b>	<b>Female</b>	214	8.1%	(6.6-9.6)	2377	91.9%	(90.4-93.4)
	<b>Male</b>	180	7.0%	(5.7-8.4)	2280	93.0%	(91.6-94.3)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		20	16.2%	(5.4-26.9)	141	83.8%	(73.1-94.6)
<b>Sex</b>	<b>Female</b>	11	16.0%	(1.9-30.0)	68	84.0%	(70.0-98.1)
	<b>Male</b>	9	17.0%	(1.3-32.7)	72	83.0%	(67.3-98.7)
<b>Tribal High School</b>							
<b>Total</b>		9	12.3%	(4.3-20.4)	59	87.7%	(79.6-95.7)
<b>Sex</b>	<b>Female</b>	7	18.4%	(4.4-32.4)	33	81.6%	(67.6-95.6)
	<b>Male</b>	2	6.7%	(0.0-16.5)	26	93.3%	(83.5-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		11	16.4%	(4.9-28.0)	82	83.6%	(72.0-95.1)
<b>Sex</b>	<b>Female</b>	4	15.7%	(0.4-31.1)	35	84.3%	(68.9-99.6)
	<b>Male</b>	7	17.7%	(0.9-34.5)	46	82.3%	(65.5-99.1)

§ On at least 1 day during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 20: Percentage of high school students who experienced physical dating violence<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		333	9.9%	(8.6-11.1)	2935	90.1%	(88.9-91.4)
<b>Sex</b>	<b>Female</b>	190	11.2%	(9.3-13.0)	1536	88.8%	(87.0-90.7)
	<b>Male</b>	143	8.6%	(6.8-10.4)	1393	91.4%	(89.6-93.2)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		25	12.3%	(2.6-21.9)	97	87.7%	(78.1-97.4)
<b>Sex</b>	<b>Female</b>	15	18.6%	(1.8-35.4)	41	81.4%	(64.6-98.2)
	<b>Male</b>	10	8.5%	(0.0-20.0)	56	91.5%	(80.0-100.0)
<b>Tribal High School</b>							
<b>Total</b>		19	40.0%	(28.8-51.3)	30	60.0%	(48.7-71.2)
<b>Sex</b>	<b>Female</b>	11	46.4%	(36.3-56.5)	15	53.6%	(43.5-63.7)
	<b>Male</b>	8	35.4%	(12.6-58.2)	15	64.6%	(41.8-87.4)
<b>Non-Tribal High School</b>							
<b>Total</b>		6	10.4%	(0.1-20.7)	67	89.6%	(79.3-99.9)
<b>Sex</b>	<b>Female</b>	4	16.4%	(0.0-34.6)	26	83.6%	(65.4-100.0)
	<b>Male</b>	2	6.9%	(0.0-19.1)	41	93.1%	(80.9-100.0)

§ Including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with at least 1 time during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 21: Percentage of high school students who experienced sexual dating violence<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		383	11.2%	(9.8-12.6)	2881	88.8%	(87.4-90.2)
<b>Sex</b>	<b>Female</b>	273	16.1%	(14.0-18.1)	1450	83.9%	(81.9-86.0)
	<b>Male</b>	108	6.5%	(4.9-8.1)	1427	93.5%	(91.9-95.1)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		20	9.1%	(1.2-17.0)	102	90.9%	(83.0-98.8)
<b>Sex</b>	<b>Female</b>	13	11.5%	(2.4-20.6)	43	88.5%	(79.4-97.6)
	<b>Male</b>	7	7.7%	(0.0-19.2)	59	92.3%	(80.8-100.0)
<b>Tribal High School</b>							
<b>Total</b>		13	29.8%	(13.5-46.1)	36	70.2%	(53.9-86.5)
<b>Sex</b>	<b>Female</b>	9	47.6%	(13.3-81.8)	17	52.4%	(18.2-86.7)
	<b>Male</b>	4	16.8%	(0.0-35.0)	19	83.2%	(65.0-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		7	7.7%	(0.0-16.1)	66	92.3%	(83.9-100.0)
<b>Sex</b>	<b>Female</b>	4	8.7%	(0.0-17.8)	26	91.3%	(82.2-100.0)
	<b>Male</b>	3	7.1%	(0.0-19.3)	40	92.9%	(80.7-100.0)

§ Including kissing, touching, or physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 22: Percentage of high school students who were ever physically forced to have sexual intercourse<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		510	9.0%	(7.9-10.1)	4532	91.0%	(89.9-92.1)
<b>Sex</b>	<b>Female</b>	353	12.8%	(11.0-14.6)	2226	87.2%	(85.4-89.0)
	<b>Male</b>	151	5.4%	(4.2-6.5)	2292	94.6%	(93.5-95.8)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		22	12.0%	(3.9-20.1)	140	88.0%	(79.9-96.1)
<b>Sex</b>	<b>Female</b>	12	17.6%	(4.4-30.8)	67	82.4%	(69.2-95.6)
	<b>Male</b>	10	8.8%	(0.0-19.1)	72	91.2%	(80.9-100.0)
<b>Tribal High School</b>							
<b>Total</b>		10	17.0%	(7.0-26.9)	58	83.0%	(73.1-93.0)
<b>Sex</b>	<b>Female</b>	5	15.6%	(0.6-30.5)	35	84.4%	(69.5-99.4)
	<b>Male</b>	5	18.3%	(0.0-38.8)	23	81.7%	(61.2-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		12	11.6%	(3.0-20.2)	82	88.4%	(79.8-97.0)
<b>Sex</b>	<b>Female</b>	7	17.8%	(3.4-32.2)	32	82.2%	(67.8-96.6)
	<b>Male</b>	5	8.2%	(0.0-19.1)	49	91.8%	(80.9-100.0)

§ When they did not want to

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



**Table 23: Percentage of high school students who have ever been physically hurt by an adult<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		848	15.8%	(14.4-17.1)	4194	84.2%	(82.9-85.6)
<b>Sex</b>	<b>Female</b>	477	17.2%	(15.3-19.1)	2107	82.8%	(80.9-84.7)
	<b>Male</b>	367	14.4%	(12.7-16.0)	2072	85.6%	(84.0-87.3)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		46	30.4%	(20.1-40.8)	116	69.6%	(59.2-79.9)
<b>Sex</b>	<b>Female</b>	23	38.0%	(22.9-53.2)	56	62.0%	(46.8-77.1)
	<b>Male</b>	23	26.6%	(12.6-40.6)	59	73.4%	(59.4-87.4)
<b>Tribal High School</b>							
<b>Total</b>		19	29.9%	(15.7-44.2)	50	70.1%	(55.8-84.3)
<b>Sex</b>	<b>Female</b>	11	32.7%	(6.2-59.3)	29	67.3%	(40.7-93.8)
	<b>Male</b>	8	27.4%	(8.7-46.1)	21	72.6%	(53.9-91.3)
<b>Non-Tribal High School</b>							
<b>Total</b>		27	30.5%	(19.4-41.5)	66	69.5%	(58.5-80.6)
<b>Sex</b>	<b>Female</b>	12	38.5%	(22.2-54.9)	27	61.5%	(45.1-77.8)
	<b>Male</b>	15	26.6%	(11.6-41.5)	38	73.4%	(58.5-88.4)

§ For example, a gun, knife, or club

¶ One or more times during the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 24: Percentage of high school students who have ever seen adults in their home slap, hit, kick, punch, or beat each other up, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		838	16.4%	(14.8-18.0)	4178	83.6%	(82.0-85.2)
<b>Sex</b>	<b>Female</b>	500	19.4%	(17.1-21.8)	2070	80.6%	(78.2-82.9)
	<b>Male</b>	334	13.7%	(12.0-15.3)	2093	86.3%	(84.7-88.0)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		41	21.0%	(11.4-30.6)	118	79.0%	(69.4-88.6)
<b>Sex</b>	<b>Female</b>	23	25.0%	(10.8-39.1)	56	75.0%	(60.9-89.2)
	<b>Male</b>	18	19.2%	(5.9-32.5)	61	80.8%	(67.5-94.1)
<b>Tribal High School</b>							
<b>Total</b>		22	35.7%	(25.1-46.3)	45	64.3%	(53.7-74.9)
<b>Sex</b>	<b>Female</b>	13	36.4%	(16.3-56.6)	27	63.6%	(43.4-83.7)
	<b>Male</b>	9	35.0%	(22.8-47.2)	18	65.0%	(52.8-77.2)
<b>Non-Tribal High School</b>							
<b>Total</b>		19	19.9%	(9.6-30.2)	73	80.1%	(69.8-90.4)
<b>Sex</b>	<b>Female</b>	10	23.9%	(8.4-39.4)	29	76.1%	(60.6-91.6)
	<b>Male</b>	9	18.2%	(4.0-32.4)	43	81.8%	(67.6-96.0)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

## Emotional Health

**Table 25: Percentage of high school students who felt sad or hopeless<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1749	34.5%	(32.6-36.4)	3266	65.5%	(63.6-67.4)
<b>Sex</b>	<b>Female</b>	1159	45.8%	(43.0-48.6)	1404	54.2%	(51.4-57.0)
	<b>Male</b>	583	23.8%	(21.8-25.8)	1849	76.2%	(74.2-78.2)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		58	36.4%	(25.0-47.8)	102	63.6%	(52.2-75.0)
<b>Sex</b>	<b>Female</b>	38	49.0%	(29.3-68.6)	40	51.0%	(31.4-70.7)
	<b>Male</b>	20	29.6%	(14.8-44.3)	61	70.4%	(55.7-85.2)
<b>Tribal High School</b>							
<b>Total</b>		25	35.4%	(21.7-49.0)	42	64.6%	(51.0-78.3)
<b>Sex</b>	<b>Female</b>	19	49.9%	(29.5-70.4)	20	50.1%	(29.6-70.5)
	<b>Male</b>	6	22.7%	(1.5-43.9)	22	77.3%	(56.1-98.5)
<b>Non-Tribal High School</b>							
<b>Total</b>		33	36.5%	(24.3-48.7)	60	63.5%	(51.3-75.7)
<b>Sex</b>	<b>Female</b>	19	48.9%	(27.6-70.2)	20	51.1%	(29.8-72.4)
	<b>Male</b>	14	30.0%	(14.3-45.7)	39	70.0%	(54.3-85.7)

§ Almost every day for 2 or more weeks in a row so that they stopped doing some usual activities

¶ During the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 26: Percentage of high school students who seriously considered attempting suicide<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		942	17.7%	(16.2-19.3)	4093	82.3%	(80.7-83.8)
<b>Sex</b>	<b>Female</b>	621	23.1%	(20.8-25.3)	1956	76.9%	(74.7-79.2)
	<b>Male</b>	317	12.7%	(11.0-14.4)	2122	87.3%	(85.6-89.0)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		33	21.1%	(10.8-31.4)	127	78.9%	(68.6-89.2)
<b>Sex</b>	<b>Female</b>	21	36.6%	(17.7-55.6)	58	63.4%	(44.4-82.3)
	<b>Male</b>	12	11.5%	(0.6-22.4)	68	88.5%	(77.6-99.4)
<b>Tribal High School</b>							
<b>Total</b>		12	19.3%	(9.5-29.2)	55	80.7%	(70.8-90.5)
<b>Sex</b>	<b>Female</b>	8	24.3%	(8.8-39.8)	32	75.7%	(60.2-91.2)
	<b>Male</b>	4	14.5%	(0.0-29.9)	23	85.5%	(70.1-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		21	21.2%	(10.2-32.2)	72	78.8%	(67.8-89.8)
<b>Sex</b>	<b>Female</b>	13	37.8%	(17.0-58.5)	26	62.2%	(41.5-83.0)
	<b>Male</b>	8	11.3%	(0.0-22.9)	45	88.7%	(77.1-100.0)

§ During the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 27: Percentage of high school students who made a plan about how they would attempt suicide<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		838	15.8%	(14.6-17.1)	4187	84.2%	(82.9-85.4)
<b>Sex</b>	<b>Female</b>	535	20.5%	(18.5-22.4)	2040	79.5%	(77.6-81.5)
	<b>Male</b>	299	11.5%	(10.1-12.9)	2133	88.5%	(87.1-89.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		29	16.4%	(7.2-25.6)	131	83.6%	(74.4-92.8)
<b>Sex</b>	<b>Female</b>	19	29.8%	(12.9-46.8)	59	70.2%	(53.2-87.1)
	<b>Male</b>	10	8.2%	(0.0-18.3)	71	91.8%	(81.7-100.0)
<b>Tribal High School</b>							
<b>Total</b>		13	21.7%	(12.1-31.3)	54	78.3%	(68.7-87.9)
<b>Sex</b>	<b>Female</b>	8	24.3%	(8.7-39.9)	31	75.7%	(60.1-91.3)
	<b>Male</b>	5	19.3%	(2.1-36.6)	23	80.7%	(63.4-97.9)
<b>Non-Tribal High School</b>							
<b>Total</b>		16	16.0%	(6.2-25.8)	77	84.0%	(74.2-93.8)
<b>Sex</b>	<b>Female</b>	11	30.3%	(11.8-48.8)	28	69.7%	(51.2-88.2)
	<b>Male</b>	5	7.4%	(0.0-18.1)	48	92.6%	(81.9-100.0)

§ During the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 28: Percentage of high school students who attempted suicide<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		488	9.8%	(8.7-10.9)	3928	90.2%	(89.1-91.3)
<b>Sex</b>	<b>Female</b>	308	11.7%	(10.0-13.4)	2008	88.3%	(86.6-90.0)
	<b>Male</b>	176	7.8%	(6.4-9.3)	1904	92.2%	(90.7-93.6)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		22	18.0%	(6.7-29.2)	109	82.0%	(70.8-93.3)
<b>Sex</b>	<b>Female</b>	13	24.3%	(5.8-42.9)	51	75.7%	(57.1-94.2)
	<b>Male</b>	9	15.1%	(0.2-29.9)	57	84.9%	(70.1-99.8)
<b>Tribal High School</b>							
<b>Total</b>		12	22.0%	(8.9-35.1)	45	78.0%	(64.9-91.1)
<b>Sex</b>	<b>Female</b>	8	29.0%	(4.4-53.5)	25	71.0%	(46.5-95.6)
	<b>Male</b>	4	15.8%	(0.0-32.7)	20	84.2%	(67.3-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		10	17.7%	(5.6-29.8)	64	82.3%	(70.2-94.4)
<b>Sex</b>	<b>Female</b>	5	23.9%	(3.4-44.4)	26	76.1%	(55.6-96.6)
	<b>Male</b>	5	15.0%	(0.0-30.9)	37	85.0%	(69.1-100.0)

§ One or more times during the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 29: Percentage of high school students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		152	3.2%	(2.6-3.9)	4289	96.8%	(96.1-97.4)
<b>Sex</b>	<b>Female</b>	86	3.5%	(2.6-4.5)	2242	96.5%	(95.5-97.4)
	<b>Male</b>	66	2.9%	(2.1-3.8)	2029	97.1%	(96.2-97.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		8	9.2%	(0.0-19.0)	121	90.8%	(81.0-100.0)
<b>Sex</b>	<b>Female</b>	6	4.2%	(0.0-9.2)	58	95.8%	(90.8-100.0)
	<b>Male</b>	2	12.7%	(0.0-28.0)	62	87.3%	(72.0-100.0)
<b>Tribal High School</b>							
<b>Total</b>		5	9.6%	(0.0-19.5)	51	90.4%	(80.5-100.0)
<b>Sex</b>	<b>Female</b>	5	20.1%	(0.0-41.4)	28	79.9%	(58.6-100.0)
	<b>Male</b>	0	0.0%	(0.0-0.0)	23	100.0%	(100.0-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		3	9.1%	(0.0-19.7)	70	90.9%	(80.3-100.0)
<b>Sex</b>	<b>Female</b>	1	2.5%	(0.0-7.7)	30	97.5%	(92.3-100.0)
	<b>Male</b>	2	13.5%	(0.0-29.7)	39	86.5%	(70.3-100.0)

§ During the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 30: Percentage of high school students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1170	21.5%	(19.9-23.0)	3889	78.5%	(77.0-80.1)
<b>Sex</b>	<b>Female</b>	760	27.7%	(25.5-29.9)	1823	72.3%	(70.1-74.5)
	<b>Male</b>	402	15.5%	(13.6-17.4)	2052	84.5%	(82.6-86.4)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		50	22.6%	(11.9-33.4)	111	77.4%	(66.6-88.1)
<b>Sex</b>	<b>Female</b>	28	16.3%	(6.0-26.7)	51	83.7%	(73.3-94.0)
	<b>Male</b>	22	27.8%	(11.9-43.6)	59	72.2%	(56.4-88.1)
<b>Tribal High School</b>							
<b>Total</b>		27	36.7%	(27.1-46.3)	40	63.3%	(53.7-72.9)
<b>Sex</b>	<b>Female</b>	20	47.7%	(25.5-69.8)	20	52.3%	(30.2-74.5)
	<b>Male</b>	7	26.2%	(8.0-44.4)	20	73.8%	(55.6-92.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		23	21.6%	(10.1-33.1)	71	78.4%	(66.9-89.9)
<b>Sex</b>	<b>Female</b>	8	13.4%	(2.8-23.9)	31	86.6%	(76.1-97.2)
	<b>Male</b>	15	27.9%	(11.0-44.7)	39	72.1%	(55.3-89.0)

§ On at least 1 day during the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



**Table 31: Percentage of high school students who have ever lived with someone who was depressed, mentally ill, or suicidal, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1526	30.4%	(28.5-32.3)	3313	69.6%	(67.7-71.5)
<b>Sex</b>	<b>Female</b>	905	36.0%	(33.4-38.6)	1586	64.0%	(61.4-66.6)
	<b>Male</b>	616	25.0%	(22.7-27.4)	1716	75.0%	(72.6-77.3)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		57	42.0%	(30.2-53.7)	104	58.0%	(46.3-69.8)
<b>Sex</b>	<b>Female</b>	36	56.2%	(40.2-72.3)	44	43.8%	(27.7-59.8)
	<b>Male</b>	21	31.6%	(15.7-47.5)	59	68.4%	(52.5-84.3)
<b>Tribal High School</b>							
<b>Total</b>		20	30.4%	(11.8-49.0)	44	69.6%	(51.0-88.2)
<b>Sex</b>	<b>Female</b>	14	35.8%	(12.5-59.1)	24	64.2%	(40.9-87.5)
	<b>Male</b>	6	25.2%	(0.0-52.7)	20	74.8%	(47.3-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		37	42.8%	(30.3-55.4)	60	57.2%	(44.6-69.7)
<b>Sex</b>	<b>Female</b>	22	57.9%	(40.7-75.0)	20	42.1%	(25.0-59.3)
	<b>Male</b>	15	32.0%	(15.1-49.0)	39	68.0%	(51.0-84.9)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

## Tobacco Use

**Table 32: Percentage of high school students who ever smoked cigarettes<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1705	32.4%	(30.0-34.8)	3225	67.6%	(65.2-70.0)
<b>Sex</b>	<b>Female</b>	872	32.8%	(29.6-36.0)	1667	67.2%	(64.0-70.4)
	<b>Male</b>	825	31.9%	(29.3-34.6)	1549	68.1%	(65.4-70.7)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		95	53.1%	(40.8-65.4)	60	46.9%	(34.6-59.2)
<b>Sex</b>	<b>Female</b>	48	58.4%	(42.1-74.7)	27	41.6%	(25.3-57.9)
	<b>Male</b>	47	52.2%	(34.9-69.5)	32	47.8%	(30.5-65.1)
<b>Tribal High School</b>							
<b>Total</b>		46	70.2%	(60.3-80.1)	19	29.8%	(19.9-39.7)
<b>Sex</b>	<b>Female</b>	29	73.9%	(57.5-90.3)	10	26.1%	(9.7-42.5)
	<b>Male</b>	17	66.6%	(49.5-83.7)	9	33.4%	(16.3-50.5)
<b>Non-Tribal High School</b>							
<b>Total</b>		49	51.8%	(38.6-65.0)	41	48.2%	(35.0-61.4)
<b>Sex</b>	<b>Female</b>	19	56.8%	(38.8-74.8)	17	43.2%	(25.2-61.2)
	<b>Male</b>	30	51.3%	(33.0-69.6)	23	48.7%	(30.4-67.0)

§ Ever tried cigarette smoking, even one or two puffs

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 33: Percentage of high school students who smoked a whole cigarette for the first time before age 13, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		362	6.4%	(5.5-7.2)	4563	93.6%	(92.8-94.5)
<b>Sex</b>	<b>Female</b>	142	4.8%	(3.8-5.9)	2385	95.2%	(94.1-96.2)
	<b>Male</b>	215	7.7%	(6.3-9.1)	2163	92.3%	(90.9-93.7)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		37	18.4%	(8.8-28.1)	120	81.6%	(71.9-91.2)
<b>Sex</b>	<b>Female</b>	18	17.2%	(3.0-31.4)	58	82.8%	(68.6-97.0)
	<b>Male</b>	19	20.1%	(6.9-33.2)	61	79.9%	(66.8-93.1)
<b>Tribal High School</b>							
<b>Total</b>		22	33.4%	(18.3-48.5)	43	66.6%	(51.5-81.7)
<b>Sex</b>	<b>Female</b>	13	34.3%	(11.6-56.9)	25	65.7%	(43.1-88.4)
	<b>Male</b>	9	32.6%	(9.1-56.1)	18	67.4%	(43.9-90.9)
<b>Non-Tribal High School</b>							
<b>Total</b>		15	17.4%	(7.1-27.7)	77	82.6%	(72.3-92.9)
<b>Sex</b>	<b>Female</b>	5	15.7%	(0.1-31.3)	33	84.3%	(68.7-99.9)
	<b>Male</b>	10	19.3%	(5.3-33.2)	43	80.7%	(66.8-94.7)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 34: Percentage of high school students who currently smoked cigarettes<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		412	7.2%	(6.2-8.2)	4443	92.8%	(91.8-93.8)
<b>Sex</b>	<b>Female</b>	221	8.0%	(6.5-9.5)	2274	92.0%	(90.5-93.5)
	<b>Male</b>	189	6.5%	(5.2-7.7)	2153	93.5%	(92.3-94.8)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		32	22.4%	(10.6-34.3)	106	77.6%	(65.7-89.4)
<b>Sex</b>	<b>Female</b>	14	16.7%	(0.0-35.2)	53	83.3%	(64.8-100.0)
	<b>Male</b>	18	27.3%	(11.1-43.4)	52	72.7%	(56.6-88.9)
<b>Tribal High School</b>							
<b>Total</b>		17	29.9%	(13.1-46.6)	39	70.1%	(53.4-86.9)
<b>Sex</b>	<b>Female</b>	10	29.2%	(6.9-51.5)	24	70.8%	(48.5-93.1)
	<b>Male</b>	7	30.6%	(6.7-54.5)	15	69.4%	(45.5-93.3)
<b>Non-Tribal High School</b>							
<b>Total</b>		15	21.9%	(9.2-34.6)	67	78.1%	(65.4-90.8)
<b>Sex</b>	<b>Female</b>	4	15.6%	(0.0-35.8)	29	84.4%	(64.2-100.0)
	<b>Male</b>	11	27.1%	(9.9-44.2)	37	72.9%	(55.8-90.1)

§ Smoked cigarettes on at least 1 day during the 30 days before the survey  
 ¶¶ The sample size in the total and subgroups may differ due to missing data  
 \* Weighted row percent  
 † 95% confidence interval

**Table 35: Percentage of high school students who frequently currently smoked cigarettes<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		122	1.9%	(1.4-2.4)	4733	98.1%	(97.6-98.6)
<b>Sex</b>	<b>Female</b>	66	2.1%	(1.4-2.9)	2429	97.9%	(97.1-98.6)
	<b>Male</b>	56	1.6%	(1.1-2.2)	2286	98.4%	(97.8-98.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		12	9.6%	(2.9-16.4)	142	90.4%	(83.6-97.1)
<b>Sex</b>	<b>Female</b>	7	8.7%	(0.0-18.0)	69	91.3%	(82.0-100.0)
	<b>Male</b>	5	10.7%	(0.5-20.8)	72	89.3%	(79.2-99.5)
<b>Tribal High School</b>							
<b>Total</b>		5	7.8%	(0.8-14.8)	51	92.2%	(85.2-99.2)
<b>Sex</b>	<b>Female</b>	4	11.3%	(1.8-20.8)	30	88.7%	(79.2-98.2)
	<b>Male</b>	1	4.3%	(0.0-14.1)	21	95.7%	(85.9-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		7	9.7%	(2.6-16.9)	91	90.3%	(83.1-97.4)
<b>Sex</b>	<b>Female</b>	3	8.5%	(0.0-18.5)	39	91.5%	(81.5-100.0)
	<b>Male</b>	4	11.0%	(0.3-21.7)	51	89.0%	(78.3-99.7)

§ Smoked cigarettes on 20 or more days during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 36: Percentage of high school students who smoked more than 10 cigarettes per day<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		24	5.7%	(2.6-8.8)	383	94.3%	(91.2-97.4)
<b>Sex</b>	<b>Female</b>	11	5.4%	(0.9-9.8)	206	94.6%	(90.2-99.1)
	<b>Male</b>	13	6.2%	(1.6-10.7)	175	93.8%	(89.3-98.4)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		5	22.2%	(0.0-53.9)	27	77.8%	(46.1-100.0)
<b>Sex</b>	<b>Female</b>	2	71.4%	(31.4-100.0)	12	28.6%	(0.0-68.6)
	<b>Male</b>	3	2.6%	(0.0-6.7)	15	97.4%	(93.3-100.0)
<b>Tribal High School</b>							
<b>Total</b>		3	20.9%	(0.0-53.3)	14	79.1%	(46.7-100.0)
<b>Sex</b>	<b>Female</b>	0	0.0%	(0.0-0.0)	10	100.0%	(100.0-100.0)
	<b>Male</b>	3	41.0%	(0.0-100.0)	4	59.0%	(0.0-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		2	22.3%	(0.0-57.0)	13	77.7%	(43.0-100.0)
<b>Sex</b>	<b>Female</b>	2	84.2%	(51.5-100.0)	2	15.8%	(0.0-48.5)
	<b>Male</b>	0	0.0%	(0.0-0.0)	11	100.0%	(100.0-100.0)

§ On the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 37: Percentage of high school students who usually obtained their own cigarettes by buying them in a store or gas station<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		34	12.1%	(6.8-17.4)	304	87.9%	(82.6-93.2)
<b>Sex</b>	<b>Female</b>	18	12.8%	(5.9-19.8)	168	87.2%	(80.2-94.1)
	<b>Male</b>	15	11.3%	(3.8-18.8)	135	88.7%	(81.2-96.2)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		3	19.3%	(0.0-52.9)	27	80.7%	(47.1-100.0)
<b>Sex</b>	<b>Female</b>	1	58.8%	(2.5-100.0)	13	41.2%	(0.0-97.5)
	<b>Male</b>	2	2.2%	(0.0-7.0)	14	97.8%	(93.0-100.0)
<b>Tribal High School</b>							
<b>Total</b>		2	17.6%	(0.0-45.9)	14	82.4%	(54.1-100.0)
<b>Sex</b>	<b>Female</b>	0	0.0%	(0.0-0.0)	10	100.0%	(100.0-100.0)
	<b>Male</b>	2	37.2%	(0.0-100.0)	4	62.8%	(0.0-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		1	19.5%	(0.0-57.4)	13	80.5%	(42.6-100.0)
<b>Sex</b>	<b>Female</b>	1	69.3%	(13.4-100.0)	3	30.7%	(0.0-86.6)
	<b>Male</b>	0	0.0%	(0.0-0.0)	10	100.0%	(100.0-100.0)

§ During the 30 days before the survey, among the students who currently smoked cigarettes and who were aged <18 years

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 38: Percentage of high school students who currently used smokeless tobacco<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		282	4.3%	(3.6-5.1)	4760	95.7%	(94.9-96.4)
<b>Sex</b>	<b>Female</b>	64	2.0%	(1.3-2.7)	2515	98.0%	(97.3-98.7)
	<b>Male</b>	217	6.6%	(5.4-7.7)	2226	93.4%	(92.3-94.6)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		21	14.4%	(4.2-24.5)	141	85.6%	(75.5-95.8)
<b>Sex</b>	<b>Female</b>	6	11.0%	(0.0-24.2)	73	89.0%	(75.8-100.0)
	<b>Male</b>	15	16.6%	(2.4-30.9)	68	83.4%	(69.1-97.6)
<b>Tribal High School</b>							
<b>Total</b>		11	18.8%	(8.4-29.2)	58	81.2%	(70.8-91.6)
<b>Sex</b>	<b>Female</b>	3	9.9%	(0.0-24.9)	37	90.1%	(75.1-100.0)
	<b>Male</b>	8	27.0%	(6.0-47.9)	21	73.0%	(52.1-94.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		10	14.0%	(3.2-24.9)	83	86.0%	(75.1-96.8)
<b>Sex</b>	<b>Female</b>	3	11.1%	(0.0-25.5)	36	88.9%	(74.5-100.0)
	<b>Male</b>	7	15.9%	(0.8-31.1)	47	84.1%	(68.9-99.2)

§ Chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



**Table 39: Percentage of high school students who currently smoked cigars<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		368	6.5%	(5.5-7.4)	4666	93.5%	(92.6-94.5)
<b>Sex</b>	<b>Female</b>	123	4.6%	(3.5-5.8)	2451	95.4%	(94.2-96.5)
	<b>Male</b>	241	8.2%	(6.9-9.5)	2198	91.8%	(90.5-93.1)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		27	15.5%	(5.7-25.3)	136	84.5%	(74.7-94.3)
<b>Sex</b>	<b>Female</b>	11	16.5%	(0.0-33.4)	68	83.5%	(66.6-100.0)
	<b>Male</b>	16	15.4%	(2.8-28.0)	67	84.6%	(72.0-97.2)
<b>Tribal High School</b>							
<b>Total</b>		16	25.5%	(11.4-39.5)	53	74.5%	(60.5-88.6)
<b>Sex</b>	<b>Female</b>	8	23.8%	(6.4-41.2)	32	76.2%	(58.8-93.6)
	<b>Male</b>	8	27.0%	(6.4-47.6)	21	73.0%	(52.4-93.6)
<b>Non-Tribal High School</b>							
<b>Total</b>		11	14.7%	(4.2-25.2)	83	85.3%	(74.8-95.8)
<b>Sex</b>	<b>Female</b>	3	15.9%	(0.0-34.3)	36	84.1%	(65.7-100.0)
	<b>Male</b>	8	14.6%	(1.2-28.0)	46	85.4%	(72.0-98.8)

§ Smoked cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 40: Percentage of high school students who currently used tobacco<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		625	11.4%	(10.0-12.8)	4204	88.6%	(87.2-90.0)
<b>Sex</b>	<b>Female</b>	269	10.1%	(8.3-11.8)	2214	89.9%	(88.2-91.7)
	<b>Male</b>	352	12.6%	(10.9-14.2)	1975	87.4%	(85.8-89.1)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		43	27.3%	(15.8-38.9)	99	72.7%	(61.1-84.2)
<b>Sex</b>	<b>Female</b>	18	24.9%	(8.1-41.8)	51	75.1%	(58.2-91.9)
	<b>Male</b>	25	30.2%	(15.8-44.6)	47	69.8%	(55.4-84.2)
<b>Tribal High School</b>							
<b>Total</b>		22	39.7%	(21.3-58.0)	35	60.3%	(42.0-78.7)
<b>Sex</b>	<b>Female</b>	11	31.1%	(7.7-54.5)	23	68.9%	(45.5-92.3)
	<b>Male</b>	11	47.9%	(23.2-72.6)	12	52.1%	(27.4-76.8)
<b>Non-Tribal High School</b>							
<b>Total</b>		21	26.4%	(14.0-38.8)	64	73.6%	(61.2-86.0)
<b>Sex</b>	<b>Female</b>	7	24.4%	(6.1-42.7)	28	75.6%	(57.3-93.9)
	<b>Male</b>	14	28.9%	(13.6-44.3)	35	71.1%	(55.7-86.4)

§ Current (past 30 days) cigarette use, current smokeless tobacco use, or current cigar use

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

## Electronic Cigarette Use

**Table 41: Percentage of high school students who ever used electronic vapor products<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		2569	50.9%	(48.3-53.5)	2393	49.1%	(46.5-51.7)
<b>Sex</b>	<b>Female</b>	1335	52.6%	(49.2-56.1)	1213	47.4%	(43.9-50.8)
	<b>Male</b>	1223	49.3%	(46.2-52.4)	1172	50.7%	(47.6-53.8)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		107	64.0%	(50.8-77.1)	46	36.0%	(22.9-49.2)
<b>Sex</b>	<b>Female</b>	57	80.2%	(67.9-92.6)	21	19.8%	(7.4-32.1)
	<b>Male</b>	50	55.3%	(37.7-72.9)	24	44.7%	(27.1-62.3)
<b>Tribal High School</b>							
<b>Total</b>		47	76.4%	(61.4-91.4)	16	23.6%	(8.6-38.6)
<b>Sex</b>	<b>Female</b>	31	81.5%	(63.7-99.3)	9	18.5%	(0.7-36.3)
	<b>Male</b>	16	70.6%	(46.0-95.2)	7	29.4%	(4.8-54.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		60	63.1%	(49.0-77.1)	30	36.9%	(22.9-51.0)
<b>Sex</b>	<b>Female</b>	26	80.1%	(66.6-93.6)	12	19.9%	(6.4-33.4)
	<b>Male</b>	34	54.4%	(35.9-72.9)	17	45.6%	(27.1-64.1)

§ Including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 42: Percentage of high school students who currently use electronic vapor products<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1330	26.1%	(24.0-28.2)	3658	73.9%	(71.8-76.0)
<b>Sex</b>	<b>Female</b>	638	25.2%	(22.5-27.9)	1918	74.8%	(72.1-77.5)
	<b>Male</b>	687	27.0%	(24.2-29.7)	1726	73.0%	(70.3-75.8)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		67	46.6%	(33.3-60.0)	87	53.4%	(40.0-66.7)
<b>Sex</b>	<b>Female</b>	32	53.9%	(34.2-73.5)	45	46.1%	(26.5-65.8)
	<b>Male</b>	35	43.7%	(27.3-60.0)	41	56.3%	(40.0-72.7)
<b>Tribal High School</b>							
<b>Total</b>		28	39.8%	(21.4-58.3)	35	60.2%	(41.7-78.6)
<b>Sex</b>	<b>Female</b>	18	38.3%	(11.1-65.4)	21	61.7%	(34.6-88.9)
	<b>Male</b>	10	41.6%	(19.3-63.8)	14	58.4%	(36.2-80.7)
<b>Non-Tribal High School</b>							
<b>Total</b>		39	47.1%	(32.9-61.3)	52	52.9%	(38.7-67.1)
<b>Sex</b>	<b>Female</b>	14	55.3%	(34.3-76.3)	24	44.7%	(23.7-65.7)
	<b>Male</b>	25	43.8%	(26.4-61.1)	27	56.2%	(38.9-73.6)

§ Including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

## Alcohol Use

**Table 43: Percentage of high school students who ever drank alcohol<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		3129	64.0%	(61.6-66.4)	1742	36.0%	(33.6-38.4)
<b>Sex</b>	<b>Female</b>	1692	68.3%	(65.2-71.4)	809	31.7%	(28.6-34.8)
	<b>Male</b>	1430	60.1%	(57.3-62.9)	921	39.9%	(37.1-42.7)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		97	64.0%	(50.3-77.8)	52	36.0%	(22.2-49.7)
<b>Sex</b>	<b>Female</b>	49	73.5%	(59.9-87.2)	26	26.5%	(12.8-40.1)
	<b>Male</b>	48	60.4%	(40.3-80.6)	25	39.6%	(19.4-59.7)
<b>Tribal High School</b>							
<b>Total</b>		40	66.0%	(50.7-81.3)	21	34.0%	(18.7-49.3)
<b>Sex</b>	<b>Female</b>	24	62.0%	(37.9-86.1)	14	38.0%	(13.9-62.1)
	<b>Male</b>	16	70.4%	(53.0-87.8)	7	29.6%	(12.2-47.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		57	63.9%	(49.2-78.5)	31	36.1%	(21.5-50.8)
<b>Sex</b>	<b>Female</b>	25	74.6%	(59.9-89.3)	12	25.4%	(10.7-40.1)
	<b>Male</b>	32	59.9%	(38.5-81.2)	18	40.1%	(18.8-61.5)

§ Had at least one drink of alcohol on at least 1 day during their life

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 44: Percentage of high school students who drank alcohol for the first time before age 13 years<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		962	18.0%	(16.4-19.5)	4044	82.0%	(80.5-83.6)
<b>Sex</b>	<b>Female</b>	427	16.1%	(14.3-17.9)	2132	83.9%	(82.1-85.7)
	<b>Male</b>	530	19.7%	(17.5-22.0)	1896	80.3%	(78.0-82.5)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		52	32.6%	(19.6-45.6)	110	67.4%	(54.4-80.4)
<b>Sex</b>	<b>Female</b>	22	29.6%	(13.6-45.5)	56	70.4%	(54.5-86.4)
	<b>Male</b>	30	36.0%	(16.5-55.5)	53	64.0%	(44.5-83.5)
<b>Tribal High School</b>							
<b>Total</b>		22	28.3%	(15.6-40.9)	46	71.7%	(59.1-84.4)
<b>Sex</b>	<b>Female</b>	15	34.9%	(16.1-53.6)	24	65.1%	(46.4-83.9)
	<b>Male</b>	7	22.4%	(7.3-37.6)	22	77.6%	(62.4-92.7)
<b>Non-Tribal High School</b>							
<b>Total</b>		30	32.9%	(19.0-46.8)	64	67.1%	(53.2-81.0)
<b>Sex</b>	<b>Female</b>	7	29.1%	(11.6-46.6)	32	70.9%	(53.4-88.4)
	<b>Male</b>	23	36.9%	(16.1-57.7)	31	63.1%	(42.3-83.9)

§ Other than a few sips

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 45: Percentage of high school students who currently drank alcohol<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1420	30.6%	(28.3-32.9)	3126	69.4%	(67.1-71.7)
<b>Sex</b>	<b>Female</b>	814	35.5%	(32.2-38.7)	1516	64.5%	(61.3-67.8)
	<b>Male</b>	603	26.1%	(23.5-28.7)	1595	73.9%	(71.3-76.5)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		54	44.3%	(29.7-58.9)	75	55.7%	(41.1-70.3)
<b>Sex</b>	<b>Female</b>	30	54.6%	(34.3-74.9)	37	45.4%	(25.1-65.7)
	<b>Male</b>	24	39.0%	(21.0-57.0)	37	61.0%	(43.0-79.0)
<b>Tribal High School</b>							
<b>Total</b>		24	42.1%	(26.4-57.9)	28	57.9%	(42.1-73.6)
<b>Sex</b>	<b>Female</b>	16	41.4%	(13.5-69.3)	17	58.6%	(30.7-86.5)
	<b>Male</b>	8	43.0%	(13.7-72.3)	11	57.0%	(27.7-86.3)
<b>Non-Tribal High School</b>							
<b>Total</b>		30	44.4%	(29.0-59.9)	47	55.6%	(40.1-71.0)
<b>Sex</b>	<b>Female</b>	14	55.7%	(34.1-77.3)	20	44.3%	(22.7-65.9)
	<b>Male</b>	16	38.8%	(19.8-57.8)	26	61.2%	(42.2-80.2)

§ Had at least one drink of alcohol on at least 1 day during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 46: Percentage of high school students who recently participated in binge drinking<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		793	15.3%	(13.7-16.8)	4100	84.7%	(83.2-86.3)
<b>Sex</b>	<b>Female</b>	436	17.2%	(14.9-19.5)	2079	82.8%	(80.5-85.1)
	<b>Male</b>	355	13.5%	(11.7-15.4)	2003	86.5%	(84.6-88.3)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		41	31.5%	(20.1-42.9)	109	68.5%	(57.1-79.9)
<b>Sex</b>	<b>Female</b>	22	38.0%	(22.1-54.0)	53	62.0%	(46.0-77.9)
	<b>Male</b>	19	28.4%	(12.4-44.4)	55	71.6%	(55.6-87.6)
<b>Tribal High School</b>							
<b>Total</b>		19	29.4%	(16.2-42.6)	42	70.6%	(57.4-83.8)
<b>Sex</b>	<b>Female</b>	12	31.8%	(9.7-53.9)	24	68.2%	(46.1-90.3)
	<b>Male</b>	7	27.2%	(13.3-41.1)	18	72.8%	(58.9-86.7)
<b>Non-Tribal High School</b>							
<b>Total</b>		22	31.7%	(19.5-43.8)	67	68.3%	(56.2-80.5)
<b>Sex</b>	<b>Female</b>	10	38.6%	(21.4-55.7)	29	61.4%	(44.3-78.6)
	<b>Male</b>	12	28.5%	(11.5-45.5)	37	71.5%	(54.5-88.5)

§ Had five or more drinks of alcohol in a row within a couple of hours on at least 1 day during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



**Table 47: Percentage of high school students who usually obtained the alcohol they drank by someone giving it to them<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		535	38.7%	(35.4-42.1)	873	61.3%	(57.9-64.6)
<b>Sex</b>	<b>Female</b>	336	42.6%	(38.3-46.9)	473	57.4%	(53.1-61.7)
	<b>Male</b>	199	34.0%	(29.6-38.5)	397	66.0%	(61.5-70.4)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		11	23.4%	(4.4-42.4)	43	76.6%	(57.6-95.6)
<b>Sex</b>	<b>Female</b>	7	35.0%	(0.0-70.0)	23	65.0%	(30.0-100.0)
	<b>Male</b>	4	11.4%	(0.0-25.7)	20	88.6%	(74.3-100.0)
<b>Tribal High School</b>							
<b>Total</b>		3	8.3%	(0.0-17.4)	21	91.7%	(82.6-100.0)
<b>Sex</b>	<b>Female</b>	3	16.1%	(0.0-35.1)	13	83.9%	(64.9-100.0)
	<b>Male</b>	0	0.0%	(0.0-0.0)	8	100.0%	(100.0-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		8	24.3%	(4.1-44.5)	22	75.7%	(55.5-95.9)
<b>Sex</b>	<b>Female</b>	4	36.1%	(0.0-73.8)	10	63.9%	(26.2-100.0)
	<b>Male</b>	4	12.1%	(0.0-27.6)	12	87.9%	(72.4-100.0)

§ Among the students who drank alcohol during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

## Marijuana Use

**Table 48: Percentage of high school students who ever used marijuana<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1956	39.4%	(36.5-42.2)	2979	60.6%	(57.8-63.5)
<b>Sex</b>	<b>Female</b>	1045	41.3%	(37.6-44.9)	1487	58.7%	(55.1-62.4)
	<b>Male</b>	908	37.7%	(34.3-41.0)	1478	62.3%	(59.0-65.7)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		89	59.1%	(47.5-70.7)	60	40.9%	(29.3-52.5)
<b>Sex</b>	<b>Female</b>	40	55.9%	(42.2-69.7)	32	44.1%	(30.3-57.8)
	<b>Male</b>	49	64.1%	(47.3-80.8)	27	35.9%	(19.2-52.7)
<b>Tribal High School</b>							
<b>Total</b>		39	66.6%	(46.2-87.1)	20	33.4%	(12.9-53.8)
<b>Sex</b>	<b>Female</b>	22	62.7%	(32.5-92.8)	13	37.3%	(7.2-67.5)
	<b>Male</b>	17	70.5%	(48.2-92.8)	7	29.5%	(7.2-51.8)
<b>Non-Tribal High School</b>							
<b>Total</b>		50	58.6%	(46.2-71.0)	40	41.4%	(29.0-53.8)
<b>Sex</b>	<b>Female</b>	18	55.3%	(40.5-70.2)	19	44.7%	(29.8-59.5)
	<b>Male</b>	32	63.7%	(46.0-81.4)	20	36.3%	(18.6-54.0)

§ Used marijuana one or more times during their life

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 49: Percentage of high school students who tried marijuana for the first time before age 13 years<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		473	9.0%	(7.9-10.1)	4451	91.0%	(89.9-92.1)
<b>Sex</b>	<b>Female</b>	187	7.1%	(5.8-8.4)	2335	92.9%	(91.6-94.2)
	<b>Male</b>	285	10.7%	(9.1-12.4)	2099	89.3%	(87.6-90.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		31	17.5%	(7.7-27.3)	118	82.5%	(72.7-92.3)
<b>Sex</b>	<b>Female</b>	14	15.7%	(2.3-29.1)	60	84.3%	(70.9-97.7)
	<b>Male</b>	17	19.6%	(5.5-33.7)	57	80.4%	(66.3-94.5)
<b>Tribal High School</b>							
<b>Total</b>		16	28.1%	(14.4-41.8)	43	71.9%	(58.2-85.6)
<b>Sex</b>	<b>Female</b>	9	23.9%	(1.9-46.0)	28	76.1%	(54.0-98.1)
	<b>Male</b>	7	32.8%	(7.4-58.3)	15	67.2%	(41.7-92.6)
<b>Non-Tribal High School</b>							
<b>Total</b>		15	16.8%	(6.4-27.3)	75	83.2%	(72.7-93.6)
<b>Sex</b>	<b>Female</b>	5	15.0%	(0.4-29.5)	32	85.0%	(70.5-99.6)
	<b>Male</b>	10	18.9%	(4.0-33.8)	42	81.1%	(66.2-96.0)

§ Used marijuana one or more times during their life

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 50: Percentage of high school students who currently use marijuana<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		977	19.6%	(17.7-21.5)	4001	80.4%	(78.5-82.3)
<b>Sex</b>	<b>Female</b>	521	20.1%	(17.5-22.7)	2028	79.9%	(77.3-82.5)
	<b>Male</b>	453	19.1%	(16.6-21.6)	1957	80.9%	(78.4-83.4)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		56	36.9%	(25.1-48.8)	97	63.1%	(51.2-74.9)
<b>Sex</b>	<b>Female</b>	28	47.0%	(32.3-61.8)	47	53.0%	(38.2-67.7)
	<b>Male</b>	28	31.6%	(16.2-47.0)	49	68.4%	(53.0-83.8)
<b>Tribal High School</b>							
<b>Total</b>		26	43.8%	(24.3-63.2)	36	56.2%	(36.8-75.7)
<b>Sex</b>	<b>Female</b>	14	40.2%	(11.6-68.9)	23	59.8%	(31.1-88.4)
	<b>Male</b>	12	47.2%	(27.7-66.8)	13	52.8%	(33.2-72.3)
<b>Non-Tribal High School</b>							
<b>Total</b>		30	36.4%	(23.8-49.1)	61	63.6%	(50.9-76.2)
<b>Sex</b>	<b>Female</b>	14	47.6%	(31.8-63.5)	24	52.4%	(36.5-68.2)
	<b>Male</b>	16	30.6%	(14.2-47.0)	36	69.4%	(53.0-85.8)

§ Used marijuana one or more times during the 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

## Drug Use

**Table 51: Percentage of high school students who ever used cocaine<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		334	6.1%	(5.2-7.1)	4699	93.9%	(92.9-94.8)
<b>Sex</b>	<b>Female</b>	157	6.0%	(4.7-7.2)	2416	94.0%	(92.8-95.3)
	<b>Male</b>	175	6.3%	(5.1-7.6)	2264	93.7%	(92.4-94.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		17	17.9%	(7.6-28.2)	142	82.1%	(71.8-92.4)
<b>Sex</b>	<b>Female</b>	9	25.0%	(8.0-41.9)	69	75.0%	(58.1-92.0)
	<b>Male</b>	8	14.0%	(1.1-26.9)	72	86.0%	(73.1-98.9)
<b>Tribal High School</b>							
<b>Total</b>		6	9.6%	(0.0-20.2)	60	90.4%	(79.8-100.0)
<b>Sex</b>	<b>Female</b>	4	12.0%	(0.0-26.3)	36	88.0%	(73.7-100.0)
	<b>Male</b>	2	7.2%	(0.0-18.1)	24	92.8%	(81.9-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		11	18.5%	(7.5-29.4)	82	81.5%	(70.6-92.5)
<b>Sex</b>	<b>Female</b>	5	26.2%	(8.0-44.4)	33	73.8%	(55.6-92.0)
	<b>Male</b>	6	14.4%	(0.8-28.1)	48	85.6%	(71.9-99.2)

§ Used any form of cocaine (e.g., powder, crack, or freebase) one or more times during their life

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 52: Percentage of high school students who ever used inhalants<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		377	6.9%	(6.0-7.9)	4631	93.1%	(92.1-94.0)
<b>Sex</b>	<b>Female</b>	201	7.8%	(6.5-9.2)	2367	92.2%	(90.8-93.5)
	<b>Male</b>	173	6.1%	(4.9-7.3)	2246	93.9%	(92.7-95.1)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		23	9.2%	(2.3-16.2)	137	90.8%	(83.8-97.7)
<b>Sex</b>	<b>Female</b>	11	7.4%	(0.8-14.0)	67	92.6%	(86.0-99.2)
	<b>Male</b>	12	10.8%	(0.0-21.7)	69	89.2%	(78.3-100.0)
<b>Tribal High School</b>							
<b>Total</b>		13	20.9%	(10.6-31.1)	55	79.1%	(68.9-89.4)
<b>Sex</b>	<b>Female</b>	7	20.7%	(3.7-37.8)	33	79.3%	(62.2-96.3)
	<b>Male</b>	6	21.0%	(3.9-38.1)	22	79.0%	(61.9-96.1)
<b>Non-Tribal High School</b>							
<b>Total</b>		10	8.4%	(1.0-15.7)	82	91.6%	(84.3-99.0)
<b>Sex</b>	<b>Female</b>	4	6.2%	(0.0-13.0)	34	93.8%	(87.0-100.0)
	<b>Male</b>	6	10.2%	(0.0-21.7)	47	89.8%	(78.3-100.0)

§ Sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 53: Percentage of high school students who ever used heroin<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		140	2.5%	(1.9-3.1)	4897	97.5%	(96.9-98.1)
<b>Sex</b>	<b>Female</b>	44	1.8%	(1.1-2.5)	2531	98.2%	(97.5-98.9)
	<b>Male</b>	92	3.1%	(2.2-4.0)	2348	96.9%	(96.0-97.8)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		10	7.7%	(0.0-15.9)	151	92.3%	(84.1-100.0)
<b>Sex</b>	<b>Female</b>	4	10.7%	(0.0-24.7)	75	89.3%	(75.3-100.0)
	<b>Male</b>	6	6.1%	(0.0-16.0)	75	93.9%	(84.0-100.0)
<b>Tribal High School</b>							
<b>Total</b>		7	13.1%	(0.8-25.4)	61	86.9%	(74.6-99.2)
<b>Sex</b>	<b>Female</b>	2	9.7%	(0.0-24.6)	38	90.3%	(75.4-100.0)
	<b>Male</b>	5	16.3%	(0.0-36.7)	23	83.7%	(63.3-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		3	7.3%	(0.0-16.1)	90	92.7%	(83.9-100.0)
<b>Sex</b>	<b>Female</b>	2	10.8%	(0.0-26.0)	37	89.2%	(74.0-100.0)
	<b>Male</b>	1	5.4%	(0.0-16.0)	52	94.6%	(84.0-100.0)

§ Used heroin (also called “smack,” “junk,” or “China White”) one or more times during their life

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 54: Percentage of high school students who ever used methamphetamines<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		191	3.4%	(2.7-4.1)	4839	96.6%	(95.9-97.3)
<b>Sex</b>	<b>Female</b>	78	3.0%	(2.1-4.0)	2495	97.0%	(96.0-97.9)
	<b>Male</b>	110	3.8%	(2.8-4.8)	2326	96.2%	(95.2-97.2)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		16	14.5%	(4.5-24.4)	146	85.5%	(75.6-95.5)
<b>Sex</b>	<b>Female</b>	7	17.5%	(0.9-34.1)	72	82.5%	(65.9-99.1)
	<b>Male</b>	9	13.1%	(0.2-25.9)	73	86.9%	(74.1-99.8)
<b>Tribal High School</b>							
<b>Total</b>		8	11.0%	(1.3-20.6)	60	89.0%	(79.4-98.7)
<b>Sex</b>	<b>Female</b>	3	5.3%	(0.0-11.9)	37	94.7%	(88.1-100.0)
	<b>Male</b>	5	16.3%	(0.0-36.7)	23	83.7%	(63.3-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		8	14.7%	(4.1-25.3)	86	85.3%	(74.7-95.9)
<b>Sex</b>	<b>Female</b>	4	18.6%	(0.6-36.6)	35	81.4%	(63.4-99.4)
	<b>Male</b>	4	12.9%	(0.0-26.6)	50	87.1%	(73.4-100.0)

§ Used methamphetamines (also called “speed,” “crystal,” “crank,” or “ice”) one or more times during their life

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



**Table 55: Percentage of high school students who used ecstasy<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		367	7.0%	(6.0-8.0)	4543	93.0%	(92.0-94.0)
<b>Sex</b>	<b>Female</b>	164	6.7%	(5.2-8.2)	2345	93.3%	(91.8-94.8)
	<b>Male</b>	200	7.3%	(6.1-8.6)	2180	92.7%	(91.4-93.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		24	17.6%	(6.8-28.5)	134	82.4%	(71.5-93.2)
<b>Sex</b>	<b>Female</b>	9	19.1%	(2.4-35.8)	68	80.9%	(64.2-97.6)
	<b>Male</b>	15	17.5%	(4.4-30.6)	65	82.5%	(69.4-95.6)
<b>Tribal High School</b>							
<b>Total</b>		11	18.3%	(3.3-33.2)	55	81.7%	(66.8-96.7)
<b>Sex</b>	<b>Female</b>	4	12.3%	(0.0-27.4)	35	87.7%	(72.6-100.0)
	<b>Male</b>	7	24.0%	(0.0-48.9)	20	76.0%	(51.1-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		13	17.6%	(6.0-29.2)	79	82.4%	(70.8-94.0)
<b>Sex</b>	<b>Female</b>	5	19.7%	(1.6-37.9)	33	80.3%	(62.1-98.4)
	<b>Male</b>	8	17.0%	(3.1-31.0)	45	83.0%	(69.0-96.9)

§ Used ecstasy (also called "MDMA") one or more times during their life

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 56: Percentage of high school students who ever used synthetic marijuana<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		549	10.9%	(9.5-12.3)	4481	89.1%	(87.7-90.5)
<b>Sex</b>	<b>Female</b>	259	10.5%	(8.8-12.2)	2314	89.5%	(87.8-91.2)
	<b>Male</b>	288	11.4%	(9.5-13.2)	2149	88.6%	(86.8-90.5)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		42	27.6%	(16.7-38.5)	119	72.4%	(61.5-83.3)
<b>Sex</b>	<b>Female</b>	19	26.4%	(9.5-43.2)	60	73.6%	(56.8-90.5)
	<b>Male</b>	23	29.6%	(14.5-44.7)	58	70.4%	(55.3-85.5)
<b>Tribal High School</b>							
<b>Total</b>		20	33.5%	(16.6-50.4)	48	66.5%	(49.6-83.4)
<b>Sex</b>	<b>Female</b>	10	29.2%	(1.7-56.6)	30	70.8%	(43.4-98.3)
	<b>Male</b>	10	37.6%	(14.8-60.4)	18	62.4%	(39.6-85.2)
<b>Non-Tribal High School</b>							
<b>Total</b>		22	27.1%	(15.5-38.8)	71	72.9%	(61.2-84.5)
<b>Sex</b>	<b>Female</b>	9	26.1%	(7.8-44.4)	30	73.9%	(55.6-92.2)
	<b>Male</b>	13	29.1%	(13.0-45.2)	40	70.9%	(54.8-87.0)

§ Used synthetic marijuana (also called “K2”, “Spice”, “fake weed”, “King Kong”, “Yucatan Fire”, “Skunk”, or “Moon Rocks”) one or more times during their life

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 57: Percentage of high school students who currently use synthetic marijuana<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		219	4.1%	(3.3-5.0)	4800	95.9%	(95.0-96.7)
<b>Sex</b>	<b>Female</b>	98	4.1%	(3.0-5.1)	2472	95.9%	(94.9-97.0)
	<b>Male</b>	120	4.2%	(2.9-5.5)	2310	95.8%	(94.5-97.1)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		21	14.8%	(5.0-24.6)	141	85.2%	(75.4-95.0)
<b>Sex</b>	<b>Female</b>	9	14.6%	(1.5-27.7)	70	85.4%	(72.3-98.5)
	<b>Male</b>	12	15.6%	(1.4-29.7)	70	84.4%	(70.3-98.6)
<b>Tribal High School</b>							
<b>Total</b>		10	14.7%	(4.0-25.3)	58	85.3%	(74.7-96.0)
<b>Sex</b>	<b>Female</b>	4	7.5%	(0.0-15.7)	36	92.5%	(84.3-100.0)
	<b>Male</b>	6	21.4%	(0.5-42.3)	22	78.6%	(57.7-99.5)
<b>Non-Tribal High School</b>							
<b>Total</b>		11	14.8%	(4.3-25.3)	83	85.2%	(74.7-95.7)
<b>Sex</b>	<b>Female</b>	5	15.3%	(1.0-29.6)	34	84.7%	(70.4-99.0)
	<b>Male</b>	6	15.2%	(0.1-30.3)	48	84.8%	(69.7-99.9)

§ Used synthetic marijuana (also called “K2”, “Spice”, “fake weed”, “King Kong”, “Yucatan Fire”, “Skunk”, or “Moon Rocks”) one or more times in the last 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 58: Percentage of high school students who ever took steroids without a doctor's prescription§, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N¶¶	%*	C.I.† (95%)	N¶¶	%*	C.I.† (95%)
<b>State Sample</b>							
<b>Total</b>		184	3.6%	(2.8-4.4)	4799	96.4%	(95.6-97.2)
<b>Sex</b>	<b>Female</b>	86	3.4%	(2.6-4.3)	2466	96.6%	(95.7-97.4)
	<b>Male</b>	97	3.8%	(2.6-5.0)	2315	96.2%	(95.0-97.4)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		13	11.9%	(2.5-21.3)	148	88.1%	(78.7-97.5)
<b>Sex</b>	<b>Female</b>	4	11.6%	(0.0-25.6)	75	88.4%	(74.4-100.0)
	<b>Male</b>	9	12.7%	(0.0-25.6)	72	87.3%	(74.4-100.0)
<b>Tribal High School</b>							
<b>Total</b>		6	9.6%	(0.1-19.1)	62	90.4%	(80.9-99.9)
<b>Sex</b>	<b>Female</b>	1	1.6%	(0.0-5.2)	39	98.4%	(94.8-100.0)
	<b>Male</b>	5	17.2%	(0.0-37.7)	23	82.8%	(62.3-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		7	12.1%	(2.0-22.1)	86	87.9%	(77.9-98.0)
<b>Sex</b>	<b>Female</b>	3	12.5%	(0.0-27.7)	36	87.5%	(72.3-100.0)
	<b>Male</b>	4	12.4%	(0.0-26.1)	49	87.6%	(73.9-100.0)

§ Took steroid pills or shots without a doctor's prescription one or more times during their life

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 59: Percentage of high school students who ever took prescription drugs without a doctor’s prescription<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		883	16.9%	(15.3-18.6)	4137	83.1%	(81.4-84.7)
<b>Sex</b>	<b>Female</b>	489	19.0%	(16.6-21.3)	2077	81.0%	(78.7-83.4)
	<b>Male</b>	393	15.1%	(13.4-16.9)	2041	84.9%	(83.1-86.6)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		48	28.5%	(16.4-40.5)	113	71.5%	(59.5-83.6)
<b>Sex</b>	<b>Female</b>	24	33.4%	(17.0-49.9)	55	66.6%	(50.1-83.0)
	<b>Male</b>	24	26.4%	(10.3-42.5)	57	73.6%	(57.5-89.7)
<b>Tribal High School</b>							
<b>Total</b>		22	32.9%	(20.7-45.1)	45	67.1%	(54.9-79.3)
<b>Sex</b>	<b>Female</b>	12	29.3%	(12.5-46.1)	28	70.7%	(53.9-87.5)
	<b>Male</b>	10	36.4%	(17.3-55.6)	17	63.6%	(44.4-82.7)
<b>Non-Tribal High School</b>							
<b>Total</b>		26	28.1%	(15.2-41.0)	68	71.9%	(59.0-84.8)
<b>Sex</b>	<b>Female</b>	12	33.8%	(15.9-51.8)	27	66.2%	(48.2-84.1)
	<b>Male</b>	14	25.7%	(8.7-42.8)	40	74.3%	(57.2-91.3)

§ Took prescription drugs (e.g., Oxycontin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax) without a doctor’s prescription one or more times during their life

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 60: Percentage of high school students who currently take prescription drugs without a doctor’s prescription<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		455	9.0%	(7.9-10.2)	4555	91.0%	(89.8-92.1)
<b>Sex</b>	<b>Female</b>	253	10.5%	(8.7-12.2)	2313	89.5%	(87.8-91.3)
	<b>Male</b>	200	7.7%	(6.3-9.1)	2225	92.3%	(90.9-93.7)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		29	25.0%	(14.6-35.3)	133	75.0%	(64.7-85.4)
<b>Sex</b>	<b>Female</b>	14	30.8%	(14.3-47.4)	65	69.2%	(52.6-85.7)
	<b>Male</b>	15	22.1%	(8.3-36.0)	67	77.9%	(64.0-91.7)
<b>Tribal High School</b>							
<b>Total</b>		8	12.6%	(1.4-23.8)	60	87.4%	(76.2-98.6)
<b>Sex</b>	<b>Female</b>	3	8.2%	(0.0-18.7)	37	91.8%	(81.3-100.0)
	<b>Male</b>	5	16.7%	(0.0-36.1)	23	83.3%	(63.9-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		21	25.9%	(14.8-36.9)	73	74.1%	(63.1-85.2)
<b>Sex</b>	<b>Female</b>	11	32.9%	(15.0-50.9)	28	67.1%	(49.1-85.0)
	<b>Male</b>	10	22.5%	(7.8-37.2)	44	77.5%	(62.8-92.2)

§ Took prescription drugs (e.g., Oxycontin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax) without a doctor’s prescription one or more times in the last 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 61: Percentage of high school students who ever injected any illegal drugs<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		151	2.7%	(2.1-3.4)	4835	97.3%	(96.6-97.9)
<b>Sex</b>	<b>Female</b>	69	2.5%	(1.7-3.3)	2492	97.5%	(96.7-98.3)
	<b>Male</b>	79	3.0%	(2.0-4.0)	2328	97.0%	(96.0-98.0)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		9	7.7%	(0.0-15.9)	150	92.3%	(84.1-100.0)
<b>Sex</b>	<b>Female</b>	5	10.8%	(0.0-24.8)	74	89.2%	(75.2-100.0)
	<b>Male</b>	4	6.0%	(0.0-15.9)	75	94.0%	(84.1-100.0)
<b>Tribal High School</b>							
<b>Total</b>		5	8.9%	(0.0-19.1)	61	91.1%	(80.9-100.0)
<b>Sex</b>	<b>Female</b>	3	10.9%	(0.0-25.7)	37	89.1%	(74.3-100.0)
	<b>Male</b>	2	6.9%	(0.0-18.3)	24	93.1%	(81.7-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		4	7.6%	(0.0-16.4)	89	92.4%	(83.6-100.0)
<b>Sex</b>	<b>Female</b>	2	10.8%	(0.0-26.0)	37	89.2%	(74.0-100.0)
	<b>Male</b>	2	5.9%	(0.0-16.5)	51	94.1%	(83.5-100.0)

§ Used a needle to inject any illegal drug into their body one or more times during their life

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 62: Percentage of high school students who were offered, sold, or given an illegal drug by someone on school property<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1369	29.2%	(27.2-31.1)	3617	70.8%	(68.9-72.8)
<b>Sex</b>	<b>Female</b>	683	28.8%	(26.2-31.3)	1874	71.2%	(68.7-73.8)
	<b>Male</b>	681	29.5%	(26.8-32.3)	1729	70.5%	(67.7-73.2)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		57	32.8%	(19.4-46.3)	101	67.2%	(53.7-80.6)
<b>Sex</b>	<b>Female</b>	23	35.8%	(12.1-59.6)	55	64.2%	(40.4-87.9)
	<b>Male</b>	34	32.2%	(16.5-47.9)	45	67.8%	(52.1-83.5)
<b>Tribal High School</b>							
<b>Total</b>		25	39.2%	(29.7-48.6)	40	60.8%	(51.4-70.3)
<b>Sex</b>	<b>Female</b>	13	31.2%	(15.2-47.2)	26	68.8%	(52.8-84.8)
	<b>Male</b>	12	47.0%	(29.2-64.8)	14	53.0%	(35.2-70.8)
<b>Non-Tribal High School</b>							
<b>Total</b>		32	32.4%	(18.0-46.8)	61	67.6%	(53.2-82.0)
<b>Sex</b>	<b>Female</b>	10	36.3%	(10.4-62.1)	29	63.7%	(37.9-89.6)
	<b>Male</b>	22	31.3%	(14.6-47.9)	31	68.7%	(52.1-85.4)

§ During the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



**Table 63: Percentage of high school students who have ever lived with someone who was a problem drinker or alcoholic or abused street or prescription drugs, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I.† (95%)	N <sup>¶¶</sup>	%*	C.I.† (95%)
<b>State Sample</b>							
<b>Total</b>		1557	30.4%	(28.6-32.3)	3268	69.6%	(67.7-71.4)
<b>Sex</b>	<b>Female</b>	887	34.1%	(31.5-36.7)	1593	65.9%	(63.3-68.5)
	<b>Male</b>	665	26.9%	(24.4-29.4)	1665	73.1%	(70.6-75.6)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		69	34.4%	(22.1-46.6)	87	65.6%	(53.4-77.9)
<b>Sex</b>	<b>Female</b>	31	35.9%	(21.0-50.9)	47	64.1%	(49.1-79.0)
	<b>Male</b>	38	34.8%	(17.2-52.5)	39	65.2%	(47.5-82.8)
<b>Tribal High School</b>							
<b>Total</b>		35	54.8%	(42.0-67.6)	30	45.2%	(32.4-58.0)
<b>Sex</b>	<b>Female</b>	21	55.2%	(39.8-70.6)	18	44.8%	(29.4-60.2)
	<b>Male</b>	14	54.4%	(31.4-77.4)	12	45.6%	(22.6-68.6)
<b>Non-Tribal High School</b>							
<b>Total</b>		34	32.9%	(19.8-46.0)	57	67.1%	(54.0-80.2)
<b>Sex</b>	<b>Female</b>	10	34.2%	(17.5-50.9)	29	65.8%	(49.1-82.5)
	<b>Male</b>	24	33.6%	(14.9-52.2)	27	66.4%	(47.8-85.1)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

## Sexual Behaviors

**Table 64: Percentage of high school students who ever had sexual intercourse, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I.† (95%)	N <sup>¶¶</sup>	%*	C.I.† (95%)
<b>State Sample</b>							
<b>Total</b>		1758	38.5%	(35.4-41.6)	2734	61.5%	(58.4-64.6)
<b>Sex</b>	<b>Female</b>	901	37.6%	(34.0-41.1)	1437	62.4%	(58.9-66.0)
	<b>Male</b>	855	39.5%	(35.7-43.3)	1289	60.5%	(56.7-64.3)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		69	48.5%	(34.1-63.0)	63	51.5%	(37.0-65.9)
<b>Sex</b>	<b>Female</b>	35	42.4%	(24.6-60.3)	33	57.6%	(39.7-75.4)
	<b>Male</b>	34	55.5%	(34.6-76.3)	29	44.5%	(23.7-65.4)
<b>Tribal High School</b>							
<b>Total</b>		27	51.9%	(31.1-72.7)	26	48.1%	(27.3-68.9)
<b>Sex</b>	<b>Female</b>	18	56.1%	(35.0-77.3)	15	43.9%	(22.7-65.0)
	<b>Male</b>	9	47.5%	(18.4-76.6)	11	52.5%	(23.4-81.6)
<b>Non-Tribal High School</b>							
<b>Total</b>		42	48.3%	(32.9-63.7)	37	51.7%	(36.3-67.1)
<b>Sex</b>	<b>Female</b>	17	41.2%	(21.7-60.6)	18	58.8%	(39.4-78.3)
	<b>Male</b>	25	55.9%	(33.8-78.0)	18	44.1%	(22.0-66.2)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 65: Percentage of high school students who had sexual intercourse for the first time before age 13 years, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I.† (95%)	N <sup>¶¶</sup>	%*	C.I.† (95%)
<b>State Sample</b>							
<b>Total</b>		185	3.9%	(3.1-4.7)	4300	96.1%	(95.3-96.9)
<b>Sex</b>	<b>Female</b>	63	2.3%	(1.6-3.0)	2274	97.7%	(97.0-98.4)
	<b>Male</b>	121	5.4%	(4.1-6.8)	2015	94.6%	(93.2-95.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		10	4.0%	(0.8-7.3)	121	96.0%	(92.7-99.2)
<b>Sex</b>	<b>Female</b>	1	1.4%	(0.0-4.2)	66	98.6%	(95.8-100.0)
	<b>Male</b>	9	6.1%	(0.6-11.6)	54	93.9%	(88.4-99.4)
<b>Tribal High School</b>							
<b>Total</b>		4	10.1%	(0.0-20.5)	48	89.9%	(79.5-100.0)
<b>Sex</b>	<b>Female</b>	0	0.0%	(0.0-0.0)	32	100.0%	(100.0-100.0)
	<b>Male</b>	4	20.6%	(0.0-43.5)	16	79.4%	(56.5-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		6	3.6%	(0.2-7.0)	73	96.4%	(93.0-99.8)
<b>Sex</b>	<b>Female</b>	1	1.5%	(0.0-4.6)	34	98.5%	(95.4-100.0)
	<b>Male</b>	5	5.2%	(0.0-10.8)	38	94.8%	(89.2-100.0)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 66: Percentage of high school students who had sexual intercourse with four or more persons during their life, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I.† (95%)	N <sup>¶¶</sup>	%*	C.I.† (95%)
<b>State Sample</b>							
<b>Total</b>		510	10.5%	(9.0-12.0)	3995	89.5%	(88.0-91.0)
<b>Sex</b>	<b>Female</b>	220	8.0%	(6.4-9.5)	2130	92.0%	(90.5-93.6)
	<b>Male</b>	289	13.0%	(10.9-15.1)	1854	87.0%	(84.9-89.1)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		20	15.7%	(3.7-27.6)	111	84.3%	(72.4-96.3)
<b>Sex</b>	<b>Female</b>	6	5.5%	(0.0-11.2)	61	94.5%	(88.8-100.0)
	<b>Male</b>	14	23.6%	(4.1-43.0)	49	76.4%	(57.0-95.9)
<b>Tribal High School</b>							
<b>Total</b>		10	22.7%	(8.4-37.0)	42	77.3%	(63.0-91.6)
<b>Sex</b>	<b>Female</b>	3	9.3%	(0.0-20.9)	29	90.7%	(79.1-100.0)
	<b>Male</b>	7	36.4%	(7.4-65.4)	13	63.6%	(34.6-92.6)
<b>Non-Tribal High School</b>							
<b>Total</b>		10	15.2%	(2.4-27.9)	69	84.8%	(72.1-97.6)
<b>Sex</b>	<b>Female</b>	3	5.1%	(0.0-11.3)	32	94.9%	(88.7-100.0)
	<b>Male</b>	7	22.8%	(2.2-43.4)	36	77.2%	(56.6-97.8)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 67: Percentage of high school students who were currently sexually active<sup>§</sup>, by sex and school Type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1266	27.1%	(24.5-29.6)	3247	72.9%	(70.4-75.5)
<b>Sex</b>	<b>Female</b>	677	27.7%	(24.6-30.8)	1675	72.3%	(69.2-75.4)
	<b>Male</b>	586	26.5%	(23.4-29.7)	1562	73.5%	(70.3-76.6)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		49	35.0%	(21.0-48.9)	82	65.0%	(51.1-79.0)
<b>Sex</b>	<b>Female</b>	28	35.2%	(17.2-53.2)	39	64.8%	(46.8-82.8)
	<b>Male</b>	21	36.8%	(16.3-57.2)	42	63.2%	(42.8-83.7)
<b>Tribal High School</b>							
<b>Total</b>		22	43.2%	(24.3-62.1)	30	56.8%	(37.9-75.7)
<b>Sex</b>	<b>Female</b>	15	49.8%	(26.6-73.0)	17	50.2%	(27.0-73.4)
	<b>Male</b>	7	36.4%	(11.4-61.5)	13	63.6%	(38.5-88.6)
<b>Non-Tribal High School</b>							
<b>Total</b>		27	34.4%	(19.5-49.2)	52	65.6%	(50.8-80.5)
<b>Sex</b>	<b>Female</b>	13	33.9%	(14.3-53.4)	22	66.1%	(46.6-85.7)
	<b>Male</b>	14	36.8%	(15.1-58.5)	29	63.2%	(41.5-84.9)

§ Had sexual intercourse with at least one person during the 3 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 68: Percentage of high school students who drank alcohol or used drugs before last sexual intercourse<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		270	20.4%	(17.7-23.2)	981	79.6%	(76.8-82.3)
<b>Sex</b>	<b>Female</b>	131	18.2%	(15.0-21.5)	543	81.8%	(78.5-85.0)
	<b>Male</b>	138	22.6%	(18.3-27.0)	437	77.4%	(73.0-81.7)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		13	27.4%	(5.2-49.6)	36	72.6%	(50.4-94.8)
<b>Sex</b>	<b>Female</b>	8	26.0%	(2.4-49.6)	20	74.0%	(50.4-97.6)
	<b>Male</b>	5	28.3%	(0.0-61.5)	16	71.7%	(38.5-100.0)
<b>Tribal High School</b>							
<b>Total</b>		5	21.6%	(6.8-36.3)	17	78.4%	(63.7-93.2)
<b>Sex</b>	<b>Female</b>	4	27.8%	(4.5-51.1)	11	72.2%	(48.9-95.5)
	<b>Male</b>	1	12.8%	(0.0-39.0)	6	87.2%	(61.0-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		8	27.9%	(3.8-52.0)	19	72.1%	(48.0-96.2)
<b>Sex</b>	<b>Female</b>	4	25.8%	(0.0-52.6)	9	74.2%	(47.4-100.0)
	<b>Male</b>	4	29.2%	(0.0-64.7)	10	70.8%	(35.3-100.0)

§ Among the students who were sexually active in the past 3 months

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 69: Percentage of high school students who used a condom during last sexual intercourse<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		700	56.9%	(53.5-60.3)	547	43.1%	(39.7-46.5)
<b>Sex</b>	<b>Female</b>	345	52.2%	(47.6-56.8)	324	47.8%	(43.2-52.4)
	<b>Male</b>	354	61.6%	(57.2-66.1)	222	38.4%	(33.9-42.8)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		23	50.8%	(26.1-75.5)	25	49.2%	(24.5-73.9)
<b>Sex</b>	<b>Female</b>	11	24.5%	(1.0-48.0)	16	75.5%	(52.0-99.0)
	<b>Male</b>	12	68.1%	(39.4-96.8)	9	31.9%	(3.2-60.6)
<b>Tribal High School</b>							
<b>Total</b>		12	59.6%	(27.9-91.2)	9	40.4%	(8.8-72.1)
<b>Sex</b>	<b>Female</b>	9	73.3%	(42.2-100.0)	5	26.7%	(0.0-57.8)
	<b>Male</b>	3	41.8%	(0.0-97.8)	4	58.2%	(2.2-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		11	50.1%	(23.3-76.8)	16	49.9%	(23.2-76.7)
<b>Sex</b>	<b>Female</b>	2	18.4%	(0.0-44.0)	11	81.6%	(56.0-100.0)
	<b>Male</b>	9	69.6%	(39.4-99.9)	5	30.4%	(0.1-60.6)

§ Among the students who were sexually active in the past 3 months

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 70: Percentage of high school students who used birth control pills before last sexual intercourse<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		198	15.7%	(12.1-19.3)	1055	84.3%	(80.7-87.9)
<b>Sex</b>	<b>Female</b>	125	18.7%	(13.7-23.6)	546	81.3%	(76.4-86.3)
	<b>Male</b>	72	12.7%	(9.2-16.2)	507	87.3%	(83.8-90.8)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		5	19.4%	(0.0-39.2)	43	80.6%	(60.8-100.0)
<b>Sex</b>	<b>Female</b>	5	48.9%	(17.0-80.8)	22	51.1%	(19.2-83.0)
	<b>Male</b>	0	0.0%	(0.0-0.0)	21	100.0%	(100.0-100.0)
<b>Tribal High School</b>							
<b>Total</b>		0	0.0%	(0.0-0.0)	21	100.0%	(100.0-100.0)
<b>Sex</b>	<b>Female</b>	0	0.0%	(0.0-0.0)	14	100.0%	(100.0-100.0)
	<b>Male</b>	0	0.0%	(0.0-0.0)	7	100.0%	(100.0-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		5	21.1%	(0.0-42.6)	22	78.9%	(57.4-100.0)
<b>Sex</b>	<b>Female</b>	5	55.2%	(21.1-89.3)	8	44.8%	(10.7-78.9)
	<b>Male</b>	0	0.0%	(0.0-0.0)	14	100.0%	(100.0-100.0)

§ Among students who were sexually active in the past 3 months

¶ To prevent pregnancy

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



**Table 71: Percentage of high school students who used Depo-Provera<sup>§</sup>, Nuva Ring<sup>¶</sup>, Implanon<sup>\*\*</sup>, or any IUD before last sexual intercourse<sup>††,§§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		72	5.1%	(3.3-6.8)	1181	94.9%	(93.2-96.7)
<b>Sex</b>	<b>Female</b>	55	6.6%	(4.3-9.0)	616	93.4%	(91.0-95.7)
	<b>Male</b>	17	3.5%	(0.7-6.3)	562	96.5%	(93.7-99.3)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		4	16.8%	(0.0-41.9)	44	83.2%	(58.1-100.0)
<b>Sex</b>	<b>Female</b>	2	4.9%	(0.0-14.1)	25	95.1%	(85.9-100.0)
	<b>Male</b>	2	24.7%	(0.0-63.2)	19	75.3%	(36.8-100.0)
<b>Tribal High School</b>							
<b>Total</b>		1	2.5%	(0.0-7.1)	20	97.5%	(92.9-100.0)
<b>Sex</b>	<b>Female</b>	1	4.3%	(0.0-14.6)	13	95.7%	(85.4-100.0)
	<b>Male</b>	0	0.0%	(0.0-0.0)	7	100.0%	(100.0-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		3	18.0%	(0.0-45.1)	24	82.0%	(54.9-100.0)
<b>Sex</b>	<b>Female</b>	1	5.0%	(0.0-15.5)	12	95.0%	(84.5-100.0)
	<b>Male</b>	2	26.1%	(0.0-67.0)	12	73.9%	(33.0-100.0)

§ Or any injectable birth control

¶ Or any birth control ring

\*\* Or any implant

†† Of students who were sexually active in the past 3 months

§§ To prevent pregnancy

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 72: Percentage of high school students who used birth control pills, Depo-Provera<sup>§</sup>, Nuva Ring<sup>¶</sup>, Implanon<sup>\*\*</sup>, or any IUD before last sexual intercourse<sup>††,§§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		270	20.8%	(17.1-24.4)	983	79.2%	(75.6-82.9)
<b>Sex</b>	<b>Female</b>	180	25.3%	(20.1-30.5)	491	74.7%	(69.5-79.9)
	<b>Male</b>	89	16.2%	(12.0-20.4)	490	83.8%	(79.6-88.0)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		9	36.2%	(9.6-62.8)	39	63.8%	(37.2-90.4)
<b>Sex</b>	<b>Female</b>	7	53.8%	(23.5-84.0)	20	46.2%	(16.0-76.5)
	<b>Male</b>	2	24.7%	(0.0-63.2)	19	75.3%	(36.8-100.0)
<b>Tribal High School</b>							
<b>Total</b>		1	2.5%	(0.0-7.1)	20	97.5%	(92.9-100.0)
<b>Sex</b>	<b>Female</b>	1	4.3%	(0.0-14.6)	13	95.7%	(85.4-100.0)
	<b>Male</b>	0	0.0%	(0.0-0.0)	7	100.0%	(100.0-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		8	39.1%	(10.6-67.6)	19	60.9%	(32.4-89.4)
<b>Sex</b>	<b>Female</b>	6	60.1%	(27.9-92.4)	7	39.9%	(7.6-72.1)
	<b>Male</b>	2	26.1%	(0.0-67.0)	12	73.9%	(33.0-100.0)

§ Or any injectable birth control

¶ Or any birth control ring

\*\* Or any implant

†† Of students who were sexually active in the past 3 months

§§ To prevent pregnancy

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 73: Percentage of high school students who used both a condom and birth control pills, Depo-Provera<sup>§</sup>, Nuva Ring<sup>¶</sup>, Implanon<sup>\*\*</sup>, or any IUD before last sexual intercourse<sup>††,§§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		82	5.8%	(4.1-7.5)	1166	94.2%	(92.5-95.9)
<b>Sex</b>	<b>Female</b>	56	6.9%	(4.6-9.3)	611	93.1%	(90.7-95.4)
	<b>Male</b>	26	4.7%	(2.4-7.1)	552	95.3%	(92.9-97.6)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		3	18.6%	(0.0-44.1)	44	81.4%	(55.9-100.0)
<b>Sex</b>	<b>Female</b>	1	9.4%	(0.0-27.9)	25	90.6%	(72.1-100.0)
	<b>Male</b>	2	24.7%	(0.0-63.2)	19	75.3%	(36.8-100.0)
<b>Tribal High School</b>							
<b>Total</b>		0	0.0%	(0.0-0.0)	20	100.0%	(100.0-100.0)
<b>Sex</b>	<b>Female</b>	0	0.0%	(0.0-0.0)	13	100.0%	(100.0-100.0)
	<b>Male</b>	0	0.0%	(0.0-0.0)	7	100.0%	(100.0-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		3	20.1%	(0.0-47.5)	24	79.9%	(52.5-100.0)
<b>Sex</b>	<b>Female</b>	1	10.5%	(0.0-31.5)	12	89.5%	(68.5-100.0)
	<b>Male</b>	2	26.1%	(0.0-67.0)	12	73.9%	(33.0-100.0)

§ Or any injectable birth control

¶ Or any birth control ring

\*\* Or any implant

†† Of students who were sexually active in the past 3 months

§§ To prevent pregnancy

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 74: Percentage of high school students who did not use any method to prevent pregnancy during last sexual intercourse<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		175	12.4%	(10.2-14.6)	1078	87.6%	(85.4-89.8)
<b>Sex</b>	<b>Female</b>	104	14.2%	(10.5-17.8)	567	85.8%	(82.2-89.5)
	<b>Male</b>	71	10.7%	(7.5-13.8)	508	89.3%	(86.2-92.5)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		9	12.2%	(1.8-22.5)	39	87.8%	(77.5-98.2)
<b>Sex</b>	<b>Female</b>	5	19.4%	(0.0-39.3)	22	80.6%	(60.7-100.0)
	<b>Male</b>	4	7.4%	(0.0-17.7)	17	92.6%	(82.3-100.0)
<b>Tribal High School</b>							
<b>Total</b>		4	21.9%	(3.5-40.2)	17	78.1%	(59.8-96.5)
<b>Sex</b>	<b>Female</b>	1	5.7%	(0.0-18.4)	13	94.3%	(81.6-100.0)
	<b>Male</b>	3	43.6%	(0.0-89.3)	4	56.4%	(10.7-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		5	11.3%	(0.3-22.3)	22	88.7%	(77.7-99.7)
<b>Sex</b>	<b>Female</b>	4	21.1%	(0.0-44.3)	9	78.9%	(55.7-100.0)
	<b>Male</b>	1	5.3%	(0.0-15.8)	13	94.7%	(84.2-100.0)

§ Of the students who were sexually active in the past 3 months

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 75: Percentage of high school students who did not have sexual contact, had sexual contact with the opposite sex only, and had sexual contact with the same sex or both sexes, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		I never had sexual contact			Sexual contact with opposite sex only			Sexual contact with same/both sexes		
		N <sup>¶¶</sup>	%*	C.I.† (95%)	N <sup>¶¶</sup>	%*	C.I.† (95%)	N <sup>¶¶</sup>	%*	C.I.† (95%)
<b>State Total</b>										
<b>Total</b>		2451	48.9%	(45.9-51.9)	2052	41.8%	(39.2-44.4)	443	9.3%	(8.1-10.6)
<b>Sex</b>	<b>Female</b>	1265	49.7%	(46.0-53.5)	942	36.7%	(33.6-39.7)	328	13.6%	(11.5-15.6)
	<b>Male</b>	1173	48.0%	(44.6-51.4)	1110	46.8%	(43.4-50.1)	114	5.3%	(3.9-6.6)
<b>All American Indian / Alaska Native Students</b>										
<b>Total</b>		63	42.8%	(31.3-54.4)	79	44.7%	(32.5-56.9)	18	12.4%	(4.3-20.6)
<b>Sex</b>	<b>Female</b>	32	44.5%	(31.2-57.7)	33	33.3%	(17.4-49.2)	12	22.3%	(5.7-38.8)
	<b>Male</b>	30	39.3%	(22.7-55.8)	46	54.2%	(37.9-70.6)	6	6.5%	(0.3-12.6)
<b>Tribal High School</b>										
<b>Total</b>		28	41.8%	(23.4-60.2)	31	48.2%	(32.8-63.6)	7	10.0%	(1.1-18.8)
<b>Sex</b>	<b>Female</b>	15	37.1%	(17.0-57.2)	17	45.1%	(27.3-62.8)	6	17.9%	(0.4-35.3)
	<b>Male</b>	13	46.1%	(17.3-74.9)	14	51.0%	(24.0-78.1)	1	2.9%	(0.0-8.9)
<b>Non-Tribal High School</b>										
<b>Total</b>		35	42.9%	(30.6-55.2)	48	44.5%	(31.5-57.5)	11	12.6%	(3.9-21.3)
<b>Sex</b>	<b>Female</b>	17	45.1%	(30.8-59.5)	16	32.2%	(15.1-49.3)	6	22.7%	(4.7-40.6)
	<b>Male</b>	17	38.8%	(21.2-56.5)	32	54.4%	(37.1-71.8)	5	6.7%	(0.1-13.3)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 76: Percentage of high school students who were heterosexual (straight), gay or lesbian, bisexual, or not sure, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		4230	85.6%	(84.1-87.1)	725	14.4%	(12.9-15.9)
<b>Sex</b>	<b>Female</b>	2032	79.4%	(77.0-81.7)	506	20.6%	(18.3-23.0)
	<b>Male</b>	2184	91.5%	(89.9-93.1)	214	8.5%	(6.9-10.1)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		132	76.8%	(66.6-87.0)	28	23.2%	(13.0-33.4)
<b>Sex</b>	<b>Female</b>	62	67.4%	(51.7-83.1)	17	32.6%	(16.9-48.3)
	<b>Male</b>	69	82.1%	(68.9-95.3)	11	17.9%	(4.7-31.1)
<b>Tribal High School</b>							
<b>Total</b>		57	87.0%	(76.1-97.9)	10	13.0%	(2.1-23.9)
<b>Sex</b>	<b>Female</b>	33	85.2%	(67.5-100.0)	7	14.8%	(0.0-32.5)
	<b>Male</b>	24	88.7%	(71.9-100.0)	3	11.3%	(0.0-28.1)
<b>Non-Tribal High School</b>							
<b>Total</b>		75	76.1%	(65.3-87.0)	18	23.9%	(13.0-34.7)
<b>Sex</b>	<b>Female</b>	29	65.8%	(49.0-82.5)	10	34.2%	(17.5-51.0)
	<b>Male</b>	45	81.7%	(67.7-95.7)	8	18.3%	(4.3-32.3)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 77: Percentage of high school students who have ever been tested for HIV<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		524	10.7%	(9.4-11.9)	4333	89.3%	(88.1-90.6)
<b>Sex</b>	<b>Female</b>	268	10.9%	(8.8-12.9)	2230	89.1%	(87.1-91.2)
	<b>Male</b>	251	10.4%	(8.9-12.0)	2091	89.6%	(88.0-91.1)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		21	8.8%	(2.6-15.1)	136	91.2%	(84.9-97.4)
<b>Sex</b>	<b>Female</b>	11	14.7%	(0.8-28.5)	66	85.3%	(71.5-99.2)
	<b>Male</b>	10	5.1%	(0.5-9.8)	69	94.9%	(90.2-99.5)
<b>Tribal High School</b>							
<b>Total</b>		11	20.5%	(0.6-40.4)	53	79.5%	(59.6-99.4)
<b>Sex</b>	<b>Female</b>	6	21.6%	(0.0-51.3)	32	78.4%	(48.7-100.0)
	<b>Male</b>	5	19.4%	(0.0-40.2)	21	80.6%	(59.8-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		10	8.0%	(1.5-14.5)	83	92.0%	(85.5-98.5)
<b>Sex</b>	<b>Female</b>	5	14.1%	(0.0-29.0)	34	85.9%	(71.0-100.0)
	<b>Male</b>	5	4.2%	(0.0-9.0)	48	95.8%	(91.0-100.0)

§ Not counting tests done when donating blood

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

## Diet

**Table 78: Percentage of high school students who did not eat fruit or drink 100% fruit juices<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		245	5.0%	(4.0-5.9)	4696	95.0%	(94.1-96.0)
<b>Sex</b>	<b>Female</b>	86	3.2%	(2.3-4.1)	2454	96.8%	(95.9-97.7)
	<b>Male</b>	156	6.6%	(5.1-8.0)	2228	93.4%	(92.0-94.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		9	5.5%	(0.0-12.0)	147	94.5%	(88.0-100.0)
<b>Sex</b>	<b>Female</b>	4	9.5%	(0.0-23.5)	73	90.5%	(76.5-100.0)
	<b>Male</b>	5	2.6%	(0.0-5.8)	74	97.4%	(94.2-100.0)
<b>Tribal High School</b>							
<b>Total</b>		3	3.3%	(0.0-9.8)	61	96.7%	(90.2-100.0)
<b>Sex</b>	<b>Female</b>	2	3.3%	(0.0-10.7)	36	96.7%	(89.3-100.0)
	<b>Male</b>	1	3.4%	(0.0-10.5)	25	96.6%	(89.5-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		6	5.6%	(0.0-12.6)	86	94.4%	(87.4-100.0)
<b>Sex</b>	<b>Female</b>	2	10.1%	(0.0-25.3)	37	89.9%	(74.7-100.0)
	<b>Male</b>	4	2.6%	(0.0-6.0)	49	97.4%	(94.0-100.0)

§ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



**Table 79: Percentage of high school students who ate fruit or drank 100% fruit juices one or more times/day<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		2889	58.4%	(56.7-60.1)	2052	41.6%	(39.9-43.3)
<b>Sex</b>	<b>Female</b>	1466	57.2%	(54.7-59.6)	1074	42.8%	(40.4-45.3)
	<b>Male</b>	1414	59.6%	(57.2-62.1)	970	40.4%	(37.9-42.8)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		98	60.2%	(48.5-72.0)	58	39.8%	(28.0-51.5)
<b>Sex</b>	<b>Female</b>	48	54.2%	(37.2-71.3)	29	45.8%	(28.7-62.8)
	<b>Male</b>	50	64.4%	(48.2-80.6)	29	35.6%	(19.4-51.8)
<b>Tribal High School</b>							
<b>Total</b>		42	67.6%	(51.5-83.6)	22	32.4%	(16.4-48.5)
<b>Sex</b>	<b>Female</b>	25	69.4%	(46.2-92.6)	13	30.6%	(7.4-53.8)
	<b>Male</b>	17	65.8%	(44.9-86.7)	9	34.2%	(13.3-55.1)
<b>Non-Tribal High School</b>							
<b>Total</b>		56	59.7%	(47.1-72.2)	36	40.3%	(27.8-52.9)
<b>Sex</b>	<b>Female</b>	23	52.9%	(34.4-71.3)	16	47.1%	(28.7-65.6)
	<b>Male</b>	33	64.3%	(47.1-81.5)	20	35.7%	(18.5-52.9)

§ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 80: Percentage of high school students who ate fruit or drank 100% fruit juices two or more times/day<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1419	28.3%	(26.7-29.9)	3522	71.7%	(70.1-73.3)
<b>Sex</b>	<b>Female</b>	703	27.5%	(25.3-29.7)	1837	72.5%	(70.3-74.7)
	<b>Male</b>	711	28.9%	(26.5-31.4)	1673	71.1%	(68.6-73.5)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		56	35.6%	(23.9-47.3)	100	64.4%	(52.7-76.1)
<b>Sex</b>	<b>Female</b>	21	19.9%	(8.0-31.9)	56	80.1%	(68.1-92.0)
	<b>Male</b>	35	46.5%	(29.8-63.2)	44	53.5%	(36.8-70.2)
<b>Tribal High School</b>							
<b>Total</b>		23	36.5%	(24.4-48.6)	41	63.5%	(51.4-75.6)
<b>Sex</b>	<b>Female</b>	12	30.4%	(12.3-48.5)	26	69.6%	(51.5-87.7)
	<b>Male</b>	11	42.4%	(23.1-61.8)	15	57.6%	(38.2-76.9)
<b>Non-Tribal High School</b>							
<b>Total</b>		33	35.5%	(22.9-48.0)	59	64.5%	(52.0-77.1)
<b>Sex</b>	<b>Female</b>	9	19.0%	(6.0-32.0)	30	81.0%	(68.0-94.0)
	<b>Male</b>	24	46.7%	(29.0-64.5)	29	53.3%	(35.5-71.0)

§ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 81: Percentage of high school students who ate fruit or drank 100% fruit juices three or more times/day<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		873	17.3%	(15.9-18.8)	4068	82.7%	(81.2-84.1)
<b>Sex</b>	<b>Female</b>	413	16.4%	(14.5-18.3)	2127	83.6%	(81.7-85.5)
	<b>Male</b>	457	18.2%	(16.1-20.3)	1927	81.8%	(79.7-83.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		42	25.1%	(13.4-36.9)	114	74.9%	(63.1-86.6)
<b>Sex</b>	<b>Female</b>	15	9.7%	(1.9-17.5)	62	90.3%	(82.5-98.1)
	<b>Male</b>	27	35.9%	(17.7-54.0)	52	64.1%	(46.0-82.3)
<b>Tribal High School</b>							
<b>Total</b>		17	26.7%	(16.1-37.2)	47	73.3%	(62.8-83.9)
<b>Sex</b>	<b>Female</b>	9	22.2%	(8.1-36.4)	29	77.8%	(63.6-91.9)
	<b>Male</b>	8	30.9%	(15.6-46.3)	18	69.1%	(53.7-84.4)
<b>Non-Tribal High School</b>							
<b>Total</b>		25	25.0%	(12.4-37.6)	67	75.0%	(62.4-87.6)
<b>Sex</b>	<b>Female</b>	6	8.6%	(0.4-16.8)	33	91.4%	(83.2-99.6)
	<b>Male</b>	19	36.2%	(16.9-55.6)	34	63.8%	(44.4-83.1)

§ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 82: Percentage of high school students who did not eat vegetables<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
Total		312	6.7%	(5.7-7.8)	4567	93.3%	(92.2-94.3)
Sex	Female	114	4.9%	(3.9-5.9)	2403	95.1%	(94.1-96.1)
	Male	196	8.5%	(6.9-10.1)	2148	91.5%	(89.9-93.1)
<b>All American Indian / Alaska Native Students</b>							
Total		9	8.1%	(0.0-16.9)	146	91.9%	(83.1-100.0)
Sex	Female	3	8.4%	(0.0-22.6)	73	91.6%	(77.4-100.0)
	Male	6	8.3%	(0.0-19.8)	72	91.7%	(80.2-100.0)
<b>Tribal High School</b>							
Total		4	5.4%	(0.0-11.3)	59	94.6%	(88.7-100.0)
Sex	Female	2	3.9%	(0.0-9.2)	35	96.1%	(90.8-100.0)
	Male	2	6.7%	(0.0-16.5)	24	93.3%	(83.5-100.0)
<b>Non-Tribal High School</b>							
Total		5	8.3%	(0.0-17.7)	87	91.7%	(82.3-100.0)
Sex	Female	1	8.8%	(0.0-24.2)	38	91.2%	(75.8-100.0)
	Male	4	8.4%	(0.0-20.6)	48	91.6%	(79.4-100.0)

§ Green salad, potatoes (excluding French fries, fried potatoes, or potato chips), carrots, or other vegetables

¶ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 83: Percentage of high school students who ate vegetables one or more times/day<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		2811	56.9%	(55.0-58.7)	2068	43.1%	(41.3-45.0)
<b>Sex</b>	<b>Female</b>	1441	56.6%	(54.0-59.2)	1076	43.4%	(40.8-46.0)
	<b>Male</b>	1356	57.0%	(54.3-59.8)	988	43.0%	(40.2-45.7)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		96	54.4%	(39.9-68.9)	59	45.6%	(31.1-60.1)
<b>Sex</b>	<b>Female</b>	44	41.8%	(26.1-57.4)	32	58.2%	(42.6-73.9)
	<b>Male</b>	51	61.2%	(39.8-82.6)	27	38.8%	(17.4-60.2)
<b>Tribal High School</b>							
<b>Total</b>		38	60.9%	(47.1-74.6)	25	39.1%	(25.4-52.9)
<b>Sex</b>	<b>Female</b>	23	63.8%	(43.6-83.9)	14	36.2%	(16.1-56.4)
	<b>Male</b>	15	58.0%	(36.5-79.5)	11	42.0%	(20.5-63.5)
<b>Non-Tribal High School</b>							
<b>Total</b>		58	53.9%	(38.4-69.4)	34	46.1%	(30.6-61.6)
<b>Sex</b>	<b>Female</b>	21	39.8%	(23.1-56.5)	18	60.2%	(43.5-76.9)
	<b>Male</b>	36	61.4%	(38.6-84.2)	16	38.6%	(15.8-61.4)

§ Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

¶ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 84: Percentage of high school students who ate vegetables two or more times/day<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1178	23.2%	(21.7-24.7)	3701	76.8%	(75.3-78.3)
<b>Sex</b>	<b>Female</b>	597	22.7%	(20.5-24.9)	1920	77.3%	(75.1-79.5)
	<b>Male</b>	574	23.6%	(21.5-25.8)	1770	76.4%	(74.2-78.5)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		48	24.6%	(13.1-36.1)	107	75.4%	(63.9-86.9)
<b>Sex</b>	<b>Female</b>	20	14.8%	(4.5-25.0)	56	85.2%	(75.0-95.5)
	<b>Male</b>	27	28.1%	(11.7-44.6)	51	71.9%	(55.4-88.3)
<b>Tribal High School</b>							
<b>Total</b>		23	37.9%	(24.9-50.9)	40	62.1%	(49.1-75.1)
<b>Sex</b>	<b>Female</b>	12	33.6%	(11.4-55.8)	25	66.4%	(44.2-88.6)
	<b>Male</b>	11	42.1%	(23.7-60.6)	15	57.9%	(39.4-76.3)
<b>Non-Tribal High School</b>							
<b>Total</b>		25	23.6%	(11.4-35.8)	67	76.4%	(64.2-88.6)
<b>Sex</b>	<b>Female</b>	8	13.1%	(2.4-23.8)	31	86.9%	(76.2-97.6)
	<b>Male</b>	16	27.2%	(9.8-44.6)	36	72.8%	(55.4-90.2)

§ Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

¶ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 85: Percentage of high school students who ate vegetables three or more times/day<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		593	11.5%	(10.4-12.6)	4286	88.5%	(87.4-89.6)
<b>Sex</b>	<b>Female</b>	302	11.4%	(10.0-12.8)	2215	88.6%	(87.2-90.0)
	<b>Male</b>	285	11.5%	(9.9-13.2)	2059	88.5%	(86.8-90.1)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		25	15.2%	(5.2-25.2)	130	84.8%	(74.8-94.8)
<b>Sex</b>	<b>Female</b>	10	8.4%	(1.0-15.9)	66	91.6%	(84.1-99.0)
	<b>Male</b>	14	16.1%	(1.7-30.4)	64	83.9%	(69.6-98.3)
<b>Tribal High School</b>							
<b>Total</b>		13	24.8%	(10.9-38.6)	50	75.2%	(61.4-89.1)
<b>Sex</b>	<b>Female</b>	5	17.5%	(0.0-35.3)	32	82.5%	(64.7-100.0)
	<b>Male</b>	8	31.8%	(11.2-52.3)	18	68.2%	(47.7-88.8)
<b>Non-Tribal High School</b>							
<b>Total</b>		12	14.5%	(3.9-25.1)	80	85.5%	(74.9-96.1)
<b>Sex</b>	<b>Female</b>	5	7.6%	(0.0-15.5)	34	92.4%	(84.5-100.0)
	<b>Male</b>	6	15.1%	(0.0-30.2)	46	84.9%	(69.8-100.0)

§ Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

¶ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 86: Percentage of high school students who did not drink milk<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1038	22.7%	(21.3-24.2)	3873	77.3%	(75.8-78.7)
<b>Sex</b>	<b>Female</b>	640	28.5%	(26.2-30.8)	1884	71.5%	(69.2-73.8)
	<b>Male</b>	393	17.1%	(15.2-19.0)	1975	82.9%	(81.0-84.8)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		32	19.3%	(10.1-28.5)	126	80.7%	(71.5-89.9)
<b>Sex</b>	<b>Female</b>	22	32.2%	(15.8-48.5)	56	67.8%	(51.5-84.2)
	<b>Male</b>	10	11.1%	(0.7-21.6)	69	88.9%	(78.4-99.3)
<b>Tribal High School</b>							
<b>Total</b>		14	18.7%	(11.0-26.4)	52	81.3%	(73.6-89.0)
<b>Sex</b>	<b>Female</b>	9	18.8%	(6.0-31.7)	30	81.2%	(68.3-94.0)
	<b>Male</b>	5	18.6%	(4.9-32.3)	22	81.4%	(67.7-95.1)
<b>Non-Tribal High School</b>							
<b>Total</b>		18	19.3%	(9.5-29.2)	74	80.7%	(70.8-90.5)
<b>Sex</b>	<b>Female</b>	13	33.4%	(15.6-51.2)	26	66.6%	(48.8-84.4)
	<b>Male</b>	5	10.7%	(0.0-21.8)	47	89.3%	(78.2-100.0)

§ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



**Table 87: Percentage of high school students who drank one or more glasses/day of milk<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1639	31.6%	(30.0-33.2)	3272	68.4%	(66.8-70.0)
<b>Sex</b>	<b>Female</b>	663	23.7%	(21.7-25.7)	1861	76.3%	(74.3-78.3)
	<b>Male</b>	968	39.2%	(36.6-41.7)	1400	60.8%	(58.3-63.4)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		52	31.5%	(19.3-43.7)	106	68.5%	(56.3-80.7)
<b>Sex</b>	<b>Female</b>	15	10.4%	(2.3-18.5)	63	89.6%	(81.5-97.7)
	<b>Male</b>	37	47.7%	(31.2-64.2)	42	52.3%	(35.8-68.8)
<b>Tribal High School</b>							
<b>Total</b>		22	38.2%	(23.2-53.3)	44	61.8%	(46.7-76.8)
<b>Sex</b>	<b>Female</b>	10	29.6%	(11.5-47.6)	29	70.4%	(52.4-88.5)
	<b>Male</b>	12	46.5%	(29.9-63.2)	15	53.5%	(36.8-70.1)
<b>Non-Tribal High School</b>							
<b>Total</b>		30	31.0%	(17.9-44.0)	62	69.0%	(56.0-82.1)
<b>Sex</b>	<b>Female</b>	5	8.7%	(0.3-17.0)	34	91.3%	(83.0-99.7)
	<b>Male</b>	25	47.8%	(30.1-65.4)	27	52.2%	(34.6-69.9)

§ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 88: Percentage of high school students who drank two or more glasses/day of milk<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1011	19.4%	(18.0-20.9)	3900	80.6%	(79.1-82.0)
<b>Sex</b>	<b>Female</b>	381	13.5%	(11.8-15.2)	2143	86.5%	(84.8-88.2)
	<b>Male</b>	625	25.1%	(22.8-27.5)	1743	74.9%	(72.5-77.2)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		32	17.2%	(7.3-27.1)	126	82.8%	(72.9-92.7)
<b>Sex</b>	<b>Female</b>	10	7.6%	(0.7-14.5)	68	92.4%	(85.5-99.3)
	<b>Male</b>	22	24.7%	(8.9-40.5)	57	75.3%	(59.5-91.1)
<b>Tribal High School</b>							
<b>Total</b>		14	23.9%	(10.0-37.8)	52	76.1%	(62.2-90.0)
<b>Sex</b>	<b>Female</b>	6	16.8%	(0.0-33.8)	33	83.2%	(66.2-100.0)
	<b>Male</b>	8	30.7%	(6.5-54.9)	19	69.3%	(45.1-93.5)
<b>Non-Tribal High School</b>							
<b>Total</b>		18	16.7%	(6.1-27.3)	74	83.3%	(72.7-93.9)
<b>Sex</b>	<b>Female</b>	4	6.8%	(0.0-14.0)	35	93.2%	(86.0-100.0)
	<b>Male</b>	14	24.3%	(7.6-41.1)	38	75.7%	(58.9-92.4)

§ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 89: Percentage of high school students who drank three or more glasses/day of milk<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		469	8.6%	(7.6-9.6)	4442	91.4%	(90.4-92.4)
<b>Sex</b>	<b>Female</b>	154	5.4%	(4.3-6.5)	2370	94.6%	(93.5-95.7)
	<b>Male</b>	312	11.7%	(10.1-13.3)	2056	88.3%	(86.7-89.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		21	9.0%	(3.1-14.9)	137	91.0%	(85.1-96.9)
<b>Sex</b>	<b>Female</b>	6	3.8%	(0.0-8.4)	72	96.2%	(91.6-100.0)
	<b>Male</b>	15	13.0%	(3.2-22.7)	64	87.0%	(77.3-96.8)
<b>Tribal High School</b>							
<b>Total</b>		11	18.1%	(8.9-27.3)	55	81.9%	(72.7-91.1)
<b>Sex</b>	<b>Female</b>	4	9.6%	(1.0-18.2)	35	90.4%	(81.8-99.0)
	<b>Male</b>	7	26.3%	(7.2-45.4)	20	73.7%	(54.6-92.8)
<b>Non-Tribal High School</b>							
<b>Total</b>		10	8.3%	(2.0-14.5)	82	91.7%	(85.5-98.0)
<b>Sex</b>	<b>Female</b>	2	3.3%	(0.0-8.2)	37	96.7%	(91.8-100.0)
	<b>Male</b>	8	12.1%	(1.9-22.3)	44	87.9%	(77.7-98.1)

§ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 90: Percentage of high school students who did not drink soda or pop<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1472	29.4%	(27.6-31.1)	3470	70.6%	(68.9-72.4)
<b>Sex</b>	<b>Female</b>	837	32.5%	(30.1-34.9)	1699	67.5%	(65.1-69.9)
	<b>Male</b>	626	26.1%	(24.1-28.2)	1760	73.9%	(71.8-75.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		38	36.5%	(21.7-51.2)	121	63.5%	(48.8-78.3)
<b>Sex</b>	<b>Female</b>	15	18.8%	(4.1-33.5)	63	81.2%	(66.5-95.9)
	<b>Male</b>	22	46.0%	(25.5-66.5)	58	54.0%	(33.5-74.5)
<b>Tribal High School</b>							
<b>Total</b>		10	14.1%	(5.6-22.5)	56	85.9%	(77.5-94.4)
<b>Sex</b>	<b>Female</b>	6	13.0%	(0.5-25.6)	33	87.0%	(74.4-99.5)
	<b>Male</b>	4	15.0%	(5.5-24.6)	23	85.0%	(75.4-94.5)
<b>Non-Tribal High School</b>							
<b>Total</b>		28	38.1%	(22.4-53.9)	65	61.9%	(46.1-77.6)
<b>Sex</b>	<b>Female</b>	9	19.3%	(3.2-35.5)	30	80.7%	(64.5-96.8)
	<b>Male</b>	18	48.0%	(26.4-69.6)	35	52.0%	(30.4-73.6)

§ A can, bottle, or glass of soda or pop, not counting diet soda or diet pop

¶ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 91: Percentage of high school students who drank soda or pop one or more times/day<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		727	14.5%	(13.3-15.7)	4207	85.5%	(84.3-86.7)
<b>Sex</b>	<b>Female</b>	309	12.1%	(10.4-13.8)	2226	87.9%	(86.2-89.6)
	<b>Male</b>	417	16.8%	(15.1-18.5)	1964	83.2%	(81.5-84.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		39	11.2%	(4.4-17.9)	120	88.8%	(82.1-95.6)
<b>Sex</b>	<b>Female</b>	20	17.2%	(3.8-30.6)	58	82.8%	(69.4-96.2)
	<b>Male</b>	19	7.5%	(2.4-12.5)	61	92.5%	(87.5-97.6)
<b>Tribal High School</b>							
<b>Total</b>		24	37.3%	(23.2-51.3)	42	62.7%	(48.7-76.8)
<b>Sex</b>	<b>Female</b>	15	40.6%	(26.5-54.8)	24	59.4%	(45.2-73.5)
	<b>Male</b>	9	34.0%	(11.6-56.4)	18	66.0%	(43.6-88.4)
<b>Non-Tribal High School</b>							
<b>Total</b>		15	9.3%	(2.1-16.4)	78	90.7%	(83.6-97.9)
<b>Sex</b>	<b>Female</b>	5	15.0%	(0.1-30.0)	34	85.0%	(70.0-99.9)
	<b>Male</b>	10	5.7%	(0.9-10.6)	43	94.3%	(89.4-99.1)

§ A can, bottle, or glass of soda or pop, not counting diet soda or diet pop

¶ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 92: Percentage of high school students who drank soda or pop two or more times/day<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		451	8.8%	(7.8-9.8)	4483	91.2%	(90.2-92.2)
<b>Sex</b>	<b>Female</b>	188	7.5%	(6.0-8.9)	2347	92.5%	(91.1-94.0)
	<b>Male</b>	263	10.1%	(8.7-11.5)	2118	89.9%	(88.5-91.3)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		23	6.8%	(0.5-13.2)	136	93.2%	(86.8-99.5)
<b>Sex</b>	<b>Female</b>	12	12.3%	(0.0-26.0)	66	87.7%	(74.0-100.0)
	<b>Male</b>	11	3.3%	(0.7-6.0)	69	96.7%	(94.0-99.3)
<b>Tribal High School</b>							
<b>Total</b>		16	23.5%	(13.0-34.1)	50	76.5%	(65.9-87.0)
<b>Sex</b>	<b>Female</b>	10	24.3%	(9.8-38.8)	29	75.7%	(61.2-90.2)
	<b>Male</b>	6	22.8%	(3.8-41.8)	21	77.2%	(58.2-96.2)
<b>Non-Tribal High School</b>							
<b>Total</b>		7	5.6%	(0.0-12.4)	86	94.4%	(87.6-100.0)
<b>Sex</b>	<b>Female</b>	2	11.2%	(0.0-26.4)	37	88.8%	(73.6-100.0)
	<b>Male</b>	5	2.1%	(0.0-4.3)	48	97.9%	(95.7-100.0)

§ A can, bottle, or glass of soda or pop, not counting diet soda or diet pop

¶ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 93: Percentage of high school students who drank soda or pop three or more times/day<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		254	5.0%	(4.2-5.8)	4680	95.0%	(94.2-95.8)
<b>Sex</b>	<b>Female</b>	112	4.6%	(3.5-5.7)	2423	95.4%	(94.3-96.5)
	<b>Male</b>	142	5.4%	(4.2-6.5)	2239	94.6%	(93.5-95.8)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		10	5.2%	(0.0-11.5)	149	94.8%	(88.5-100.0)
<b>Sex</b>	<b>Female</b>	6	11.1%	(0.0-25.0)	72	88.9%	(75.0-100.0)
	<b>Male</b>	4	1.3%	(0.0-2.8)	76	98.7%	(97.2-100.0)
<b>Tribal High School</b>							
<b>Total</b>		6	9.2%	(1.7-16.7)	60	90.8%	(83.3-98.3)
<b>Sex</b>	<b>Female</b>	4	10.0%	(0.0-20.2)	35	90.0%	(79.8-100.0)
	<b>Male</b>	2	8.4%	(0.0-18.2)	25	91.6%	(81.8-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		4	4.9%	(0.0-11.7)	89	95.1%	(88.3-100.0)
<b>Sex</b>	<b>Female</b>	2	11.2%	(0.0-26.4)	37	88.8%	(73.6-100.0)
	<b>Male</b>	2	0.9%	(0.0-2.3)	51	99.1%	(97.7-100.0)

§ A can, bottle, or glass of soda or pop, not counting diet soda or diet pop

¶ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 94: Percentage of high school students who did not eat breakfast<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		820	16.7%	(15.2-18.1)	4091	83.3%	(81.9-84.8)
<b>Sex</b>	<b>Female</b>	410	17.2%	(15.1-19.2)	2108	82.8%	(80.8-84.9)
	<b>Male</b>	405	16.2%	(14.1-18.2)	1966	83.8%	(81.8-85.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		24	19.4%	(8.6-30.2)	132	80.6%	(69.8-91.4)
<b>Sex</b>	<b>Female</b>	14	27.3%	(10.6-43.9)	62	72.7%	(56.1-89.4)
	<b>Male</b>	10	14.8%	(1.1-28.5)	69	85.2%	(71.5-98.9)
<b>Tribal High School</b>							
<b>Total</b>		12	16.2%	(5.9-26.4)	52	83.8%	(73.6-94.1)
<b>Sex</b>	<b>Female</b>	8	16.3%	(3.1-29.5)	30	83.7%	(70.5-96.9)
	<b>Male</b>	4	16.0%	(0.0-33.1)	22	84.0%	(66.9-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		12	19.6%	(8.1-31.1)	80	80.4%	(68.9-91.9)
<b>Sex</b>	<b>Female</b>	6	28.2%	(10.4-46.1)	32	71.8%	(53.9-89.6)
	<b>Male</b>	6	14.7%	(0.2-29.3)	47	85.3%	(70.7-99.8)

§ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



**Table 95: Percentage of high school students who ate breakfast all 7 days<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1699	34.1%	(32.1-36.2)	3212	65.9%	(63.8-67.9)
<b>Sex</b>	<b>Female</b>	800	30.8%	(28.2-33.3)	1718	69.2%	(66.7-71.8)
	<b>Male</b>	889	37.2%	(34.2-40.3)	1482	62.8%	(59.7-65.8)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		46	38.4%	(24.9-51.8)	110	61.6%	(48.2-75.1)
<b>Sex</b>	<b>Female</b>	16	13.4%	(3.6-23.3)	60	86.6%	(76.7-96.4)
	<b>Male</b>	29	52.8%	(36.6-69.1)	50	47.2%	(30.9-63.4)
<b>Tribal High School</b>							
<b>Total</b>		16	26.4%	(18.5-34.4)	48	73.6%	(65.6-81.5)
<b>Sex</b>	<b>Female</b>	8	22.4%	(11.0-33.8)	30	77.6%	(66.2-89.0)
	<b>Male</b>	8	30.2%	(17.4-43.0)	18	69.8%	(57.0-82.6)
<b>Non-Tribal High School</b>							
<b>Total</b>		30	39.2%	(24.9-53.6)	62	60.8%	(46.4-75.1)
<b>Sex</b>	<b>Female</b>	8	12.7%	(2.1-23.2)	30	87.3%	(76.8-97.9)
	<b>Male</b>	21	54.2%	(37.1-71.4)	32	45.8%	(28.6-62.9)

§ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 96: Percentage of high school students who go hungry because there is not enough food in the house<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>										
<b>Total</b>		4125	84.7%	(83.5-86.0)	545	11.2%	(10.1-12.3)	222	4.0%	(3.4-4.7)
<b>Sex</b>	<b>Female</b>	2119	84.4%	(82.3-86.5)	290	11.6%	(9.9-13.3)	101	4.0%	(3.0-5.1)
	<b>Male</b>	1991	85.1%	(83.4-86.8)	255	10.9%	(9.4-12.4)	119	4.0%	(3.1-4.9)
<b>All American Indian / Alaska Native Students</b>										
<b>Total</b>		117	76.2%	(65.8-86.6)	23	15.3%	(6.2-24.4)	13	8.5%	(1.4-15.5)
<b>Sex</b>	<b>Female</b>	53	77.0%	(62.0-92.0)	13	14.5%	(3.6-25.4)	7	8.6%	(0.2-17.0)
	<b>Male</b>	63	74.7%	(59.8-89.6)	10	16.5%	(2.6-30.5)	6	8.8%	(0.0-19.3)
<b>Tribal High School</b>										
<b>Total</b>		49	77.5%	(66.7-88.2)	8	10.1%	(4.1-16.0)	7	12.5%	(2.2-22.7)
<b>Sex</b>	<b>Female</b>	26	68.5%	(48.2-88.8)	7	16.5%	(5.4-27.6)	4	15.0%	(0.0-32.5)
	<b>Male</b>	23	85.3%	(75.6-95.1)	1	4.4%	(0.0-13.1)	3	10.2%	(0.0-21.4)
<b>Non-Tribal High School</b>										
<b>Total</b>		68	76.2%	(65.0-87.3)	15	15.7%	(5.9-25.4)	6	8.2%	(0.6-15.7)
<b>Sex</b>	<b>Female</b>	27	77.7%	(61.5-94.0)	6	14.3%	(2.4-26.2)	3	8.0%	(0.0-17.1)
	<b>Male</b>	40	74.0%	(58.2-89.8)	9	17.3%	(2.4-32.2)	3	8.7%	(0.0-19.9)

§ During the last 30 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 97: Percentage of high school students who visited a dentist<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		3354	69.7%	(67.8-71.6)	1525	30.3%	(28.4-32.2)
<b>Sex</b>	<b>Female</b>	1737	69.8%	(67.4-72.3)	769	30.2%	(27.7-32.6)
	<b>Male</b>	1607	69.6%	(67.1-72.0)	749	30.4%	(28.0-32.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		93	63.9%	(51.3-76.5)	65	36.1%	(23.5-48.7)
<b>Sex</b>	<b>Female</b>	40	51.1%	(33.7-68.6)	38	48.9%	(31.4-66.3)
	<b>Male</b>	52	71.2%	(53.6-88.9)	27	28.8%	(11.1-46.4)
<b>Tribal High School</b>							
<b>Total</b>		35	51.7%	(40.1-63.3)	30	48.3%	(36.7-59.9)
<b>Sex</b>	<b>Female</b>	18	37.7%	(17.7-57.7)	21	62.3%	(42.3-82.3)
	<b>Male</b>	17	65.6%	(48.0-83.3)	9	34.4%	(16.7-52.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		58	64.8%	(51.3-78.3)	35	35.2%	(21.7-48.7)
<b>Sex</b>	<b>Female</b>	22	52.4%	(33.4-71.4)	17	47.6%	(28.6-66.6)
	<b>Male</b>	35	71.6%	(52.8-90.4)	18	28.4%	(9.6-47.2)

§ During the 12 months before the survey

¶ Visited a dentist office for a check-up, exam, teeth cleaning, or other dental work

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

## Physical Activity

**Table 98: Percentage of high school students who did not participate in at least 60 minutes of physical activity on any day<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		638	13.9%	(12.4-15.3)	4254	86.1%	(84.7-87.6)
<b>Sex</b>	<b>Female</b>	368	17.2%	(14.7-19.6)	2139	82.8%	(80.4-85.3)
	<b>Male</b>	265	10.6%	(9.1-12.1)	2100	89.4%	(87.9-90.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		22	18.8%	(9.3-28.3)	138	81.2%	(71.7-90.7)
<b>Sex</b>	<b>Female</b>	14	31.7%	(17.0-46.4)	64	68.3%	(53.6-83.0)
	<b>Male</b>	8	10.6%	(0.0-22.2)	73	89.4%	(77.8-100.0)
<b>Tribal High School</b>							
<b>Total</b>		10	14.2%	(7.5-20.8)	57	85.8%	(79.2-92.5)
<b>Sex</b>	<b>Female</b>	5	10.4%	(0.0-21.1)	34	89.6%	(78.9-100.0)
	<b>Male</b>	5	17.7%	(6.5-28.8)	23	82.3%	(71.2-93.5)
<b>Non-Tribal High School</b>							
<b>Total</b>		12	19.1%	(9.0-29.3)	81	80.9%	(70.7-91.0)
<b>Sex</b>	<b>Female</b>	9	33.7%	(18.0-49.4)	30	66.3%	(50.6-82.0)
	<b>Male</b>	3	10.2%	(0.0-22.6)	50	89.8%	(77.4-100.0)

§ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 99: Percentage of high school students who were physically active at least 60 minutes/day on 5 or more days<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		2461	49.9%	(47.6-52.3)	2431	50.1%	(47.7-52.4)
<b>Sex</b>	<b>Female</b>	1108	42.2%	(39.0-45.3)	1399	57.8%	(54.7-61.0)
	<b>Male</b>	1343	57.2%	(54.4-60.1)	1022	42.8%	(39.9-45.6)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		90	56.9%	(43.8-70.0)	70	43.1%	(30.0-56.2)
<b>Sex</b>	<b>Female</b>	38	48.4%	(34.1-62.7)	40	51.6%	(37.3-65.9)
	<b>Male</b>	51	60.9%	(40.3-81.5)	30	39.1%	(18.5-59.7)
<b>Tribal High School</b>							
<b>Total</b>		35	58.1%	(45.1-71.1)	32	41.9%	(28.9-54.9)
<b>Sex</b>	<b>Female</b>	18	54.7%	(33.4-75.9)	21	45.3%	(24.1-66.6)
	<b>Male</b>	17	61.3%	(44.5-78.1)	11	38.7%	(21.9-55.5)
<b>Non-Tribal High School</b>							
<b>Total</b>		55	56.8%	(42.8-70.9)	38	43.2%	(29.1-57.2)
<b>Sex</b>	<b>Female</b>	20	47.8%	(32.3-63.3)	19	52.2%	(36.7-67.7)
	<b>Male</b>	34	60.9%	(38.8-82.9)	19	39.1%	(17.1-61.2)

§ During the 7 days before the survey

¶ Were physically active doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 100: Percentage of high school students who were physically active at least 60 minutes/day for 7 days<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1329	27.6%	(25.7-29.5)	3563	72.4%	(70.5-74.3)
<b>Sex</b>	<b>Female</b>	531	20.6%	(18.5-22.6)	1976	79.4%	(77.4-81.5)
	<b>Male</b>	790	34.2%	(31.4-37.0)	1575	65.8%	(63.0-68.6)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		53	35.6%	(22.9-48.4)	107	64.4%	(51.6-77.1)
<b>Sex</b>	<b>Female</b>	22	31.3%	(13.9-48.7)	56	68.7%	(51.3-86.1)
	<b>Male</b>	31	40.3%	(21.6-59.0)	50	59.7%	(41.0-78.4)
<b>Tribal High School</b>							
<b>Total</b>		19	31.9%	(19.2-44.6)	48	68.1%	(55.4-80.8)
<b>Sex</b>	<b>Female</b>	8	23.9%	(10.4-37.4)	31	76.1%	(62.6-89.6)
	<b>Male</b>	11	39.2%	(19.9-58.5)	17	60.8%	(41.5-80.1)
<b>Non-Tribal High School</b>							
<b>Total</b>		34	35.9%	(22.2-49.6)	59	64.1%	(50.4-77.8)
<b>Sex</b>	<b>Female</b>	14	31.9%	(12.9-51.0)	25	68.1%	(49.0-87.1)
	<b>Male</b>	20	40.4%	(20.4-60.3)	33	59.6%	(39.7-79.6)

§ During the 7 days before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 101: Percentage of high school students who watched 3 or more hours/day of television<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1134	22.9%	(21.3-24.5)	3742	77.1%	(75.5-78.7)
<b>Sex</b>	<b>Female</b>	588	23.3%	(21.0-25.6)	1920	76.7%	(74.4-79.0)
	<b>Male</b>	539	22.2%	(20.1-24.4)	1813	77.8%	(75.6-79.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		51	27.4%	(17.0-37.8)	108	72.6%	(62.2-83.0)
<b>Sex</b>	<b>Female</b>	22	28.6%	(15.8-41.4)	55	71.4%	(58.6-84.2)
	<b>Male</b>	28	23.3%	(9.9-36.7)	53	76.7%	(63.3-90.1)
<b>Tribal High School</b>							
<b>Total</b>		22	36.5%	(26.3-46.7)	44	63.5%	(53.3-73.7)
<b>Sex</b>	<b>Female</b>	12	37.5%	(18.4-56.7)	26	62.5%	(43.3-81.6)
	<b>Male</b>	10	35.6%	(18.5-52.6)	18	64.4%	(47.4-81.5)
<b>Non-Tribal High School</b>							
<b>Total</b>		29	26.8%	(15.6-37.9)	64	73.2%	(62.1-84.4)
<b>Sex</b>	<b>Female</b>	10	27.8%	(13.8-41.8)	29	72.2%	(58.2-86.2)
	<b>Male</b>	18	22.5%	(8.3-36.6)	35	77.5%	(63.4-91.7)

§ On an average school day

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 102: Percentage of high school students who played video or computer games or used a computer for 3 or more hours/day<sup>§,¶</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1824	38.3%	(36.4-40.3)	3066	61.7%	(59.7-63.6)
<b>Sex</b>	<b>Female</b>	915	37.8%	(35.3-40.4)	1599	62.2%	(59.6-64.7)
	<b>Male</b>	906	38.9%	(36.0-41.8)	1453	61.1%	(58.2-64.0)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		53	32.6%	(21.7-43.5)	105	67.4%	(56.5-78.3)
<b>Sex</b>	<b>Female</b>	24	33.6%	(16.7-50.5)	53	66.4%	(49.5-83.3)
	<b>Male</b>	29	33.4%	(18.5-48.4)	51	66.6%	(51.6-81.5)
<b>Tribal High School</b>							
<b>Total</b>		22	35.4%	(22.0-48.9)	44	64.6%	(51.1-78.0)
<b>Sex</b>	<b>Female</b>	13	39.1%	(20.7-57.4)	25	60.9%	(42.6-79.3)
	<b>Male</b>	9	32.2%	(10.8-53.7)	19	67.8%	(46.3-89.2)
<b>Non-Tribal High School</b>							
<b>Total</b>		31	32.4%	(20.8-44.1)	61	67.6%	(55.9-79.2)
<b>Sex</b>	<b>Female</b>	11	33.1%	(14.6-51.5)	28	66.9%	(48.5-85.4)
	<b>Male</b>	20	33.5%	(17.5-49.5)	32	66.5%	(50.5-82.5)

§ On an average school day

¶ For something that was not school work

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



**Table 103: Percentage of high school students who attended physical education (PE) classes<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		2842	54.4%	(49.7-59.1)	2015	45.6%	(40.9-50.3)
<b>Sex</b>	<b>Female</b>	1300	47.0%	(41.5-52.4)	1197	53.0%	(47.6-58.5)
	<b>Male</b>	1533	61.5%	(56.5-66.5)	811	38.5%	(33.5-43.5)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		99	58.5%	(46.7-70.3)	57	41.5%	(29.7-53.3)
<b>Sex</b>	<b>Female</b>	46	45.4%	(31.6-59.2)	31	54.6%	(40.8-68.4)
	<b>Male</b>	52	65.7%	(49.4-82.0)	26	34.3%	(18.0-50.6)
<b>Tribal High School</b>							
<b>Total</b>		46	62.3%	(40.7-83.9)	21	37.7%	(16.1-59.3)
<b>Sex</b>	<b>Female</b>	28	62.9%	(44.2-81.6)	11	37.1%	(18.4-55.8)
	<b>Male</b>	18	61.8%	(42.9-80.6)	10	38.2%	(19.4-57.1)
<b>Non-Tribal High School</b>							
<b>Total</b>		53	58.2%	(45.6-70.8)	36	41.8%	(29.2-54.4)
<b>Sex</b>	<b>Female</b>	18	43.7%	(28.8-58.6)	20	56.3%	(41.4-71.2)
	<b>Male</b>	34	66.0%	(48.6-83.4)	16	34.0%	(16.6-51.4)

§ On 1 or more days in an average week when they were in school

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 104: Percentage of high school students who attended physical education (PE) classes daily<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1373	27.8%	(23.1-32.4)	3484	72.2%	(67.6-76.9)
<b>Sex</b>	<b>Female</b>	659	24.9%	(20.0-29.7)	1838	75.1%	(70.3-80.0)
	<b>Male</b>	709	30.4%	(24.7-36.1)	1635	69.6%	(63.9-75.3)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		48	25.3%	(13.9-36.6)	108	74.7%	(63.4-86.1)
<b>Sex</b>	<b>Female</b>	20	17.1%	(5.1-29.0)	57	82.9%	(71.0-94.9)
	<b>Male</b>	27	27.5%	(11.0-44.1)	51	72.5%	(55.9-89.0)
<b>Tribal High School</b>							
<b>Total</b>		23	29.2%	(6.8-51.6)	44	70.8%	(48.4-93.2)
<b>Sex</b>	<b>Female</b>	14	28.0%	(6.5-49.6)	25	72.0%	(50.4-93.5)
	<b>Male</b>	9	30.2%	(0.0-62.5)	19	69.8%	(37.5-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		25	25.0%	(12.9-37.0)	64	75.0%	(63.0-87.1)
<b>Sex</b>	<b>Female</b>	6	16.0%	(3.0-29.1)	32	84.0%	(70.9-97.0)
	<b>Male</b>	18	27.4%	(9.8-44.9)	32	72.6%	(55.1-90.2)

§ 5 days in an average week when they were in school

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 105: Percentage of high school students who played on at least one sports team<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		2539	50.1%	(47.6-52.6)	2288	49.9%	(47.4-52.4)
<b>Sex</b>	<b>Female</b>	1235	46.6%	(43.4-49.8)	1256	53.4%	(50.2-56.6)
	<b>Male</b>	1294	53.5%	(50.4-56.6)	1026	46.5%	(43.4-49.6)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		100	50.0%	(36.0-64.1)	54	50.0%	(35.9-64.0)
<b>Sex</b>	<b>Female</b>	49	47.8%	(31.1-64.6)	27	52.2%	(35.4-68.9)
	<b>Male</b>	51	53.9%	(33.0-74.9)	26	46.1%	(25.1-67.0)
<b>Tribal High School</b>							
<b>Total</b>		51	80.1%	(70.8-89.3)	13	19.9%	(10.7-29.2)
<b>Sex</b>	<b>Female</b>	29	79.3%	(57.4-100.0)	8	20.7%	(0.0-42.6)
	<b>Male</b>	22	80.8%	(64.9-96.6)	5	19.2%	(3.4-35.1)
<b>Non-Tribal High School</b>							
<b>Total</b>		49	47.8%	(32.9-62.8)	41	52.2%	(37.2-67.1)
<b>Sex</b>	<b>Female</b>	20	45.0%	(27.2-62.9)	19	55.0%	(37.1-72.8)
	<b>Male</b>	29	52.1%	(29.9-74.4)	21	47.9%	(25.6-70.1)

§ Run by their school or community groups during the 12 months before the survey

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 106: Percentage of students who had 8 or more hours of sleep<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1211	22.5%	(20.8-24.3)	3645	77.5%	(75.7-79.2)
<b>Sex</b>	<b>Female</b>	570	19.6%	(17.7-21.6)	1925	80.4%	(78.4-82.3)
	<b>Male</b>	634	25.2%	(22.8-27.6)	1709	74.8%	(72.4-77.2)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		34	19.1%	(8.5-29.7)	123	80.9%	(70.3-91.5)
<b>Sex</b>	<b>Female</b>	14	17.2%	(2.6-31.7)	63	82.8%	(68.3-97.4)
	<b>Male</b>	19	16.7%	(3.3-30.2)	60	83.3%	(69.8-96.7)
<b>Tribal High School</b>							
<b>Total</b>		16	29.9%	(21.2-38.6)	49	70.1%	(61.4-78.8)
<b>Sex</b>	<b>Female</b>	6	21.7%	(1.6-41.9)	32	78.3%	(58.1-98.4)
	<b>Male</b>	10	37.5%	(25.6-49.4)	17	62.5%	(50.6-74.4)
<b>Non-Tribal High School</b>							
<b>Total</b>		18	18.3%	(7.0-29.6)	74	81.7%	(70.4-93.0)
<b>Sex</b>	<b>Female</b>	8	16.8%	(1.0-32.5)	31	83.2%	(67.5-99.0)
	<b>Male</b>	9	15.4%	(1.1-29.6)	43	84.6%	(70.4-98.9)

§ On an average school night

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

## Weight

**Table 107: Percentage of high school students who were obese<sup>§</sup>, by sex and school type —Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		608	11.4%	(10.1-12.7)	4500	88.6%	(87.3-89.9)
<b>Sex</b>	<b>Female</b>	275	10.3%	(8.6-11.9)	2325	89.7%	(88.1-91.4)
	<b>Male</b>	333	12.6%	(10.7-14.4)	2147	87.4%	(85.6-89.3)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		38	9.5%	(4.5-14.5)	125	90.5%	(85.5-95.5)
<b>Sex</b>	<b>Female</b>	15	6.9%	(0.0-14.0)	64	93.1%	(86.0-100.0)
	<b>Male</b>	23	11.6%	(4.3-18.9)	60	88.4%	(81.1-95.7)
<b>Tribal High School</b>							
<b>Total</b>		27	40.0%	(24.5-55.5)	42	60.0%	(44.5-75.5)
<b>Sex</b>	<b>Female</b>	14	35.0%	(16.3-53.7)	26	65.0%	(46.3-83.7)
	<b>Male</b>	13	44.6%	(27.0-62.2)	16	55.4%	(37.8-73.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		11	7.2%	(2.1-12.3)	83	92.8%	(87.7-97.9)
<b>Sex</b>	<b>Female</b>	1	4.3%	(0.0-12.2)	38	95.7%	(87.8-100.0)
	<b>Male</b>	10	9.4%	(2.1-16.7)	44	90.6%	(83.3-97.9)

§ Students who were ≥95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 108: Percentage of high school students who were overweight<sup>§</sup>, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		197	6.9%	(5.8-8.0)	2505	93.1%	(92.0-94.2)
<b>Sex</b>	<b>Female</b>	371	13.9%	(12.3-15.6)	2229	86.1%	(84.4-87.7)
	<b>Male</b>	428	17.7%	(15.6-19.8)	2052	82.3%	(80.2-84.4)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		28	18.7%	(8.1-29.2)	135	81.3%	(70.8-91.9)
<b>Sex</b>	<b>Female</b>	12	11.5%	(2.2-20.8)	67	88.5%	(79.2-97.8)
	<b>Male</b>	16	24.2%	(7.9-40.6)	67	75.8%	(59.4-92.1)
<b>Tribal High School</b>							
<b>Total</b>		11	16.4%	(6.3-26.6)	58	83.6%	(73.4-93.7)
<b>Sex</b>	<b>Female</b>	7	21.3%	(7.2-35.3)	33	78.7%	(64.7-92.8)
	<b>Male</b>	4	12.1%	(0.0-24.5)	25	87.9%	(75.5-100.0)
<b>Non-Tribal High School</b>							
<b>Total</b>		17	18.9%	(7.5-30.2)	77	81.1%	(69.8-92.5)
<b>Sex</b>	<b>Female</b>	5	10.6%	(0.6-20.6)	34	89.4%	(79.4-99.4)
	<b>Male</b>	12	25.1%	(7.6-42.5)	42	74.9%	(57.5-92.4)

§ Students who were ≥85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 109: Percentage of high school students who described themselves as slightly or very overweight, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	% <sup>*</sup>	C.I. <sup>†</sup> (95%)
<b>State Sample</b>							
<b>Total</b>		1591	32.5%	(30.7-34.3)	3359	67.5%	(65.7-69.3)
<b>Sex</b>	<b>Female</b>	918	36.8%	(34.3-39.3)	1616	63.2%	(60.7-65.7)
	<b>Male</b>	671	28.5%	(26.1-30.9)	1727	71.5%	(69.1-73.9)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		68	35.4%	(21.9-48.9)	90	64.6%	(51.1-78.1)
<b>Sex</b>	<b>Female</b>	38	40.5%	(18.6-62.4)	40	59.5%	(37.6-81.4)
	<b>Male</b>	30	33.5%	(16.1-50.9)	49	66.5%	(49.1-83.9)
<b>Tribal High School</b>							
<b>Total</b>		35	55.2%	(43.9-66.5)	30	44.8%	(33.5-56.1)
<b>Sex</b>	<b>Female</b>	25	71.9%	(57.1-86.8)	14	28.1%	(13.2-42.9)
	<b>Male</b>	10	38.6%	(15.6-61.6)	16	61.4%	(38.4-84.4)
<b>Non-Tribal High School</b>							
<b>Total</b>		33	34.0%	(19.6-48.4)	60	66.0%	(51.6-80.4)
<b>Sex</b>	<b>Female</b>	13	37.6%	(13.7-61.5)	26	62.4%	(38.5-86.3)
	<b>Male</b>	20	33.2%	(14.8-51.6)	33	66.8%	(48.4-85.2)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 110: Percentage of high school students who were trying to lose weight,\* by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>¶¶</sup>	%*	C.I.† (95%)	N <sup>¶¶</sup>	%*	C.I.† (95%)
<b>State Sample</b>							
<b>Total</b>		2383	48.1%	(46.2-50.1)	2561	51.9%	(49.9-53.8)
<b>Sex</b>	<b>Female</b>	1531	61.3%	(59.2-63.3)	1007	38.7%	(36.7-40.8)
	<b>Male</b>	845	35.7%	(33.3-38.1)	1541	64.3%	(61.9-66.7)
<b>All American Indian / Alaska Native Students</b>							
<b>Total</b>		79	42.5%	(29.1-55.8)	79	57.5%	(44.2-70.9)
<b>Sex</b>	<b>Female</b>	51	66.7%	(51.4-82.0)	27	33.3%	(18.0-48.6)
	<b>Male</b>	28	27.9%	(11.6-44.3)	51	72.1%	(55.7-88.4)
<b>Tribal High School</b>							
<b>Total</b>		37	53.4%	(47.2-59.5)	28	46.6%	(40.5-52.8)
<b>Sex</b>	<b>Female</b>	26	66.6%	(54.5-78.7)	13	33.4%	(21.3-45.5)
	<b>Male</b>	11	40.2%	(28.2-52.3)	15	59.8%	(47.7-71.8)
<b>Non-Tribal High School</b>							
<b>Total</b>		42	41.7%	(27.4-56.0)	51	58.3%	(44.0-72.6)
<b>Sex</b>	<b>Female</b>	25	66.8%	(50.0-83.5)	14	33.2%	(16.5-50.0)
	<b>Male</b>	17	27.2%	(9.9-44.5)	36	72.8%	(55.5-90.1)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval



## Resilience

**Table 111: Percentage of high school students whose parents or other adults asked where they were going or who they would be with, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>¶¶</sup>	%*	C.I.† (95%)	N <sup>¶¶</sup>	%*	C.I.† (95%)	N <sup>¶¶</sup>	%*	C.I.† (95%)
<b>State Total</b>										
<b>Total</b>		621	12.4%	(11.1-13.7)	493	10.1%	(9.0-11.2)	3718	77.5%	(75.7-79.3)
<b>Sex</b>	<b>Female</b>	217	8.2%	(6.7-9.7)	197	7.5%	(6.3-8.7)	2064	84.3%	(82.4-86.2)
	<b>Male</b>	402	16.3%	(14.4-18.3)	294	12.6%	(10.9-14.4)	1641	71.1%	(68.7-73.5)
<b>All American Indian / Alaska Native Students</b>										
<b>Total</b>		31	15.2%	(3.9-26.5)	23	6.8%	(2.6-11.0)	105	78.0%	(66.4-89.6)
<b>Sex</b>	<b>Female</b>	16	23.6%	(0.0-47.6)	14	8.3%	(0.8-15.8)	49	68.1%	(44.9-91.3)
	<b>Male</b>	15	10.0%	(2.7-17.3)	9	6.1%	(0.7-11.4)	55	84.0%	(74.5-93.4)
<b>Tribal High School</b>										
<b>Total</b>		14	18.3%	(8.9-27.8)	14	19.1%	(8.1-30.2)	39	62.5%	(48.9-76.2)
<b>Sex</b>	<b>Female</b>	9	18.5%	(1.1-36.0)	10	21.6%	(2.7-40.5)	21	59.9%	(39.0-80.7)
	<b>Male</b>	5	18.1%	(1.9-34.3)	4	16.7%	(0.6-32.8)	18	65.1%	(38.8-91.4)
<b>Non-Tribal High School</b>										
<b>Total</b>		17	14.9%	(2.8-27.1)	9	5.9%	(1.5-10.3)	66	79.2%	(66.7-91.6)
<b>Sex</b>	<b>Female</b>	7	24.1%	(0.0-50.2)	4	7.1%	(0.0-14.9)	28	68.9%	(43.4-94.3)
	<b>Male</b>	10	9.4%	(1.8-17.1)	5	5.4%	(0.0-10.9)	37	85.2%	(75.5-94.9)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

**Table 112: Percentage of high school students who felt comfortable talking to their friends, a parent or other adult family member, or a teacher or other adult about important life questions, by sex and school type — Nevada, Youth Risk Behavior Survey, 2015**

		Friends			Parent or other family member			Teacher or other adult		
		N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)	N <sup>¶¶</sup>	%*	C.I. <sup>†</sup> (95%)
<b>State Total</b>										
<b>Total</b>		1858	62.7%	(60.4-65.0)	999	32.6%	(30.5-34.8)	152	4.6%	(3.6-5.6)
<b>Sex</b>	<b>Female</b>	1138	64.3%	(61.3-67.3)	584	31.3%	(28.7-33.9)	85	4.4%	(3.0-5.8)
	<b>Male</b>	718	60.8%	(57.1-64.6)	411	34.2%	(30.6-37.8)	65	5.0%	(3.5-6.4)
<b>All American Indian / Alaska Native Students</b>										
<b>Total</b>		70	60.3%	(45.4-75.2)	31	37.5%	(22.5-52.4)	4	2.2%	(0.0-4.8)
<b>Sex</b>	<b>Female</b>	39	69.0%	(45.3-92.6)	11	27.1%	(3.7-50.5)	3	4.0%	(0.0-9.6)
	<b>Male</b>	31	58.4%	(39.0-77.9)	19	40.3%	(20.8-59.8)	1	1.3%	(0.0-3.9)
<b>Tribal High School</b>										
<b>Total</b>		31	65.4%	(48.3-82.5)	14	33.1%	(16.5-49.7)	1	1.5%	(0.0-4.8)
<b>Sex</b>	<b>Female</b>	22	75.6%	(49.7-100.0)	6	21.6%	(0.0-45.3)	1	2.8%	(0.0-9.5)
	<b>Male</b>	9	53.5%	(30.4-76.6)	8	46.5%	(23.4-69.6)	0	0.0%	(0.0-0.0)
<b>Non-Tribal High School</b>										
<b>Total</b>		39	59.9%	(44.1-75.8)	17	37.8%	(21.8-53.7)	3	2.3%	(0.0-5.0)
<b>Sex</b>	<b>Female</b>	17	68.3%	(42.1-94.4)	5	27.7%	(1.8-53.5)	2	4.1%	(0.0-10.3)
	<b>Male</b>	22	58.7%	(38.1-79.3)	11	40.0%	(19.3-60.6)	1	1.3%	(0.0-4.1)

¶¶ The sample size in the total and subgroups may differ due to missing data

\* Weighted row percent

† 95% confidence interval

For additional information regarding this publication, contact:

Division of Public and Behavioral Health  
Office of Public Health Informatics and Epidemiology  
<http://health.nv.gov/>

Sandi Larson, MPH  
[slarson@health.nv.gov](mailto:slarson@health.nv.gov)  
702.486.0068