

# 2015 Nevada High School Youth Risk Behavior Survey (YRBS) Report



Department of Health and Human Services  
Division of Public and Behavioral Health  
Office of Public Health Informatics and Epidemiology

Brian Sandoval, Governor  
State of Nevada  
Richard Whitley, MS, Director  
Department of Health and Human Services

Cody L. Phinney, MPH, Administrator  
Leon Ravin, MD, Acting Chief Medical Officer  
Division of Public and Behavioral Health

February 2016  
edition 1.0

### **Acknowledgements**

We would like to acknowledge those who assisted with the 2015 Nevada High School Youth Risk Behavior Survey (YRBS) Report including the Nevada Department of Education; school district superintendents; school principals, teachers and staff; and the Substance Abuse Prevention Coalition members.

### **Recommended Citation**

Lensch, T., Baxa, A., Zhang, F., Gay, C., Larson, S., Clements-Nolle, K., Yang, W. State of Nevada, Division of Public and Behavioral Health and the University of Nevada, Reno. *2015 Nevada High School Youth Risk Behavior Survey (YRBS)*

### **Funding Source**

This research was partially supported by a grant from the Centers for Disease Control and Prevention (CDC-PS13-1308). Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the CDC.

### **Additional Resources**

<http://chs.unr.edu/subpages/research/YRBS.htm>

<http://www.cdc.gov/HealthyYouth/yrbs/index.htm>

### **Nevada YRBS Team Members**

#### ***State of Nevada, Division of Public and Behavioral Health***

Sandra Larson, MPH

Office of Public Health Informatics and Epidemiology, Manager

Amberlee Baxa, MPH

YRBS Program Coordinator

#### ***University of Nevada, Reno School of Community Health Sciences***

#### ***Nevada Center for Health Statistics and Informatics***

Wei Yang, PhD

Professor and YRBS Principal Investigator

Kristen Clements-Nolle, PhD, MPH

Associate Professor and YRBS Co-Principal Investigator

Taylor Lensch, BS

MPH Graduate Student and YRBS Coordinator

Christopher Gay, BS

MPH Graduate Student and Research Assistant

Fannie Zhang, MS

YRBS Biostatistician

## Contents

<b>INTRODUCTION</b> .....	<b>1</b>
<b>METHODS</b> .....	<b>1</b>
<b>PERMISSION STATUS AND RESPONSE RATES</b> .....	<b>2</b>
<b>SUMMARY HIGHLIGHTS</b> .....	<b>4</b>
<b>RESULTS</b> .....	<b>7</b>
<b>PARTICIPANT CHARACTERISTICS</b> .....	<b>7</b>
Table 3: Demographic characteristics of participating students .....	7
Table 4: Percentage of high school students who have parents or other adults in family serving on active duty in the military .....	8
Table 5: Percentage of high school students who qualify for or get free and reduced lunch at school .....	9
Table 6: Percentage of high school students who made mostly A's or B's in school .....	10
<b>SAFETY</b> .....	<b>11</b>
Table 7: Percentage of high school students who rarely or never wore a bicycle helmet .....	11
Table 8: Percentage of high school students who rarely or never wore a seat belt. ....	12
Table 9: Percentage of high school students who rode in a car or other vehicle driven by someone who had been drinking alcohol.....	13
Table 10: Percentage of high school students who drove a car or other vehicle when they had been drinking alcohol.....	14
Table 11: Percentage of high school students who texted or e-mailed while driving a car or other vehicle.....	15
<b>VIOLENCE-RELATED BEHAVIORS</b> .....	<b>16</b>
Table 12: Percentage of high school students who carried a weapon.....	16
Table 13: Percentage of high school students who carried a gun .....	17
Table 14: Percentage of high school students who carried a weapon on school property .....	18
Table 15: Percentage of high school students who were threatened or injured with a weapon on school property .....	19
Table 16: Percentage of high school students who were in a physical fight.....	20
Table 17: Percentage of high school students who were injured in a physical fight .....	21
Table 18: Percentage of high school students who were in a physical fight on school property .....	22
Table 19: Percentage of high school students who were bullied on school property .....	23
Table 20: Percentage of high school students who were electronically bullied .....	24
Table 21: Percentage of high school students who did not go to school because they felt unsafe at school or on their way to or from school.....	25
Table 22: Percentage of high school students who experienced physical dating violence .....	26
Table 23: Percentage of high school students who experienced sexual dating violence .....	27

Table 24: Percentage of high school students who were ever physically forced to have sexual intercourse .....	28
Table 25: Percentage of high school students who have ever been hit, beaten, kicked, or physically hurt in anyway by an adult.....	29
Table 26: Percentage of high school students who have ever seen adults in their home slap, hit, kick, punch, or beat each other up, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015 .....	30
<b>EMOTIONAL HEALTH.....</b>	<b>31</b>
Table 27: Percentage of high school students who felt sad or hopeless .....	31
Table 28: Percentage of high school students who seriously considered attempting suicide .....	32
Table 29: Percentage of high school students who made a plan about how they would attempt suicide.....	33
Table 30: Percentage of high school students who attempted suicide .....	34
Table 31: Percentage of high school students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse.....	35
Table 32: Percentage of high school students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose .....	36
Table 33: Percentage of high school students who ever lived with someone who was depressed, mentally ill, or suicidal .....	37
<b>TOBACCO USE .....</b>	<b>38</b>
Table 34: Percentage of high school students who ever smoked cigarettes .....	38
Table 35: Percentage of high school students who smoked a whole cigarette for the first time before age 13 years.....	39
Table 36: Percentage of high school students who currently smoked cigarettes ....	40
Table 37: Percentage of high school students who frequently currently smoked cigarettes.....	41
Table 38: Percentage of high school students who smoked more than 10 cigarettes per day .....	42
Table 39: Percentage of high school students who usually obtained their own cigarettes by buying them in a store or gas station .....	43
Table 40: Percentage of high school students who tried to quit smoking cigarettes during the 12 months before the survey .....	44
Table 41: Percentage of high school students who currently used smokeless tobacco.....	45
Table 42: Percentage of high school students who currently smoked cigars .....	46
Table 43: Percentage of high school students who currently used tobacco .....	47
<b>ELECTRONIC VAPOR PRODUCT USE .....</b>	<b>48</b>
Table 44: Percentage of high school students who ever used electronic vapor products .....	48
Table 45: Percentage of high school students who currently use electronic vapor products .....	49

<b>ALCOHOL USE .....</b>	<b>50</b>
Table 46: Percentage of high school students who ever drank alcohol.....	50
Table 47: Percentage of high school students who drank alcohol for the first time before age 13 years .....	51
Table 48: Percentage of high school students who currently drank alcohol.....	52
Table 49: Percentage of high school students who recently participated in binge drinking.....	53
Table 50: Percentage of high school students who usually obtained the alcohol they drank by someone giving it to them.....	54
<b>MARIJUANA USE .....</b>	<b>55</b>
Table 51: Percentage of high school students who ever used marijuana.....	55
Table 52: Percentage of high school students who tried marijuana for the first time before age 13 years .....	56
Table 53: Percentage of high school students who currently use marijuana.....	57
<b>DRUG USE.....</b>	<b>58</b>
Table 54: Percentage of high school students who ever used cocaine .....	58
Table 55: Percentage of high school students who ever used inhalants .....	59
Table 56: Percentage of high school students who ever used heroin .....	60
Table 57: Percentage of high school students who ever used methamphetamines	61
Table 58: Percentage of high school students who used ecstasy .....	62
Table 59: Percentage of high school students who ever used synthetic marijuana	63
Table 60: Percentage of high school students who currently use synthetic marijuana .....	64
Table 61: Percentage of high school students who ever took steroids without a doctor's prescription .....	65
Table 62: Percentage of high school students who ever took prescription drugs without a doctor's prescription.....	66
Table 63: Percentage of high school students who currently take prescription drugs without a doctor's prescription.....	67
Table 64: Percentage of high school students who ever injected any illegal drugs.	68
Table 65: Percentage of high school students who were offered, sold, or given an illegal drug by someone on school property .....	69
Table 66: Percentage of high school students who ever lived with someone who was a problem drinker, alcoholic, or abused street or prescription drugs.....	70
<b>SEXUAL BEHAVIORS.....</b>	<b>71</b>
Table 67: Percentage of high school students who ever had sexual intercourse ....	71
Table 68: Percentage of high school students who had sexual intercourse for the first time before age 13 years .....	72
Table 69: Percentage of high school students who had sexual intercourse with four or more persons during their life.....	73
Table 70: Percentage of high school students who were currently sexually active .	74
Table 71: Percentage of high school students who drank alcohol or used drugs before last sexual intercourse .....	75
Table 72: Percentage of high school students who used a condom during last sexual intercourse .....	76

Table 73: Percentage of high school students who used birth control pills before last sexual intercourse ..... 77

Table 74: Percentage of high school students who used Depo-Provera, Nuva Ring, Implanon, or any IUD before last sexual intercourse..... 78

Table 75: Percentage of high school students who used birth control pills, Depo-Provera, Nuva Ring, Implanon, or any IUD before last sexual intercourse..... 79

Table 76: Percentage of high school students who used both a condom and birth control pills, Depo-Provera, Nuva Ring, Implanon, or any IUD before last sexual intercourse ..... 80

Table 77: Percentage of high school students who did not use any method to prevent pregnancy during last sexual intercourse ..... 81

Table 78: Percentage of high school students did not have sexual contact, who had sexual contact with the opposite sex, and who had sexual contact with the same or both sexes..... 82

Table 79: Percentage of high school students who were heterosexual (straight), gay or lesbian, bisexual, or not sure ..... 83

Table 80: Percentage of high school students who have ever been tested for HIV 84

**DIET ..... 85**

Table 81: Percentage of high school students who did not eat fruit or drink 100% fruit juices ..... 85

Table 82: Percentage of high school students who ate fruit or drank 100% fruit juices one or more times/day ..... 86

Table 83: Percentage of high school students who ate fruit or drank 100% fruit juices two or more times/day ..... 87

Table 84: Percentage of high school students who ate fruit or drank 100% fruit juices three or more times/day ..... 88

Table 85: Percentage of high school students who did not eat vegetables ..... 89

Table 86: Percentage of high school students who ate vegetables one or more times/day ..... 90

Table 87: Percentage of high school students who ate vegetables two or more times/day ..... 91

Table 88: Percentage of high school students who ate vegetables three or more times/day ..... 92

Table 89: Percentage of high school students who did not drink milk ..... 93

Table 90: Percentage of high school students who drank one or more glasses/day of milk..... 94

Table 91: Percentage of high school students who drank two or more glasses/day of milk..... 95

Table 92: Percentage of high school students who drank three or more glasses/day of milk..... 96

Table 93: Percentage of high school students who did not drink soda or pop..... 97

Table 94: Percentage of high school students who drank soda or pop one or more times/day ..... 98

Table 95: Percentage of high school students who drank soda or pop two or more times/day ..... 99

Table 96: Percentage of high school students who drank soda or pop three or more times/day .....	100
Table 97: Percentage of high school students who did not eat breakfast.....	101
Table 98: Percentage of high school students who ate breakfast all 7 days .....	102
Table 99: Percentage of high school students who go hungry because there is not enough food in the house .....	103
Table 100: Percentage of high school students who visited a dentist .....	104
<b>PHYSICAL ACTIVITY .....</b>	<b>105</b>
Table 101: Percentage of high school students who did not participate in at least 60 minutes of physical activity on any day .....	105
Table 102: Percentage of high school students who were physically active at least 60 minutes/day on 5 or more days .....	106
Table 103: Percentage of high school students who were physically active at least 60 minutes/day for 7 days .....	107
Table 104: Percentage of high school students who played video or computer games or used a computer for 3 or more hours/day.....	108
Table 105: Percentage of high school students who watched 3 or more hours/day of television .....	109
Table 106: Percentage of high school students who attended physical education (PE) classes .....	110
Table 107: Percentage of high school students who attended physical education (PE) classes daily.....	111
Table 108: Percentage of high school students who played on at least one sports team .....	112
Table 109: Percentage of high school students who had 8 or more hours of sleep .....	113
<b>WEIGHT .....</b>	<b>114</b>
Table 110: Percentage of high school students who were obese .....	114
Table 111: Percentage of high school students who were overweight .....	115
Table 112: Percentage of high school students who described themselves as slightly or very overweight .....	116
Table 113: Percentage of high school students who were trying to lose weight....	117
<b>RESILIENCE .....</b>	<b>118</b>
Table 114: Percentage of high school students whose parents or other adults asked where they were going or who they would be with .....	118
Table 115: Percentage of high school students who felt comfortable talking to their friends, a parent or other adult family member, or a teacher or other adult about important life questions .....	119

## INTRODUCTION

Priority health risk behaviors (i.e. preventable behaviors that contribute to the leading causes of morbidity and mortality) are often established during childhood and adolescence and extend into adulthood. Ongoing surveillance of youth risk behaviors is critical for the design, implementation, and evaluation of public health interventions to improve adolescent health. The Youth Risk Behavior Survey (YRBS) is a national surveillance system that was established in 1991 by the Centers for Disease Control and Prevention (CDC) to monitor the prevalence of health risk behaviors among youth. The Nevada High School YRBS is a biennial, anonymous, and voluntary survey of students in 9<sup>th</sup> through 12<sup>th</sup> grade in regular public, charter, and alternative schools. The survey asks students to self-report their behaviors in six major areas of health that directly lead to morbidity and mortality, these include:

- 1) Behaviors that contribute to unintentional injuries and violence;
- 2) Sexual behaviors that contribute to human immunodeficiency virus (HIV) infection, other sexually transmitted diseases, and unintended pregnancy;
- 3) Tobacco use;
- 4) Alcohol and other drug use;
- 5) Unhealthy dietary behaviors; and
- 6) Physical inactivity.

In 2015, 32 high schools were randomly chosen by the CDC to represent Nevada. To ensure greater representation from schools in *all* districts, the Nevada Division of Public and Behavioral Health contracted with the University of Nevada, Reno, School of Community Health Sciences to conduct the YRBS in all high schools throughout the state (100 schools, including the 32 high schools chosen by the CDC).

The 2015 Nevada High School YRBS provides statewide data to assess trends in priority health-risk behaviors among high school students; measure progress toward achieving national health objectives for *Healthy People 2020* and other program and policy indicators; and evaluate the impact of broad school and community interventions at the national, state, and local level. It is our intention that these data will be used by education and health professionals, policy makers, community members, and researchers to improve the health of Nevada's high schools students.

## METHODS

### Sampling, Weighting, and Analysis

The 2015 Nevada YRBS sampling plan was designed to ensure that every eligible student had an equal chance of selection. A two-stage (region and classroom) cluster sample design was used to produce a representative sample of students in grades 9–12 (all Nevada regular public, charter, and alternative high schools). In order to provide regional data that represent all counties in the state, the first sampling stage grouped all 17 school districts into 7 regions that generally reflect the substance abuse prevention coalition structure (Table 1). The regional grouping also helped ensure that individual schools could not be identified. In the second sampling stage, classes were selected



within schools with the probability based on a required margin of error in the sample size for each region. Intact classes of either all second period or all required English courses were randomly selected from each school. The questionnaire was administered to all students in sampled classes from February to May, 2015.

The 2015 Nevada YRBS data were weighted at the state level and regional level based on the sex, race/ethnicity, and grade level of students in each region. The weighting process ensured that the estimates accurately represent the entire student population in each region and the state as a whole. Non-response or poor sampling procedures can result in a sample that is not a representative subset of the population; therefore un-weighted results from these samples may not accurately reflect student behaviors and could be misleading. This report only displays weighted results.

**Table 1: 2015 YRBS sampling regions and coalition structure**

Region	School District	# Schools	Coalitions
1	Carson City Douglas County	5	Partnership Carson City Partnership of Community Resources
2	Elko County White Pine County Eureka County	9	Pace Coalition
3	Churchill County Humboldt County Pershing County Lander County	5	Churchill Community Coalition Frontier Community Coalition
4	Lyon County Mineral County Storey County	7	Healthy Communities Coalition
5	Nye County Lincoln County	7	Nye Communities Coalition
6	Washoe County	15	Join Together Northern Nevada
7	Clark County	49	Care Coalition PACT Coalition Nevada Community Prevention Coalition

### Permission Status and Response Rates


Parental permission is required for YRBS participation. Nevada school districts have two forms of parental permission: 1) active and 2) passive. *Active parental permission* means the students must return a signed permission form indicating their parent or guardian’s approval for participation in the survey. *Passive parental permission* means the students take a permission form home and return it only if their parent or guardian does not want them to participate in the survey. The type of permission status varies by district based on school district policy. Active permission requires more time and resources and may reduce the number of students that participate in the survey. All school districts agreed to participate in the 2015 High School YRBS and only 3 schools did not participate (48 potential respondents). Overall, 5,108 youth from 97 schools completed the survey. While the overall response rates (a combination of school and

student participation) varied by school district, response rates were higher in the school districts with passive parental permission (Table 2 and Figure 1).

**Table 2: 2013 and 2015 YRBS response rates by school district**

District	2013 YRBS Response Rate	2015 YRBS Response Rate	Permission
Carson City School District	85.5%	76.5%	Passive
Churchill County School District	85.3%	88.4%	Passive
Clark County School District	64.0%	62.2%	Active
Douglas County School District	79.2%	27.0%	Active
Elko County School District	82.2%	74.8%	Passive
Eureka County School District	100.0%	91.0%	Passive
Humboldt County School District	92.9%	87.4%	Passive
Lander County School District	90.1%	83.6%	Active
Lincoln County School District	83.5%	89.6%	Passive
Lyon County School District	59.3%	51.3%	Active
Mineral County School District	82.8%	77.1%	Active
Nye County School District	25.6%	57.8%	Active
Pershing County School District	88.7%	96.9%	Passive
Storey County School District	29.2%	30.6%	Active
Washoe County School District	85.5%	80.8%	Passive
White Pine County School District	20.5%	60.0%	Active
<b>Overall Project Response Rate</b>	<b>71.0%</b>	<b>65.0%</b>	

**Figure 1: YRBS response rates and permission status by school district, 2015**



## SUMMARY HIGHLIGHTS

### Safety

- 21.4% of high school students rode in a car or other vehicle driven by someone who had been drinking alcohol during the past 30 days.
- 6.9% of high school students drove a car or other vehicle when they had been drinking alcohol during the past 30 days.
- 37.7% of high school students texted or emailed while driving a car or other vehicle during the past 30 days.

### Violence-Related Behaviors

- 5.3% of high school students were involved in a physical fight on school property during the past 12 months.
- 6.7% of high school students were threatened or injured with a weapon on school property during the past 12 months.
- 18.5% of high school students were bullied on school property during the past 12 months.
- 13.8% of high school students were electronically bullied during the past 12 months.
- 7.6% of high school students did not go to school because they felt unsafe at school or on their way to or from school during the past 30 days.
- 9.9% of high school students experienced physical dating violence during the past 12 months.
- 11.2% of high school students experienced sexual dating violence during the past 12 months.
- 9.0% of high school students were ever physically forced to have sexual intercourse.
- 15.8% of high school students were ever physically abused by an adult.
- 16.4% of high school students ever witnessed physical domestic violence in their home.

### Emotional Health

- 34.5% of high school students felt sad or hopeless for 2 or more weeks in a row during the past 12 months.
- 17.7% of high school students seriously considered attempting suicide during the past 12 months.
- 15.8% of high school students made a plan about how they would attempt suicide during the 12 months before the survey.
- 9.8% of high school students attempted suicide during the past 12 months.
- 21.5% of high school students did something to purposely hurt themselves without wanting to die during the past 12 months.
- 30.4% of high school students ever lived with someone who was depressed, mentally ill, or suicidal.

### **Tobacco Use**

- 32.4% of high school students ever tried cigarette smoking.
- 7.2% of high school students smoked cigarettes during the past 30 days.
  - 12.1% of high school students under 18 who smoked during the past 30 days, obtained cigarettes by buying them in a store or gas station.

### **Electronic Vapor Products**

- 50.9% of high school students ever used electronic vapor products.
- 26.1% of high school students used electronic vapor products during the past 30 days.

### **Alcohol Use**

- 64.0% of high school students ever drank alcohol.
- 30.6% of high school student drank alcohol during the past 30 days.
- 15.3% of high school students participated in binge drinking during the past 30 days.

### **Marijuana and Other Drugs**

- 39.4% of high school students ever used marijuana.
- 19.6% of high school students used marijuana during the past 30 days.
- 10.9% of high school students ever used synthetic marijuana.
- 16.9% of high school students ever took prescription drugs without a doctor's prescription.
- 9.0% of high school students took prescription drugs without a doctor's prescription during the past 30 days.
- 7.0% of high school students ever used ecstasy.
- 6.9% of high school students ever used inhalants.
- 29.2% of high school students were offered, sold, or given an illegal drug by someone on school property during the past 12 months.
- 30.4% of high school students ever lived with someone who was a problem drinker, alcoholic, or abused street or prescription drugs.

### **Sexual Behaviors**

- 38.5% of high school students ever had sexual intercourse.
- 10.5% of high school students ever had sexual intercourse with four or more persons.
- 27.1% of high school students were sexually active during the three months before the survey.
  - Among the 27.1% of high school students who were sexually active, 56.9% used a condom during their last sexual intercourse.
  - Among the 27.1% of high school students who were sexually active, 20.4% used alcohol or drugs before their last sexual intercourse.
- 85.6% of high school students self-identified as heterosexual, 2.9% as gay or lesbian, 7.0% as bisexual and 4.5% were not sure.
- 10.7% of high school students had ever been tested for HIV.

### **Diet**

- 5.0% of high school students did not eat fruit or drank 100% fruit juices one or more times per day during the past 7 days.
- 6.7% of high school students did not eat vegetables one or more times per day during the past 7 days.
- 22.7% of high school students did not drink one or more glasses of milk per day during the past 7 days.
- 14.5% of high school students drank soda or pop one or more times per day during the past 7 days.
- 16.7% of high school students did not eat breakfast on any of the past 7 days.
- 4.0% of high school students most of the time or always go hungry because there is not enough food in the house and 11.2% of high school students sometimes go hungry because there is not enough food in the house.

### **Physical Activity**

- 13.9% of high school students were not physically active at least 60 minutes on any day during the past 7 days.
- 38.3% of high school students played video or computer games or used a computer for three or more hours per day on an average school day.
- 22.9% of high school students watched television three or more hours per day on an average school day.
- 54.4% of high school students attend physical education (PE) classes on one or more days in an average week when they were in school.
- 77.5% of high school students got less than 8 hours of sleep on an average school night.

### **Weight**

- 11.4% of high school students were obese.
- 15.8% of high school students were overweight.
- 48.1% of high school students were trying to lose weight.

### **Resilience**

- 77.5% of high school student had parents or other adults who mostly or always asked where they would be going or who they would be with.
- 62.7% of high school students said they had friends and 32.6% said they had a parent or other family member they felt comfortable talking to about important life questions.

## RESULTS

### Participant Characteristics

**Table 3: Demographic characteristics of participating students, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Student Participants <sup>a</sup>	Unweighted %	Weighted %
<b>Total</b>		5,108	100.00%	100.00%
<b>Sex</b>	<b>Female</b>	2,600	51.18%	48.40%
	<b>Male</b>	2,480	48.82%	51.60%
<b>Age Groups</b>	<b>14 years old or younger</b>	610	11.98%	10.58%
	<b>15 years old</b>	1,401	27.52%	25.59%
	<b>16 years old</b>	1,347	26.46%	25.84%
	<b>17 years old</b>	1,173	23.05%	24.77%
	<b>18 years old or older</b>	559	10.98%	13.22%
<b>Grade</b>	<b>9th grade</b>	1,490	22.10%	25.77%
	<b>10th grade</b>	1,334	30.10%	26.00%
	<b>11th grade</b>	1,249	25.10%	24.75%
	<b>12th grade</b>	958	22.70%	23.30%
	<b>Ungraded or other grade</b>	13	0.26%	0.16%
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	104	2.09%	1.59%
	<b>Asian<sup>d</sup></b>	258	5.17%	6.09%
	<b>Black<sup>d</sup></b>	273	5.47%	9.95%
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	92	1.84%	1.38%
	<b>White<sup>d</sup></b>	1,955	39.19%	36.00%
	<b>Hispanic/Latino</b>	2,029	40.68%	39.81%
	<b>Other/Multiple<sup>d</sup></b>	277	5.55%	5.17%
<b>Region</b>	<b>1: Carson City and Douglas</b>	291	5.70%	3.15%
	<b>2: Elko, White Pine, and Eureka</b>	356	6.97%	2.56%
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	326	6.38%	2.16%
	<b>4: Lyon, Mineral, and Storey</b>	234	4.58%	1.96%
	<b>5: Nye and Lincoln</b>	415	8.12%	1.50%
	<b>6: Washoe</b>	1,175	23.00%	14.77%
	<b>7: Clark</b>	2,311	45.24%	73.90%

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>d</sup> Non-Hispanic

**Table 4: Percentage of high school students who have parents or other adults in family serving on active duty in the military, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	671	13.1%	(11.8-14.5)	4375	86.9%	(85.5-88.2)
<b>Sex</b>	<b>Female</b>	349	13.3%	(11.6-14.9)	2230	86.7%	(85.1-88.4)
	<b>Male</b>	320	13.0%	(10.9-15.1)	2129	87.0%	(84.9-89.1)
<b>Age</b>	<b>14 years old or younger</b>	88	16.2%	(12.6-19.8)	514	83.8%	(80.2-87.4)
	<b>15 years old</b>	190	12.9%	(10.6-15.2)	1199	87.1%	(84.8-89.4)
	<b>16 years old</b>	178	13.9%	(11.5-16.3)	1156	86.1%	(83.7-88.5)
	<b>17 years old</b>	146	12.4%	(10.0-14.8)	1013	87.6%	(85.2-90.0)
	<b>18 years old or older</b>	68	10.8%	(7.7-13.9)	483	89.2%	(86.1-92.3)
<b>Grade</b>	<b>9th grade</b>	215	14.7%	(12.4-17.0)	1256	85.3%	(83.0-87.6)
	<b>10th grade</b>	180	13.2%	(10.2-16.1)	1141	86.8%	(83.9-89.8)
	<b>11th grade</b>	150	12.8%	(10.5-15.2)	1085	87.2%	(84.8-89.5)
	<b>12th grade</b>	116	11.7%	(8.9-14.5)	835	88.3%	(85.5-91.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	15	14.4%	(5.0-23.8)	89	85.6%	(76.2-95.0)
	<b>Asian<sup>d</sup></b>	32	12.3%	(6.9-17.7)	223	87.7%	(82.3-93.1)
	<b>Black<sup>d</sup></b>	41	14.9%	(10.7-19.1)	227	85.1%	(80.9-89.3)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	26	27.5%	(16.0-39.0)	64	72.5%	(61.0-84.0)
	<b>White<sup>d</sup></b>	233	11.3%	(9.3-13.3)	1715	88.7%	(86.7-90.7)
	<b>Hispanic/Latino</b>	252	12.6%	(10.8-14.4)	1752	87.4%	(85.6-89.2)
	<b>Other/Multiple<sup>d</sup></b>	54	22.6%	(16.0-29.2)	223	77.4%	(70.8-84.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	37	9.9%	(5.2-14.6)	250	90.1%	(85.4-94.8)
	<b>2: Elko, White Pine, and Eureka</b>	44	11.4%	(7.9-14.8)	312	88.6%	(85.2-92.1)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	43	13.9%	(9.5-18.3)	277	86.1%	(81.7-90.5)
	<b>4: Lyon, Mineral, and Storey</b>	40	18.0%	(10.9-25.2)	194	82.0%	(74.8-89.1)
	<b>5: Nye and Lincoln</b>	61	15.2%	(10.4-20.0)	350	84.8%	(80.0-89.6)
	<b>6: Washoe</b>	120	9.7%	(7.5-11.8)	1037	90.3%	(88.2-92.5)
	<b>7: Clark</b>	326	13.8%	(12.0-15.5)	1955	86.2%	(84.5-88.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**Table 5: Percentage of high school students who qualify for or get free and reduced lunch at school, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1981	40.8%	(37.7-43.9)	3074	59.2%	(56.1-62.3)
<b>Sex</b>	<b>Female</b>	1066	42.6%	(38.6-46.6)	1522	57.4%	(53.4-61.4)
	<b>Male</b>	905	38.9%	(35.7-42.2)	1541	61.1%	(57.8-64.3)
<b>Age</b>	<b>14 years old or younger</b>	221	38.6%	(32.9-44.2)	380	61.4%	(55.8-67.1)
	<b>15 years old</b>	555	42.6%	(37.9-47.3)	838	57.4%	(52.7-62.1)
	<b>16 years old</b>	516	39.0%	(34.1-43.9)	819	61.0%	(56.1-65.9)
	<b>17 years old</b>	465	40.1%	(35.2-44.9)	694	59.9%	(55.1-64.8)
	<b>18 years old or older</b>	218	43.9%	(37.7-50.0)	336	56.1%	(50.0-62.3)
<b>Grade</b>	<b>9th grade</b>	602	43.8%	(38.9-48.8)	876	56.2%	(51.2-61.1)
	<b>10th grade</b>	503	40.0%	(34.0-46.0)	820	60.0%	(54.0-66.0)
	<b>11th grade</b>	465	36.9%	(32.0-41.8)	768	63.1%	(58.2-68.0)
	<b>12th grade</b>	383	42.9%	(37.2-48.5)	569	57.1%	(51.5-62.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	44	31.5%	(19.9-43.1)	60	68.5%	(56.9-80.1)
	<b>Asian<sup>d</sup></b>	77	32.8%	(26.3-39.2)	180	67.2%	(60.8-73.7)
	<b>Black<sup>d</sup></b>	150	57.6%	(50.5-64.6)	118	42.4%	(35.4-49.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	34	42.7%	(29.5-55.8)	57	57.3%	(44.2-70.5)
	<b>White<sup>d</sup></b>	399	19.9%	(17.1-22.6)	1545	80.1%	(77.4-82.9)
	<b>Hispanic/Latino</b>	1112	57.4%	(53.9-60.9)	896	42.6%	(39.1-46.1)
	<b>Other/Multiple<sup>d</sup></b>	117	39.9%	(33.3-46.5)	160	60.1%	(53.5-66.7)
<b>Region</b>	<b>1: Carson City and Douglas</b>	89	22.4%	(13.6-31.2)	200	77.6%	(68.8-86.4)
	<b>2: Elko, White Pine, and Eureka</b>	92	22.8%	(15.5-30.2)	263	77.2%	(69.8-84.5)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	70	22.4%	(14.8-30.1)	253	77.6%	(69.9-85.2)
	<b>4: Lyon, Mineral, and Storey</b>	78	31.7%	(23.9-39.5)	155	68.3%	(60.5-76.1)
	<b>5: Nye and Lincoln</b>	179	42.9%	(35.9-50.0)	231	57.1%	(50.0-64.1)
	<b>6: Washoe</b>	427	34.7%	(28.2-41.3)	727	65.3%	(58.7-71.8)
	<b>7: Clark</b>	1046	44.1%	(40.2-48.1)	1245	55.9%	(51.9-59.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic



**Table 6: Percentage of high school students who made mostly A's or B's in school,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	3264	70.2%	(67.5-72.9)	1361	29.8%	(27.1-32.5)
<b>Sex</b>	<b>Female</b>	1802	74.6%	(71.6-77.7)	579	25.4%	(22.3-28.4)
	<b>Male</b>	1455	65.9%	(62.8-69.1)	776	34.1%	(30.9-37.2)
<b>Age</b>	<b>14 years old or younger</b>	410	75.1%	(70.0-80.2)	138	24.9%	(19.8-30.0)
	<b>15 years old</b>	905	71.9%	(68.1-75.7)	358	28.1%	(24.3-31.9)
	<b>16 years old</b>	848	67.5%	(63.1-71.8)	380	32.5%	(28.2-36.9)
	<b>17 years old</b>	739	69.1%	(64.8-73.3)	338	30.9%	(26.7-35.2)
	<b>18 years old or older</b>	357	70.8%	(64.5-77.1)	143	29.2%	(22.9-35.5)
<b>Grade</b>	<b>9th grade</b>	952	72.4%	(67.9-76.8)	378	27.6%	(23.2-32.1)
	<b>10th grade</b>	848	68.8%	(63.4-74.3)	356	31.2%	(25.7-36.6)
	<b>11th grade</b>	798	68.9%	(64.1-73.8)	350	31.1%	(26.2-35.9)
	<b>12th grade</b>	632	71.1%	(65.9-76.3)	254	28.9%	(23.7-34.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	52	51.5%	(37.8-65.3)	42	48.5%	(34.7-62.2)
	<b>Asian<sup>d</sup></b>	206	85.9%	(79.3-92.5)	30	14.1%	(7.5-20.7)
	<b>Black<sup>d</sup></b>	156	64.9%	(57.9-71.8)	82	35.1%	(28.2-42.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	61	73.9%	(62.0-85.8)	18	26.1%	(14.2-38.0)
	<b>White<sup>d</sup></b>	1431	78.1%	(74.7-81.4)	407	21.9%	(18.6-25.3)
	<b>Hispanic/Latino</b>	1114	62.1%	(58.5-65.7)	670	37.9%	(34.3-41.5)
	<b>Other/Multiple<sup>d</sup></b>	182	69.1%	(61.0-77.3)	77	30.9%	(22.7-39.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	197	79.6%	(72.6-86.6)	76	20.4%	(13.4-27.4)
	<b>2: Elko, White Pine, and Eureka</b>	230	71.9%	(67.0-76.7)	101	28.1%	(23.3-33.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	196	69.9%	(62.0-77.9)	87	30.1%	(22.1-38.0)
	<b>4: Lyon, Mineral, and Storey</b>	178	77.1%	(68.3-86.0)	45	22.9%	(14.0-31.7)
	<b>5: Nye and Lincoln</b>	282	74.6%	(68.4-80.8)	106	25.4%	(19.2-31.6)
	<b>6: Washoe</b>	748	70.0%	(64.2-75.7)	302	30.0%	(24.3-35.8)
	<b>7: Clark</b>	1433	69.5%	(66.0-72.9)	644	30.5%	(27.1-34.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 12 months before the survey

Safety

**Table 7: Percentage of high school students who rarely or never wore a bicycle helmet,<sup>e</sup> by sex, age, grade race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	2719	85.0%	(83.2-86.8)	479	15.0%	(13.2-16.8)
<b>Sex</b>	<b>Female</b>	1192	85.5%	(83.1-87.8)	221	14.5%	(12.2-16.9)
	<b>Male</b>	1513	84.6%	(82.4-86.8)	255	15.4%	(13.2-17.6)
<b>Age</b>	<b>14 years old or younger</b>	340	84.6%	(80.0-89.1)	69	15.4%	(10.9-20.0)
	<b>15 years old</b>	823	83.9%	(81.1-86.7)	148	16.1%	(13.3-18.9)
	<b>16 years old</b>	693	85.1%	(82.0-88.2)	128	14.9%	(11.8-18.0)
	<b>17 years old</b>	599	86.1%	(82.5-89.6)	92	13.9%	(10.4-17.5)
	<b>18 years old or older</b>	257	86.0%	(80.7-91.3)	41	14.0%	(8.7-19.3)
<b>Grade</b>	<b>9th grade</b>	851	82.1%	(78.7-85.5)	178	17.9%	(14.5-21.3)
	<b>10th grade</b>	742	86.7%	(83.7-89.8)	118	13.3%	(10.2-16.3)
	<b>11th grade</b>	634	85.2%	(81.6-88.8)	110	14.8%	(11.2-18.4)
	<b>12th grade</b>	456	87.0%	(83.1-90.8)	67	13.0%	(9.2-16.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	60	80.6%	(66.5-94.6)	8	19.4%	(5.4-33.5)
	<b>Asian<sup>d</sup></b>	100	78.4%	(71.1-85.8)	26	21.6%	(14.2-28.9)
	<b>Black<sup>d</sup></b>	143	89.4%	(84.0-94.9)	17	10.6%	(5.1-16.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	54	94.1%	(88.3-99.9)	6	5.9%	(0.1-11.7)
	<b>White<sup>d</sup></b>	1033	77.1%	(74.0-80.2)	273	22.9%	(19.8-26.0)
	<b>Hispanic/Latino</b>	1122	92.1%	(90.3-93.8)	107	7.9%	(6.2-9.7)
	<b>Other/Multiple<sup>d</sup></b>	161	88.1%	(82.8-93.4)	25	11.9%	(6.6-17.2)
<b>Region</b>	<b>1: Carson City and Douglas</b>	155	78.9%	(71.4-86.5)	51	21.1%	(13.5-28.6)
	<b>2: Elko, White Pine, and Eureka</b>	208	92.3%	(87.7-96.8)	19	7.7%	(3.2-12.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	189	87.2%	(81.2-93.1)	27	12.8%	(6.9-18.8)
	<b>4: Lyon, Mineral, and Storey</b>	127	93.7%	(89.0-98.4)	10	6.3%	(1.6-11.0)
	<b>5: Nye and Lincoln</b>	240	93.6%	(90.9-96.3)	17	6.4%	(3.7-9.1)
	<b>6: Washoe</b>	554	75.6%	(69.9-81.3)	165	24.4%	(18.7-30.1)
	<b>7: Clark</b>	1246	86.5%	(84.4-88.6)	190	13.5%	(11.4-15.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among students who had ridden a bicycle during the 12 months before the survey

**Table 8: Percentage of high school students who rarely or never wore a seat belt,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	364	6.2%	(5.3-7.1)	4707	93.8%	(92.9-94.7)
<b>Sex</b>	<b>Female</b>	146	5.5%	(4.3-6.7)	2443	94.5%	(93.3-95.7)
	<b>Male</b>	211	6.9%	(5.6-8.1)	2248	93.1%	(91.9-94.4)
<b>Age</b>	<b>14 years old or younger</b>	61	8.5%	(5.7-11.4)	543	91.5%	(88.6-94.3)
	<b>15 years old</b>	86	5.5%	(4.1-7.0)	1308	94.5%	(93.0-95.9)
	<b>16 years old</b>	98	5.6%	(4.3-6.9)	1239	94.4%	(93.1-95.7)
	<b>17 years old</b>	73	5.6%	(4.3-7.0)	1092	94.4%	(93.0-95.7)
	<b>18 years old or older</b>	44	8.1%	(4.6-11.6)	513	91.9%	(88.4-95.4)
<b>Grade</b>	<b>9th grade</b>	114	6.6%	(5.1-8.0)	1365	93.4%	(92.0-94.9)
	<b>10th grade</b>	83	5.8%	(4.2-7.4)	1245	94.2%	(92.6-95.8)
	<b>11th grade</b>	89	5.8%	(4.3-7.4)	1151	94.2%	(92.6-95.7)
	<b>12th grade</b>	65	6.3%	(3.9-8.6)	889	93.7%	(91.4-96.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	14	17.7%	(7.7-27.6)	90	82.3%	(72.4-92.3)
	<b>Asian<sup>d</sup></b>	10	4.3%	(1.1-7.4)	247	95.7%	(92.6-98.9)
	<b>Black<sup>d</sup></b>	31	10.0%	(5.7-14.3)	239	90.0%	(85.7-94.3)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	10	11.0%	(3.3-18.6)	81	89.0%	(81.4-96.7)
	<b>White<sup>d</sup></b>	108	4.1%	(3.1-5.1)	1840	95.9%	(94.9-96.9)
	<b>Hispanic/Latino</b>	160	7.1%	(5.6-8.6)	1855	92.9%	(91.4-94.4)
	<b>Other/Multiple<sup>d</sup></b>	13	4.6%	(2.0-7.3)	263	95.4%	(92.7-98.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	19	9.8%	(0.0-19.6)	271	90.2%	(80.4-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	35	10.1%	(5.3-15.0)	321	89.9%	(85.0-94.7)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	32	10.7%	(5.9-15.5)	292	89.3%	(84.5-94.1)
	<b>4: Lyon, Mineral, and Storey</b>	27	11.8%	(6.7-17.0)	206	88.2%	(83.0-93.3)
	<b>5: Nye and Lincoln</b>	50	13.0%	(8.8-17.2)	365	87.0%	(82.8-91.2)
	<b>6: Washoe</b>	68	6.3%	(4.3-8.2)	1092	93.7%	(91.8-95.7)
	<b>7: Clark</b>	133	5.5%	(4.5-6.5)	2160	94.5%	(93.5-95.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> When riding in a car driven by someone else

**Table 9: Percentage of high school students who rode in a car or other vehicle driven by someone who had been drinking alcohol,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1101	21.4%	(19.7-23.0)	3963	78.6%	(77.0-80.3)
<b>Sex</b>	<b>Female</b>	602	24.1%	(21.7-26.5)	1986	75.9%	(73.5-78.3)
	<b>Male</b>	492	18.8%	(16.8-20.7)	1962	81.2%	(79.3-83.2)
<b>Age</b>	<b>14 years old or younger</b>	140	21.0%	(16.8-25.2)	464	79.0%	(74.8-83.2)
	<b>15 years old</b>	289	20.6%	(17.9-23.3)	1105	79.4%	(76.7-82.1)
	<b>16 years old</b>	266	18.7%	(16.1-21.3)	1068	81.3%	(78.7-83.9)
	<b>17 years old</b>	268	23.6%	(20.5-26.7)	897	76.4%	(73.3-79.5)
	<b>18 years old or older</b>	133	23.7%	(18.8-28.7)	421	76.3%	(71.3-81.2)
<b>Grade</b>	<b>9th grade</b>	320	20.0%	(17.4-22.6)	1156	80.0%	(77.4-82.6)
	<b>10th grade</b>	269	21.5%	(18.4-24.6)	1059	78.5%	(75.4-81.6)
	<b>11th grade</b>	259	19.4%	(16.9-21.8)	981	80.6%	(78.2-83.1)
	<b>12th grade</b>	231	24.8%	(21.0-28.7)	721	75.2%	(71.3-79.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	27	29.5%	(18.1-40.9)	75	70.5%	(59.1-81.9)
	<b>Asian<sup>d</sup></b>	31	11.7%	(6.3-17.2)	226	88.3%	(82.8-93.7)
	<b>Black<sup>d</sup></b>	57	21.5%	(16.3-26.7)	214	78.5%	(73.3-83.7)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	25	30.8%	(19.0-42.6)	66	69.2%	(57.4-81.0)
	<b>White<sup>d</sup></b>	338	16.9%	(14.6-19.3)	1607	83.1%	(80.7-85.4)
	<b>Hispanic/Latino</b>	538	26.3%	(23.8-28.8)	1474	73.7%	(71.2-76.2)
	<b>Other/Multiple<sup>d</sup></b>	59	20.8%	(15.6-26.0)	217	79.2%	(74.0-84.4)
<b>Region</b>	<b>1: Carson City and Douglas</b>	70	23.1%	(10.1-36.0)	220	76.9%	(64.0-89.9)
	<b>2: Elko, White Pine, and Eureka</b>	77	20.0%	(14.5-25.4)	277	80.0%	(74.6-85.5)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	63	19.3%	(15.0-23.5)	257	80.7%	(76.5-85.0)
	<b>4: Lyon, Mineral, and Storey</b>	45	18.1%	(11.5-24.7)	188	81.9%	(75.3-88.5)
	<b>5: Nye and Lincoln</b>	99	23.4%	(17.9-28.8)	315	76.6%	(71.2-82.1)
	<b>6: Washoe</b>	249	22.1%	(19.0-25.2)	909	77.9%	(74.8-81.0)
	<b>7: Clark</b>	498	21.3%	(19.3-23.4)	1797	78.7%	(76.6-80.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more times during the 30 days before the survey

**Table 10: Percentage of high school students who drove a car or other vehicle when they had been drinking alcohol,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	197	6.9%	(5.8-8.0)	2505	93.1%	(92.0-94.2)
<b>Sex</b>	<b>Female</b>	85	6.7%	(4.9-8.5)	1265	93.3%	(91.5-95.1)
	<b>Male</b>	112	7.1%	(5.5-8.7)	1233	92.9%	(91.3-94.5)
<b>Age</b>	<b>14 years old or younger</b>	22	11.2%	(5.0-17.4)	134	88.8%	(82.6-95.0)
	<b>15 years old</b>	25	5.4%	(3.0-7.9)	502	94.6%	(92.1-97.0)
	<b>16 years old</b>	46	4.9%	(3.3-6.5)	754	95.1%	(93.5-96.7)
	<b>17 years old</b>	61	7.6%	(5.3-10.0)	746	92.4%	(90.0-94.7)
	<b>18 years old or older</b>	43	8.9%	(5.6-12.2)	365	91.1%	(87.8-94.4)
<b>Grade</b>	<b>9th grade</b>	33	6.5%	(3.9-9.1)	430	93.5%	(90.9-96.1)
	<b>10th grade</b>	33	4.4%	(2.6-6.2)	649	95.6%	(93.8-97.4)
	<b>11th grade</b>	58	6.7%	(4.7-8.8)	765	93.3%	(91.2-95.3)
	<b>12th grade</b>	67	8.7%	(6.5-10.8)	638	91.3%	(89.2-93.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	7.3%	(0.0-17.8)	65	92.7%	(82.2-100.0)
	<b>Asian<sup>d</sup></b>	2	2.8%	(0.0-6.9)	99	97.2%	(93.1-100.0)
	<b>Black<sup>d</sup></b>	8	4.7%	(0.8-8.7)	116	95.3%	(91.3-99.2)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	5.3%	(0.0-12.5)	44	94.7%	(87.5-100.0)
	<b>White<sup>d</sup></b>	74	6.6%	(4.9-8.3)	1053	93.4%	(91.7-95.1)
	<b>Hispanic/Latino</b>	91	8.1%	(6.1-10.0)	959	91.9%	(90.0-93.9)
	<b>Other/Multiple<sup>d</sup></b>	9	8.1%	(2.2-14.0)	123	91.9%	(86.0-97.8)
<b>Region</b>	<b>1: Carson City and Douglas</b>	5	1.4%	(0.1-2.8)	151	98.6%	(97.2-99.9)
	<b>2: Elko, White Pine, and Eureka</b>	24	8.3%	(4.3-12.3)	210	91.7%	(87.7-95.7)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	15	9.9%	(5.3-14.5)	176	90.1%	(85.5-94.7)
	<b>4: Lyon, Mineral, and Storey</b>	12	6.9%	(2.7-11.1)	140	93.1%	(88.9-97.3)
	<b>5: Nye and Lincoln</b>	20	7.8%	(4.8-10.8)	235	92.2%	(89.2-95.2)
	<b>6: Washoe</b>	52	8.2%	(5.6-10.8)	614	91.8%	(89.2-94.4)
	<b>7: Clark</b>	69	6.7%	(5.2-8.1)	979	93.3%	(91.9-94.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more times during the 30 days before the survey, among students who drove a car or other vehicle one or more times during the 30 days before the survey

**Table 11: Percentage of high school students who texted or e-mailed while driving a car or other vehicle,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1018	37.7%	(34.6-40.8)	1761	62.3%	(59.2-65.4)
<b>Sex</b>	<b>Female</b>	507	39.4%	(35.1-43.7)	867	60.6%	(56.3-64.9)
	<b>Male</b>	506	36.3%	(32.8-39.8)	888	63.7%	(60.2-67.2)
<b>Age</b>	<b>14 years old or younger</b>	39	20.1%	(11.8-28.4)	127	79.9%	(71.6-88.2)
	<b>15 years old</b>	90	16.7%	(12.7-20.8)	453	83.3%	(79.2-87.3)
	<b>16 years old</b>	265	33.7%	(29.4-38.1)	552	66.3%	(61.9-70.6)
	<b>17 years old</b>	401	48.2%	(44.0-52.4)	425	51.8%	(47.6-56.0)
	<b>18 years old or older</b>	220	49.3%	(42.9-55.6)	201	50.7%	(44.4-57.1)
<b>Grade</b>	<b>9th grade</b>	87	17.4%	(13.2-21.6)	397	82.6%	(78.4-86.8)
	<b>10th grade</b>	165	22.8%	(18.5-27.1)	533	77.2%	(72.9-81.5)
	<b>11th grade</b>	352	42.8%	(38.5-47.0)	485	57.2%	(53.0-61.5)
	<b>12th grade</b>	394	52.0%	(46.7-57.4)	330	48.0%	(42.6-53.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	27	43.7%	(26.6-60.9)	44	56.3%	(39.1-73.4)
	<b>Asian<sup>d</sup></b>	37	40.9%	(30.0-51.8)	67	59.1%	(48.2-70.0)
	<b>Black<sup>d</sup></b>	44	31.3%	(23.4-39.2)	85	68.7%	(60.8-76.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	14	26.1%	(11.2-41.0)	34	73.9%	(59.0-88.8)
	<b>White<sup>d</sup></b>	473	44.2%	(39.1-49.4)	682	55.8%	(50.6-60.9)
	<b>Hispanic/Latino</b>	346	32.1%	(28.5-35.7)	730	67.9%	(64.3-71.5)
	<b>Other/Multiple<sup>d</sup></b>	48	38.6%	(27.1-50.0)	89	61.4%	(50.0-72.9)
<b>Region</b>	<b>1: Carson City and Douglas</b>	38	43.9%	(28.8-59.1)	121	56.1%	(40.9-71.2)
	<b>2: Elko, White Pine, and Eureka</b>	123	48.9%	(40.0-57.7)	120	51.1%	(42.3-60.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	80	43.3%	(32.1-54.4)	119	56.7%	(45.6-67.9)
	<b>4: Lyon, Mineral, and Storey</b>	68	42.0%	(30.0-54.0)	83	58.0%	(46.0-70.0)
	<b>5: Nye and Lincoln</b>	91	36.1%	(28.5-43.7)	176	63.9%	(56.3-71.5)
	<b>6: Washoe</b>	241	35.3%	(29.7-40.9)	440	64.7%	(59.1-70.3)
	<b>7: Clark</b>	377	37.1%	(33.0-41.1)	702	62.9%	(58.9-67.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> On at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle one or more times during the 30 days before the survey

## Violence-Related Behaviors

**Table 12: Percentage of high school students who carried a weapon,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	926	16.9%	(15.3-18.5)	4016	83.1%	(81.5-84.7)
<b>Sex</b>	<b>Female</b>	278	10.0%	(8.4-11.5)	2271	90.0%	(88.5-91.6)
	<b>Male</b>	642	23.3%	(21.0-25.7)	1733	76.7%	(74.3-79.0)
<b>Age</b>	<b>14 years old or younger</b>	96	15.5%	(11.6-19.4)	495	84.5%	(80.6-88.4)
	<b>15 years old</b>	255	16.7%	(13.9-19.5)	1106	83.3%	(80.5-86.1)
	<b>16 years old</b>	235	17.0%	(14.2-19.8)	1065	83.0%	(80.2-85.8)
	<b>17 years old</b>	224	16.6%	(13.5-19.6)	918	83.4%	(80.4-86.5)
	<b>18 years old or older</b>	113	18.9%	(14.2-23.5)	423	81.1%	(76.5-85.8)
<b>Grade</b>	<b>9th grade</b>	261	16.1%	(13.3-18.9)	1178	83.9%	(81.1-86.7)
	<b>10th grade</b>	237	17.7%	(14.7-20.7)	1062	82.3%	(79.3-85.3)
	<b>11th grade</b>	224	16.5%	(13.1-19.8)	988	83.5%	(80.2-86.9)
	<b>12th grade</b>	186	17.0%	(13.7-20.4)	740	83.0%	(79.6-86.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	29	26.9%	(15.9-37.8)	71	73.1%	(62.2-84.1)
	<b>Asian<sup>d</sup></b>	20	6.4%	(2.4-10.3)	235	93.6%	(89.7-97.6)
	<b>Black<sup>d</sup></b>	36	12.7%	(7.9-17.6)	229	87.3%	(82.4-92.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	15	18.3%	(8.5-28.2)	74	81.7%	(71.8-91.5)
	<b>White<sup>d</sup></b>	446	21.7%	(19.1-24.3)	1453	78.3%	(75.7-80.9)
	<b>Hispanic/Latino</b>	302	14.5%	(12.5-16.6)	1663	85.5%	(83.4-87.5)
	<b>Other/Multiple<sup>d</sup></b>	60	17.8%	(12.4-23.3)	208	82.2%	(76.7-87.6)
<b>Region</b>	<b>1: Carson City and Douglas</b>	54	32.4%	(24.6-40.3)	231	67.6%	(59.7-75.4)
	<b>2: Elko, White Pine, and Eureka</b>	81	24.1%	(18.0-30.3)	266	75.9%	(69.7-82.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	103	34.0%	(25.5-42.6)	205	66.0%	(57.4-74.5)
	<b>4: Lyon, Mineral, and Storey</b>	57	27.3%	(21.0-33.7)	171	72.7%	(66.3-79.0)
	<b>5: Nye and Lincoln</b>	110	28.3%	(22.7-33.9)	274	71.7%	(66.1-77.3)
	<b>6: Washoe</b>	202	19.7%	(16.8-22.7)	934	80.3%	(77.3-83.2)
	<b>7: Clark</b>	319	14.4%	(12.4-16.4)	1935	85.6%	(83.6-87.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> For example, a gun, knife, or club

<sup>f</sup> On at least 1 day during the 30 days before the survey

**Table 13: Percentage of high school students who carried a gun,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	298	4.8%	(3.9-5.6)	4660	95.2%	(94.4-96.1)
<b>Sex</b>	<b>Female</b>	68	2.3%	(1.6-3.1)	2483	97.7%	(96.9-98.4)
	<b>Male</b>	229	7.1%	(5.8-8.4)	2161	92.9%	(91.6-94.2)
<b>Age</b>	<b>14 years old or younger</b>	37	4.4%	(2.3-6.6)	558	95.6%	(93.4-97.7)
	<b>15 years old</b>	92	5.5%	(3.9-7.2)	1274	94.5%	(92.8-96.1)
	<b>16 years old</b>	70	4.2%	(3.1-5.3)	1231	95.8%	(94.7-96.9)
	<b>17 years old</b>	65	4.2%	(2.8-5.6)	1083	95.8%	(94.4-97.2)
	<b>18 years old or older</b>	33	5.8%	(2.6-9.0)	504	94.2%	(91.0-97.4)
<b>Grade</b>	<b>9th grade</b>	93	4.9%	(3.4-6.5)	1354	95.1%	(93.5-96.6)
	<b>10th grade</b>	78	5.1%	(3.7-6.5)	1220	94.9%	(93.5-96.3)
	<b>11th grade</b>	64	4.0%	(2.5-5.4)	1152	96.0%	(94.6-97.5)
	<b>12th grade</b>	54	4.7%	(2.6-6.8)	878	95.3%	(93.2-97.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	13	12.6%	(3.7-21.6)	87	87.4%	(78.4-96.3)
	<b>Asian<sup>d</sup></b>	5	0.8%	(0.0-1.7)	246	99.2%	(98.3-100.0)
	<b>Black<sup>d</sup></b>	14	4.3%	(1.5-7.1)	250	95.7%	(92.9-98.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	7	9.7%	(1.1-18.3)	82	90.3%	(81.7-98.9)
	<b>White<sup>d</sup></b>	145	6.0%	(4.7-7.2)	1759	94.0%	(92.8-95.3)
	<b>Hispanic/Latino</b>	85	3.7%	(2.5-4.8)	1894	96.3%	(95.2-97.5)
	<b>Other/Multiple<sup>d</sup></b>	20	6.3%	(3.0-9.6)	253	93.7%	(90.4-97.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	14	7.0%	(0.0-16.3)	270	93.0%	(83.7-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	29	9.8%	(5.8-13.8)	319	90.2%	(86.2-94.2)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	48	15.7%	(9.3-22.1)	265	84.3%	(77.9-90.7)
	<b>4: Lyon, Mineral, and Storey</b>	16	7.7%	(3.4-12.0)	210	92.3%	(88.0-96.6)
	<b>5: Nye and Lincoln</b>	47	10.7%	(6.7-14.7)	343	89.3%	(85.3-93.3)
	<b>6: Washoe</b>	61	6.2%	(4.3-8.1)	1080	93.8%	(91.9-95.7)
	<b>7: Clark</b>	83	3.7%	(2.7-4.6)	2173	96.3%	(95.4-97.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> On at least 1 day during the 30 days before the survey



**Table 14: Percentage of high school students who carried a weapon on school property,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	246	3.7%	(3.1-4.4)	4780	96.3%	(95.6-96.9)
<b>Sex</b>	<b>Female</b>	81	2.9%	(2.0-3.8)	2494	97.1%	(96.2-98.0)
	<b>Male</b>	164	4.6%	(3.6-5.6)	2265	95.4%	(94.4-96.4)
<b>Age</b>	<b>14 years old or younger</b>	26	2.9%	(1.3-4.5)	573	97.1%	(95.5-98.7)
	<b>15 years old</b>	62	3.8%	(2.3-5.2)	1320	96.2%	(94.8-97.7)
	<b>16 years old</b>	67	3.9%	(2.7-5.2)	1256	96.1%	(94.8-97.3)
	<b>17 years old</b>	64	4.4%	(3.0-5.9)	1091	95.6%	(94.1-97.0)
	<b>18 years old or older</b>	25	2.7%	(1.0-4.5)	528	97.3%	(95.5-99.0)
<b>Grade</b>	<b>9th grade</b>	65	3.5%	(2.2-4.7)	1400	96.5%	(95.3-97.8)
	<b>10th grade</b>	61	3.4%	(2.0-4.8)	1255	96.6%	(95.2-98.0)
	<b>11th grade</b>	58	3.9%	(2.5-5.3)	1170	96.1%	(94.7-97.5)
	<b>12th grade</b>	57	4.3%	(2.7-5.9)	890	95.7%	(94.1-97.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	7	9.2%	(0.4-18.0)	95	90.8%	(82.0-99.6)
	<b>Asian<sup>d</sup></b>	6	1.3%	(0.0-2.8)	250	98.7%	(97.2-100.0)
	<b>Black<sup>d</sup></b>	8	3.0%	(0.8-5.2)	260	97.0%	(94.8-99.2)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	8	9.1%	(2.7-15.5)	83	90.9%	(84.5-97.3)
	<b>White<sup>d</sup></b>	110	4.3%	(3.2-5.5)	1825	95.7%	(94.5-96.8)
	<b>Hispanic/Latino</b>	81	3.3%	(2.4-4.3)	1911	96.7%	(95.7-97.6)
	<b>Other/Multiple<sup>d</sup></b>	18	4.0%	(1.6-6.3)	256	96.0%	(93.7-98.4)
<b>Region</b>	<b>1: Carson City and Douglas</b>	18	3.7%	(1.6-5.7)	271	96.3%	(94.3-98.4)
	<b>2: Elko, White Pine, and Eureka</b>	19	4.3%	(2.4-6.3)	334	95.7%	(93.7-97.6)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	39	13.6%	(8.8-18.4)	279	86.4%	(81.6-91.2)
	<b>4: Lyon, Mineral, and Storey</b>	16	7.1%	(3.7-10.5)	218	92.9%	(89.5-96.3)
	<b>5: Nye and Lincoln</b>	29	6.6%	(3.5-9.6)	374	93.4%	(90.4-96.5)
	<b>6: Washoe</b>	55	5.0%	(3.5-6.4)	1096	95.0%	(93.6-96.5)
	<b>7: Clark</b>	70	3.1%	(2.2-3.9)	2208	96.9%	(96.1-97.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> For example, a gun, knife, or club

<sup>f</sup> On at least 1 day during the 30 days before the survey

**Table 15: Percentage of high school students who were threatened or injured with a weapon on school property,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	353	6.7%	(5.6-7.8)	4702	93.3%	(92.2-94.4)
<b>Sex</b>	<b>Female</b>	134	5.1%	(3.9-6.3)	2446	94.9%	(93.7-96.1)
	<b>Male</b>	212	8.2%	(6.7-9.8)	2239	91.8%	(90.2-93.3)
<b>Age</b>	<b>14 years old or younger</b>	53	8.0%	(5.1-10.9)	550	92.0%	(89.1-94.9)
	<b>15 years old</b>	95	7.5%	(5.5-9.6)	1294	92.5%	(90.4-94.5)
	<b>16 years old</b>	98	7.0%	(5.1-8.9)	1235	93.0%	(91.1-94.9)
	<b>17 years old</b>	71	5.5%	(3.8-7.3)	1091	94.5%	(92.7-96.2)
	<b>18 years old or older</b>	33	5.6%	(3.1-8.2)	520	94.4%	(91.8-96.9)
<b>Grade</b>	<b>9th grade</b>	118	7.9%	(6.1-9.8)	1356	92.1%	(90.2-93.9)
	<b>10th grade</b>	93	6.9%	(4.7-9.2)	1229	93.1%	(90.8-95.3)
	<b>11th grade</b>	79	6.5%	(4.3-8.6)	1157	93.5%	(91.4-95.7)
	<b>12th grade</b>	50	5.0%	(3.0-7.0)	902	95.0%	(93.0-97.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	14	15.0%	(5.5-24.5)	90	85.0%	(75.5-94.5)
	<b>Asian<sup>d</sup></b>	13	5.5%	(1.7-9.2)	242	94.5%	(90.8-98.3)
	<b>Black<sup>d</sup></b>	22	7.8%	(4.6-11.0)	246	92.2%	(89.0-95.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	10	11.5%	(3.4-19.6)	81	88.5%	(80.4-96.6)
	<b>White<sup>d</sup></b>	134	7.1%	(5.3-8.9)	1809	92.9%	(91.1-94.7)
	<b>Hispanic/Latino</b>	121	5.8%	(4.5-7.1)	1884	94.2%	(92.9-95.5)
	<b>Other/Multiple<sup>d</sup></b>	23	6.7%	(2.8-10.7)	253	93.3%	(89.3-97.2)
<b>Region</b>	<b>1: Carson City and Douglas</b>	22	9.9%	(1.8-18.1)	268	90.1%	(81.9-98.2)
	<b>2: Elko, White Pine, and Eureka</b>	20	4.7%	(2.3-7.1)	335	95.3%	(92.9-97.7)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	28	8.7%	(3.7-13.8)	296	91.3%	(86.2-96.3)
	<b>4: Lyon, Mineral, and Storey</b>	11	4.1%	(0.9-7.4)	223	95.9%	(92.6-99.1)
	<b>5: Nye and Lincoln</b>	33	7.5%	(4.8-10.1)	379	92.5%	(89.9-95.2)
	<b>6: Washoe</b>	89	8.1%	(6.3-10.0)	1068	91.9%	(90.0-93.7)
	<b>7: Clark</b>	150	6.4%	(5.0-7.7)	2133	93.6%	(92.3-95.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> For example, a gun, knife, or club

<sup>f</sup> On at least 1 day during the 12 months before the survey

**Table 16: Percentage of high school students who were in a physical fight,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	999	19.3%	(17.6-20.9)	3975	80.7%	(79.1-82.4)
<b>Sex</b>	<b>Female</b>	387	13.6%	(11.8-15.3)	2168	86.4%	(84.7-88.2)
	<b>Male</b>	607	24.8%	(22.4-27.2)	1791	75.2%	(72.8-77.6)
<b>Age</b>	<b>14 years old or younger</b>	124	18.8%	(14.7-22.8)	465	81.2%	(77.2-85.3)
	<b>15 years old</b>	304	21.9%	(19.4-24.4)	1065	78.1%	(75.6-80.6)
	<b>16 years old</b>	263	19.3%	(16.8-21.9)	1046	80.7%	(78.1-83.2)
	<b>17 years old</b>	216	18.6%	(15.3-21.9)	929	81.4%	(78.1-84.7)
	<b>18 years old or older</b>	89	16.1%	(12.0-20.2)	459	83.9%	(79.8-88.0)
<b>Grade</b>	<b>9th grade</b>	326	21.6%	(19.0-24.1)	1120	78.4%	(75.9-81.0)
	<b>10th grade</b>	281	21.7%	(18.9-24.4)	1021	78.3%	(75.6-81.1)
	<b>11th grade</b>	212	17.8%	(14.7-21.0)	1003	82.2%	(79.0-85.3)
	<b>12th grade</b>	159	15.3%	(12.0-18.6)	784	84.7%	(81.4-88.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	29	29.8%	(17.9-41.6)	72	70.2%	(58.4-82.1)
	<b>Asian<sup>d</sup></b>	25	8.9%	(4.6-13.1)	227	91.1%	(86.9-95.4)
	<b>Black<sup>d</sup></b>	69	23.9%	(18.0-29.9)	191	76.1%	(70.1-82.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	17	18.3%	(9.2-27.3)	73	81.7%	(72.7-90.8)
	<b>White<sup>d</sup></b>	346	17.2%	(15.0-19.4)	1572	82.8%	(80.6-85.0)
	<b>Hispanic/Latino</b>	431	21.3%	(18.7-23.8)	1543	78.7%	(76.2-81.3)
	<b>Other/Multiple<sup>d</sup></b>	61	19.2%	(14.4-23.9)	213	80.8%	(76.1-85.6)
<b>Region</b>	<b>1: Carson City and Douglas</b>	58	19.0%	(4.4-33.6)	226	81.0%	(66.4-95.6)
	<b>2: Elko, White Pine, and Eureka</b>	73	19.5%	(15.4-23.6)	274	80.5%	(76.4-84.6)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	58	19.0%	(13.3-24.7)	258	81.0%	(75.3-86.7)
	<b>4: Lyon, Mineral, and Storey</b>	49	21.4%	(13.3-29.6)	181	78.6%	(70.4-86.7)
	<b>5: Nye and Lincoln</b>	101	24.5%	(18.9-30.2)	296	75.5%	(69.8-81.1)
	<b>6: Washoe</b>	234	22.2%	(18.5-25.9)	914	77.8%	(74.1-81.5)
	<b>7: Clark</b>	426	18.5%	(16.6-20.5)	1826	81.5%	(79.5-83.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more times during the 12 months before the survey

**Table 17: Percentage of high school students who were injured in a physical fight,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	149	2.9%	(2.3-3.6)	4861	97.1%	(96.4-97.7)
<b>Sex</b>	<b>Female</b>	44	1.6%	(1.0-2.2)	2519	98.4%	(97.8-99.0)
	<b>Male</b>	103	4.2%	(3.1-5.3)	2325	95.8%	(94.7-96.9)
<b>Age</b>	<b>14 years old or younger</b>	19	2.3%	(1.0-3.7)	576	97.7%	(96.3-99.0)
	<b>15 years old</b>	41	3.1%	(1.8-4.3)	1335	96.9%	(95.7-98.2)
	<b>16 years old</b>	40	3.1%	(1.9-4.3)	1277	96.9%	(95.7-98.1)
	<b>17 years old</b>	35	3.0%	(1.8-4.3)	1123	97.0%	(95.7-98.2)
	<b>18 years old or older</b>	14	2.7%	(1.1-4.4)	539	97.3%	(95.6-98.9)
<b>Grade</b>	<b>9th grade</b>	42	2.8%	(1.6-4.1)	1420	97.2%	(95.9-98.4)
	<b>10th grade</b>	44	3.0%	(1.7-4.3)	1263	97.0%	(95.7-98.3)
	<b>11th grade</b>	34	3.3%	(2.1-4.6)	1192	96.7%	(95.4-97.9)
	<b>12th grade</b>	25	2.3%	(1.2-3.5)	924	97.7%	(96.5-98.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	4	4.3%	(0.0-10.5)	99	95.7%	(89.5-100.0)
	<b>Asian<sup>d</sup></b>	5	1.6%	(0.0-3.4)	248	98.4%	(96.6-100.0)
	<b>Black<sup>d</sup></b>	13	4.4%	(1.5-7.4)	250	95.6%	(92.6-98.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	3.8%	(0.0-7.9)	86	96.2%	(92.1-100.0)
	<b>White<sup>d</sup></b>	46	2.6%	(1.6-3.6)	1884	97.4%	(96.4-98.4)
	<b>Hispanic/Latino</b>	62	3.0%	(2.1-3.9)	1931	97.0%	(96.1-97.9)
	<b>Other/Multiple<sup>d</sup></b>	8	2.8%	(0.6-5.0)	267	97.2%	(95.0-99.4)
<b>Region</b>	<b>1: Carson City and Douglas</b>	7	0.9%	(0.0-1.9)	280	99.1%	(98.1-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	10	2.8%	(0.8-4.9)	343	97.2%	(95.1-99.2)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	11	4.1%	(0.4-7.8)	309	95.9%	(92.2-99.6)
	<b>4: Lyon, Mineral, and Storey</b>	4	2.3%	(0.2-4.3)	229	97.7%	(95.7-99.8)
	<b>5: Nye and Lincoln</b>	19	3.7%	(2.0-5.5)	386	96.3%	(94.5-98.0)
	<b>6: Washoe</b>	33	3.4%	(1.6-5.2)	1116	96.6%	(94.8-98.4)
	<b>7: Clark</b>	65	2.9%	(2.1-3.6)	2198	97.1%	(96.4-97.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more times during the 12 months before the survey

<sup>f</sup> Injuries had to be treated by a doctor or nurse

**Table 18: Percentage of high school students who were in a physical fight on school property,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	304	5.3%	(4.6-6.1)	4667	94.7%	(93.9-95.4)
<b>Sex</b>	<b>Female</b>	116	4.2%	(3.3-5.1)	2442	95.8%	(94.9-96.7)
	<b>Male</b>	185	6.4%	(5.3-7.6)	2208	93.6%	(92.4-94.7)
<b>Age</b>	<b>14 years old or younger</b>	46	6.7%	(4.3-9.1)	545	93.3%	(90.9-95.7)
	<b>15 years old</b>	106	7.2%	(5.5-8.9)	1263	92.8%	(91.1-94.5)
	<b>16 years old</b>	80	5.2%	(3.9-6.6)	1231	94.8%	(93.4-96.1)
	<b>17 years old</b>	53	3.7%	(2.5-4.9)	1087	96.3%	(95.1-97.5)
	<b>18 years old or older</b>	18	3.8%	(2.0-5.6)	529	96.2%	(94.4-98.0)
<b>Grade</b>	<b>9th grade</b>	113	7.3%	(5.7-9.0)	1333	92.7%	(91.0-94.3)
	<b>10th grade</b>	89	5.9%	(4.2-7.5)	1216	94.1%	(92.5-95.8)
	<b>11th grade</b>	52	3.7%	(2.5-5.0)	1162	96.3%	(95.0-97.5)
	<b>12th grade</b>	41	4.1%	(2.7-5.4)	898	95.9%	(94.6-97.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	7	5.5%	(1.4-9.6)	93	94.5%	(90.4-98.6)
	<b>Asian<sup>d</sup></b>	11	2.9%	(0.6-5.2)	242	97.1%	(94.8-99.4)
	<b>Black<sup>d</sup></b>	26	8.6%	(5.3-11.9)	238	91.4%	(88.1-94.7)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	11	12.8%	(4.9-20.6)	77	87.2%	(79.4-95.1)
	<b>White<sup>d</sup></b>	105	4.6%	(3.5-5.8)	1813	95.4%	(94.2-96.5)
	<b>Hispanic/Latino</b>	116	5.4%	(4.3-6.6)	1854	94.6%	(93.4-95.7)
	<b>Other/Multiple<sup>d</sup></b>	15	4.0%	(1.6-6.3)	260	96.0%	(93.7-98.4)
<b>Region</b>	<b>1: Carson City and Douglas</b>	18	2.9%	(1.1-4.7)	268	97.1%	(95.3-98.9)
	<b>2: Elko, White Pine, and Eureka</b>	26	7.6%	(4.8-10.3)	319	92.4%	(89.7-95.2)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	16	5.3%	(0.0-10.6)	293	94.7%	(89.4-100.0)
	<b>4: Lyon, Mineral, and Storey</b>	13	6.2%	(2.1-10.3)	216	93.8%	(89.7-97.9)
	<b>5: Nye and Lincoln</b>	37	9.4%	(5.7-13.1)	362	90.6%	(86.9-94.3)
	<b>6: Washoe</b>	72	6.5%	(4.7-8.3)	1074	93.5%	(91.7-95.3)
	<b>7: Clark</b>	122	5.0%	(4.1-5.9)	2135	95.0%	(94.1-95.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more times during the 12 months before the survey

**Table 19: Percentage of high school students who were bullied on school property,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1049	18.5%	(17.1-19.9)	3958	81.5%	(80.1-82.9)
<b>Sex</b>	<b>Female</b>	625	21.3%	(19.2-23.3)	1948	78.7%	(76.7-80.8)
	<b>Male</b>	420	15.8%	(14.2-17.5)	1995	84.2%	(82.5-85.8)
<b>Age</b>	<b>14 years old or younger</b>	162	22.2%	(18.4-25.9)	429	77.8%	(74.1-81.6)
	<b>15 years old</b>	325	22.9%	(20.4-25.3)	1050	77.1%	(74.7-79.6)
	<b>16 years old</b>	278	18.5%	(15.7-21.4)	1046	81.5%	(78.6-84.3)
	<b>17 years old</b>	204	16.1%	(13.6-18.6)	947	83.9%	(81.4-86.4)
	<b>18 years old or older</b>	78	12.0%	(8.4-15.5)	476	88.0%	(84.5-91.6)
<b>Grade</b>	<b>9th grade</b>	380	23.3%	(20.8-25.8)	1075	76.7%	(74.2-79.2)
	<b>10th grade</b>	267	19.2%	(16.5-21.8)	1046	80.8%	(78.2-83.5)
	<b>11th grade</b>	242	18.4%	(15.6-21.2)	984	81.6%	(78.8-84.4)
	<b>12th grade</b>	146	12.5%	(10.0-15.0)	801	87.5%	(85.0-90.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	31	24.4%	(14.2-34.6)	71	75.6%	(65.4-85.8)
	<b>Asian<sup>d</sup></b>	43	13.9%	(9.0-18.9)	208	86.1%	(81.1-91.0)
	<b>Black<sup>d</sup></b>	44	15.1%	(10.1-20.1)	223	84.9%	(79.9-89.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	16	18.1%	(10.3-25.9)	75	81.9%	(74.1-89.7)
	<b>White<sup>d</sup></b>	471	21.3%	(19.0-23.5)	1459	78.7%	(76.5-81.0)
	<b>Hispanic/Latino</b>	357	17.0%	(14.9-19.1)	1628	83.0%	(80.9-85.1)
	<b>Other/Multiple<sup>d</sup></b>	58	20.6%	(15.0-26.3)	219	79.4%	(73.7-85.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	65	24.0%	(15.5-32.4)	224	76.0%	(67.6-84.5)
	<b>2: Elko, White Pine, and Eureka</b>	72	21.6%	(15.9-27.2)	278	78.4%	(72.8-84.1)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	80	24.4%	(16.8-32.0)	238	75.6%	(68.0-83.2)
	<b>4: Lyon, Mineral, and Storey</b>	74	30.4%	(22.2-38.6)	159	69.6%	(61.4-77.8)
	<b>5: Nye and Lincoln</b>	112	28.6%	(23.6-33.5)	296	71.4%	(66.5-76.4)
	<b>6: Washoe</b>	241	20.8%	(17.5-24.1)	901	79.2%	(75.9-82.5)
	<b>7: Clark</b>	405	17.0%	(15.4-18.6)	1862	83.0%	(81.4-84.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 12 months before the survey

**Table 20: Percentage of high school students who were electronically bullied,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	787	13.8%	(12.5-15.0)	4254	86.2%	(85.0-87.5)
<b>Sex</b>	<b>Female</b>	547	18.7%	(16.6-20.7)	2032	81.3%	(79.3-83.4)
	<b>Male</b>	231	9.0%	(7.6-10.4)	2211	91.0%	(89.6-92.4)
<b>Age</b>	<b>14 years old or younger</b>	111	16.2%	(12.6-19.9)	489	83.8%	(80.1-87.4)
	<b>15 years old</b>	216	14.1%	(12.0-16.2)	1172	85.9%	(83.8-88.0)
	<b>16 years old</b>	209	13.3%	(10.9-15.7)	1119	86.7%	(84.3-89.1)
	<b>17 years old</b>	177	13.9%	(11.5-16.2)	983	86.1%	(83.8-88.5)
	<b>18 years old or older</b>	69	11.6%	(8.5-14.6)	483	88.4%	(85.4-91.5)
<b>Grade</b>	<b>9th grade</b>	254	14.8%	(12.7-16.9)	1221	85.2%	(83.1-87.3)
	<b>10th grade</b>	199	13.9%	(11.5-16.3)	1118	86.1%	(83.7-88.5)
	<b>11th grade</b>	198	14.6%	(12.1-17.0)	1035	85.4%	(83.0-87.9)
	<b>12th grade</b>	125	11.4%	(9.3-13.6)	824	88.6%	(86.4-90.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	22	22.0%	(11.6-32.4)	81	78.0%	(67.6-88.4)
	<b>Asian<sup>d</sup></b>	27	8.9%	(4.9-12.9)	228	91.1%	(87.1-95.1)
	<b>Black<sup>d</sup></b>	31	10.6%	(6.6-14.6)	237	89.4%	(85.4-93.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	14	11.5%	(4.3-18.6)	76	88.5%	(81.4-95.7)
	<b>White<sup>d</sup></b>	363	16.7%	(14.5-18.8)	1571	83.3%	(81.2-85.5)
	<b>Hispanic/Latino</b>	250	11.7%	(10.1-13.3)	1757	88.3%	(86.7-89.9)
	<b>Other/Multiple<sup>d</sup></b>	51	19.0%	(13.3-24.7)	226	81.0%	(75.3-86.7)
<b>Region</b>	<b>1: Carson City and Douglas</b>	52	11.1%	(6.1-16.1)	237	88.9%	(83.9-93.9)
	<b>2: Elko, White Pine, and Eureka</b>	42	11.6%	(7.6-15.5)	310	88.4%	(84.5-92.4)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	59	19.3%	(14.5-24.1)	258	80.7%	(75.9-85.5)
	<b>4: Lyon, Mineral, and Storey</b>	50	19.4%	(12.7-26.1)	183	80.6%	(73.9-87.3)
	<b>5: Nye and Lincoln</b>	77	20.6%	(16.0-25.3)	336	79.4%	(74.7-84.0)
	<b>6: Washoe</b>	200	16.8%	(13.8-19.8)	953	83.2%	(80.2-86.2)
	<b>7: Clark</b>	307	12.9%	(11.3-14.5)	1977	87.1%	(85.5-88.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 12 months before the survey

<sup>f</sup> Including being bullied through e-mail, chat rooms, instant messaging, websites, or texting

**Table 21: Percentage of high school students who did not go to school because they felt unsafe at school or on their way to or from school,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	399	7.6%	(6.6-8.6)	4675	92.4%	(91.4-93.4)
<b>Sex</b>	<b>Female</b>	214	8.1%	(6.6-9.6)	2377	91.9%	(90.4-93.4)
	<b>Male</b>	180	7.0%	(5.7-8.4)	2280	93.0%	(91.6-94.3)
<b>Age</b>	<b>14 years old or younger</b>	60	9.5%	(6.7-12.3)	546	90.5%	(87.7-93.3)
	<b>15 years old</b>	117	8.4%	(6.4-10.3)	1277	91.6%	(89.7-93.6)
	<b>16 years old</b>	103	7.2%	(5.4-8.9)	1235	92.8%	(91.1-94.6)
	<b>17 years old</b>	78	6.0%	(4.3-7.8)	1087	94.0%	(92.2-95.7)
	<b>18 years old or older</b>	40	7.9%	(4.6-11.2)	517	92.1%	(88.8-95.4)
<b>Grade</b>	<b>9th grade</b>	135	9.0%	(6.9-11.0)	1346	91.0%	(89.0-93.1)
	<b>10th grade</b>	107	7.7%	(5.7-9.6)	1222	92.3%	(90.4-94.3)
	<b>11th grade</b>	81	5.6%	(4.0-7.2)	1158	94.4%	(92.8-96.0)
	<b>12th grade</b>	68	7.9%	(5.5-10.3)	887	92.1%	(89.7-94.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	11	15.6%	(4.7-26.4)	92	84.4%	(73.6-95.3)
	<b>Asian<sup>d</sup></b>	12	5.8%	(1.9-9.7)	245	94.2%	(90.3-98.1)
	<b>Black<sup>d</sup></b>	19	7.6%	(4.3-11.0)	251	92.4%	(89.0-95.7)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	7	7.3%	(1.2-13.5)	84	92.7%	(86.5-98.8)
	<b>White<sup>d</sup></b>	127	6.2%	(4.8-7.7)	1822	93.8%	(92.3-95.2)
	<b>Hispanic/Latino</b>	191	8.9%	(7.5-10.3)	1826	91.1%	(89.7-92.5)
	<b>Other/Multiple<sup>d</sup></b>	18	6.0%	(2.6-9.4)	258	94.0%	(90.6-97.4)
<b>Region</b>	<b>1: Carson City and Douglas</b>	21	9.7%	(2.0-17.4)	269	90.3%	(82.6-98.0)
	<b>2: Elko, White Pine, and Eureka</b>	25	5.8%	(2.7-9.0)	331	94.2%	(91.0-97.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	27	8.9%	(4.6-13.3)	297	91.1%	(86.7-95.4)
	<b>4: Lyon, Mineral, and Storey</b>	8	3.1%	(1.5-4.7)	226	96.9%	(95.3-98.5)
	<b>5: Nye and Lincoln</b>	40	9.0%	(5.9-12.1)	374	91.0%	(87.9-94.1)
	<b>6: Washoe</b>	98	9.0%	(6.5-11.5)	1062	91.0%	(88.5-93.5)
	<b>7: Clark</b>	180	7.3%	(6.1-8.5)	2116	92.7%	(91.5-93.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> On at least 1 day during the 30 days before the survey



**Table 22: Percentage of high school students who experienced physical dating violence,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	333	9.9%	(8.6-11.1)	2935	90.1%	(88.9-91.4)
<b>Sex</b>	<b>Female</b>	190	11.2%	(9.3-13.0)	1536	88.8%	(87.0-90.7)
	<b>Male</b>	143	8.6%	(6.8-10.4)	1393	91.4%	(89.6-93.2)
<b>Age</b>	<b>14 years old or younger</b>	28	6.0%	(3.2-8.9)	294	94.0%	(91.1-96.8)
	<b>15 years old</b>	82	10.2%	(7.6-12.7)	735	89.8%	(87.3-92.4)
	<b>16 years old</b>	77	8.4%	(6.1-10.8)	809	91.6%	(89.2-93.9)
	<b>17 years old</b>	97	11.9%	(9.2-14.7)	757	88.1%	(85.3-90.8)
	<b>18 years old or older</b>	48	10.3%	(6.4-14.1)	336	89.7%	(85.9-93.6)
<b>Grade</b>	<b>9th grade</b>	69	7.5%	(5.3-9.7)	754	92.5%	(90.3-94.7)
	<b>10th grade</b>	90	10.5%	(8.1-13.0)	758	89.5%	(87.0-91.9)
	<b>11th grade</b>	82	9.1%	(7.1-11.2)	797	90.9%	(88.8-92.9)
	<b>12th grade</b>	85	11.9%	(9.0-14.9)	592	88.1%	(85.1-91.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	7	10.7%	(0.9-20.6)	71	89.3%	(79.4-99.1)
	<b>Asian<sup>d</sup></b>	12	8.3%	(2.4-14.1)	116	91.7%	(85.9-97.6)
	<b>Black<sup>d</sup></b>	22	12.2%	(6.8-17.5)	146	87.8%	(82.5-93.2)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	10	14.8%	(4.2-25.4)	44	85.2%	(74.6-95.8)
	<b>White<sup>d</sup></b>	116	8.0%	(6.3-9.7)	1177	92.0%	(90.3-93.7)
	<b>Hispanic/Latino</b>	130	10.1%	(8.3-11.9)	1165	89.9%	(88.1-91.7)
	<b>Other/Multiple<sup>d</sup></b>	27	16.9%	(9.4-24.3)	151	83.1%	(75.7-90.6)
<b>Region</b>	<b>1: Carson City and Douglas</b>	13	3.0%	(0.9-5.1)	160	97.0%	(94.9-99.1)
	<b>2: Elko, White Pine, and Eureka</b>	28	10.6%	(5.5-15.6)	221	89.4%	(84.4-94.5)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	22	11.2%	(6.2-16.2)	195	88.8%	(83.8-93.8)
	<b>4: Lyon, Mineral, and Storey</b>	18	9.5%	(5.1-13.9)	159	90.5%	(86.1-94.9)
	<b>5: Nye and Lincoln</b>	35	12.0%	(7.1-16.9)	257	88.0%	(83.1-92.9)
	<b>6: Washoe</b>	82	10.8%	(7.8-13.7)	691	89.2%	(86.3-92.2)
	<b>7: Clark</b>	135	9.9%	(8.3-11.5)	1252	90.1%	(88.5-91.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with at least 1 time during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey

**Table 23: Percentage of high school students who experienced sexual dating violence,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	383	11.2%	(9.8-12.6)	2881	88.8%	(87.4-90.2)
<b>Sex</b>	<b>Female</b>	273	16.1%	(14.0-18.1)	1450	83.9%	(81.9-86.0)
	<b>Male</b>	108	6.5%	(4.9-8.1)	1427	93.5%	(91.9-95.1)
<b>Age</b>	<b>14 years old or younger</b>	51	13.3%	(9.3-17.4)	270	86.7%	(82.6-90.7)
	<b>15 years old</b>	96	11.6%	(9.1-14.1)	720	88.4%	(85.9-90.9)
	<b>16 years old</b>	107	11.8%	(9.0-14.6)	779	88.2%	(85.4-91.0)
	<b>17 years old</b>	85	10.1%	(7.8-12.5)	767	89.9%	(87.5-92.2)
	<b>18 years old or older</b>	43	10.3%	(6.4-14.3)	341	89.7%	(85.7-93.6)
<b>Grade</b>	<b>9th grade</b>	111	12.9%	(10.4-15.4)	710	87.1%	(84.6-89.6)
	<b>10th grade</b>	94	11.3%	(8.2-14.4)	754	88.7%	(85.6-91.8)
	<b>11th grade</b>	105	10.7%	(8.3-13.1)	772	89.3%	(86.9-91.7)
	<b>12th grade</b>	67	10.1%	(7.3-13.0)	610	89.9%	(87.0-92.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	7	7.4%	(0.0-15.4)	71	92.6%	(84.6-100.0)
	<b>Asian<sup>d</sup></b>	16	10.6%	(4.2-17.0)	112	89.4%	(83.0-95.8)
	<b>Black<sup>d</sup></b>	20	10.4%	(5.9-14.9)	148	89.6%	(85.1-94.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	6	8.7%	(0.4-16.9)	47	91.3%	(83.1-99.6)
	<b>White<sup>d</sup></b>	149	10.8%	(8.8-12.8)	1141	89.2%	(87.2-91.2)
	<b>Hispanic/Latino</b>	151	11.5%	(9.5-13.5)	1144	88.5%	(86.5-90.5)
	<b>Other/Multiple<sup>d</sup></b>	25	15.4%	(8.6-22.2)	153	84.6%	(77.8-91.4)
<b>Region</b>	<b>1: Carson City and Douglas</b>	20	6.9%	(2.5-11.3)	153	93.1%	(88.7-97.5)
	<b>2: Elko, White Pine, and Eureka</b>	27	10.5%	(5.7-15.3)	222	89.5%	(84.7-94.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	21	9.9%	(3.4-16.4)	195	90.1%	(83.6-96.6)
	<b>4: Lyon, Mineral, and Storey</b>	20	10.1%	(6.8-13.5)	157	89.9%	(86.5-93.2)
	<b>5: Nye and Lincoln</b>	34	11.9%	(7.7-16.1)	258	88.1%	(83.9-92.3)
	<b>6: Washoe</b>	98	12.1%	(9.5-14.7)	671	87.9%	(85.3-90.5)
	<b>7: Clark</b>	163	11.3%	(9.4-13.1)	1225	88.7%	(86.9-90.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including kissing, touching, or physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey

**Table 24: Percentage of high school students who were ever physically forced to have sexual intercourse,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	510	9.0%	(7.9-10.1)	4532	91.0%	(89.9-92.1)
<b>Sex</b>	<b>Female</b>	353	12.8%	(11.0-14.6)	2226	87.2%	(85.4-89.0)
	<b>Male</b>	151	5.4%	(4.2-6.5)	2292	94.6%	(93.5-95.8)
<b>Age</b>	<b>14 years old or younger</b>	59	7.9%	(5.5-10.4)	541	92.1%	(89.6-94.5)
	<b>15 years old</b>	104	7.5%	(5.9-9.2)	1287	92.5%	(90.8-94.1)
	<b>16 years old</b>	146	8.4%	(6.4-10.4)	1180	91.6%	(89.6-93.6)
	<b>17 years old</b>	128	10.4%	(8.2-12.6)	1030	89.6%	(87.4-91.8)
	<b>18 years old or older</b>	69	11.2%	(7.5-15.0)	486	88.8%	(85.0-92.5)
<b>Grade</b>	<b>9th grade</b>	120	7.6%	(6.2-9.0)	1355	92.4%	(91.0-93.8)
	<b>10th grade</b>	122	7.6%	(5.9-9.3)	1196	92.4%	(90.7-94.1)
	<b>11th grade</b>	129	9.4%	(7.2-11.6)	1101	90.6%	(88.4-92.8)
	<b>12th grade</b>	122	11.4%	(8.8-14.0)	828	88.6%	(86.0-91.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	12	11.0%	(2.9-19.1)	92	89.0%	(80.9-97.1)
	<b>Asian<sup>d</sup></b>	16	5.8%	(2.2-9.3)	240	94.2%	(90.7-97.8)
	<b>Black<sup>d</sup></b>	27	9.3%	(5.8-12.7)	238	90.7%	(87.3-94.2)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	14	15.7%	(7.3-24.1)	78	84.3%	(75.9-92.7)
	<b>White<sup>d</sup></b>	188	8.7%	(6.8-10.5)	1754	91.3%	(89.5-93.2)
	<b>Hispanic/Latino</b>	196	9.0%	(7.3-10.7)	1809	91.0%	(89.3-92.7)
	<b>Other/Multiple<sup>d</sup></b>	39	12.2%	(8.1-16.3)	235	87.8%	(83.7-91.9)
<b>Region</b>	<b>1: Carson City and Douglas</b>	26	5.3%	(1.8-8.9)	263	94.7%	(91.1-98.2)
	<b>2: Elko, White Pine, and Eureka</b>	50	12.5%	(8.9-16.2)	304	87.5%	(83.8-91.1)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	32	10.5%	(6.5-14.5)	288	89.5%	(85.5-93.5)
	<b>4: Lyon, Mineral, and Storey</b>	39	15.7%	(11.2-20.1)	195	84.3%	(79.9-88.8)
	<b>5: Nye and Lincoln</b>	51	12.6%	(7.4-17.8)	362	87.4%	(82.2-92.6)
	<b>6: Washoe</b>	107	9.1%	(6.7-11.5)	1044	90.9%	(88.5-93.3)
	<b>7: Clark</b>	205	8.7%	(7.4-10.1)	2076	91.3%	(89.9-92.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> When they did not want to

**Table 25: Percentage of high school students who have ever been hit, beaten, kicked, or physically hurt in anyway by an adult,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	848	15.8%	(14.4-17.1)	4194	84.2%	(82.9-85.6)
<b>Sex</b>	<b>Female</b>	477	17.2%	(15.3-19.1)	2107	82.8%	(80.9-84.7)
	<b>Male</b>	367	14.4%	(12.7-16.0)	2072	85.6%	(84.0-87.3)
<b>Age</b>	<b>14 years old or younger</b>	92	12.9%	(9.5-16.2)	510	87.1%	(83.8-90.5)
	<b>15 years old</b>	221	15.8%	(13.6-18.1)	1164	84.2%	(81.9-86.4)
	<b>16 years old</b>	234	16.8%	(14.2-19.4)	1092	83.2%	(80.6-85.8)
	<b>17 years old</b>	205	16.3%	(13.6-19.0)	955	83.7%	(81.0-86.4)
	<b>18 years old or older</b>	93	15.0%	(10.9-19.2)	463	85.0%	(80.8-89.1)
<b>Grade</b>	<b>9th grade</b>	236	14.7%	(12.5-16.8)	1240	85.3%	(83.2-87.5)
	<b>10th grade</b>	226	17.2%	(14.7-19.7)	1089	82.8%	(80.3-85.3)
	<b>11th grade</b>	206	15.5%	(12.9-18.2)	1027	84.5%	(81.8-87.1)
	<b>12th grade</b>	167	15.6%	(12.7-18.5)	785	84.4%	(81.5-87.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	27	28.8%	(18.2-39.5)	76	71.2%	(60.5-81.8)
	<b>Asian<sup>d</sup></b>	36	11.9%	(7.7-16.1)	219	88.1%	(83.9-92.3)
	<b>Black<sup>d</sup></b>	41	14.0%	(9.1-19.0)	225	86.0%	(81.0-90.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	17	15.3%	(6.4-24.2)	74	84.7%	(75.8-93.6)
	<b>White<sup>d</sup></b>	333	16.6%	(14.3-18.9)	1609	83.4%	(81.1-85.7)
	<b>Hispanic/Latino</b>	310	14.7%	(12.8-16.6)	1696	85.3%	(83.4-87.2)
	<b>Other/Multiple<sup>d</sup></b>	67	21.7%	(16.4-27.0)	208	78.3%	(73.0-83.6)
<b>Region</b>	<b>1: Carson City and Douglas</b>	47	11.2%	(6.9-15.5)	242	88.8%	(84.5-93.1)
	<b>2: Elko, White Pine, and Eureka</b>	63	17.8%	(12.6-23.0)	292	82.2%	(77.0-87.4)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	50	15.7%	(10.1-21.3)	269	84.3%	(78.7-89.9)
	<b>4: Lyon, Mineral, and Storey</b>	60	24.8%	(18.5-31.0)	174	75.2%	(69.0-81.5)
	<b>5: Nye and Lincoln</b>	78	19.5%	(15.6-23.4)	331	80.5%	(76.6-84.4)
	<b>6: Washoe</b>	201	17.7%	(14.4-21.0)	949	82.3%	(79.0-85.6)
	<b>7: Clark</b>	349	15.2%	(13.5-16.9)	1937	84.8%	(83.1-86.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Not including spanking for bad behavior

**Table 26: Percentage of high school students who have ever seen adults in their home slap, hit, kick, punch, or beat each other up, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	838	16.4%	(14.8-18.0)	4178	83.6%	(82.0-85.2)
<b>Sex</b>	<b>Female</b>	500	19.4%	(17.1-21.8)	2070	80.6%	(78.2-82.9)
	<b>Male</b>	334	13.7%	(12.0-15.3)	2093	86.3%	(84.7-88.0)
<b>Age</b>	<b>14 years old or younger</b>	88	15.0%	(10.9-19.2)	506	85.0%	(80.8-89.1)
	<b>15 years old</b>	215	15.2%	(12.8-17.5)	1167	84.8%	(82.5-87.2)
	<b>16 years old</b>	207	14.3%	(11.7-16.8)	1115	85.7%	(83.2-88.3)
	<b>17 years old</b>	209	18.0%	(14.9-21.1)	944	82.0%	(78.9-85.1)
	<b>18 years old or older</b>	114	20.9%	(15.8-25.9)	438	79.1%	(74.1-84.2)
<b>Grade</b>	<b>9th grade</b>	230	15.6%	(12.9-18.2)	1236	84.4%	(81.8-87.1)
	<b>10th grade</b>	211	15.3%	(12.5-18.0)	1099	84.7%	(82.0-87.5)
	<b>11th grade</b>	195	14.8%	(12.0-17.5)	1030	85.2%	(82.5-88.0)
	<b>12th grade</b>	191	20.5%	(16.9-24.2)	758	79.5%	(75.8-83.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	21	19.9%	(10.1-29.6)	81	80.1%	(70.4-89.9)
	<b>Asian<sup>d</sup></b>	28	10.1%	(5.3-14.9)	224	89.9%	(85.1-94.7)
	<b>Black<sup>d</sup></b>	57	21.9%	(16.6-27.1)	208	78.1%	(72.9-83.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	23	26.9%	(16.9-36.8)	68	73.1%	(63.2-83.1)
	<b>White<sup>d</sup></b>	286	14.1%	(11.9-16.2)	1645	85.9%	(83.8-88.1)
	<b>Hispanic/Latino</b>	343	17.1%	(15.0-19.2)	1651	82.9%	(80.8-85.0)
	<b>Other/Multiple<sup>d</sup></b>	58	20.7%	(14.9-26.5)	218	79.3%	(73.5-85.1)
<b>Region</b>	<b>1: Carson City and Douglas</b>	39	10.3%	(5.4-15.2)	247	89.7%	(84.8-94.6)
	<b>2: Elko, White Pine, and Eureka</b>	62	16.4%	(10.9-21.9)	290	83.6%	(78.1-89.1)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	55	17.6%	(12.2-23.1)	261	82.4%	(76.9-87.8)
	<b>4: Lyon, Mineral, and Storey</b>	44	17.3%	(12.8-21.8)	189	82.7%	(78.2-87.2)
	<b>5: Nye and Lincoln</b>	69	17.1%	(12.5-21.7)	341	82.9%	(78.3-87.5)
	<b>6: Washoe</b>	187	16.6%	(14.0-19.3)	959	83.4%	(80.7-86.0)
	<b>7: Clark</b>	382	16.6%	(14.5-18.6)	1891	83.4%	(81.4-85.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

## Emotional Health

**Table 27: Percentage of high school students who felt sad or hopeless,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1749	34.5%	(32.6-36.4)	3266	65.5%	(63.6-67.4)
<b>Sex</b>	<b>Female</b>	1159	45.8%	(43.0-48.6)	1404	54.2%	(51.4-57.0)
	<b>Male</b>	583	23.8%	(21.8-25.8)	1849	76.2%	(74.2-78.2)
<b>Age</b>	<b>14 years old or younger</b>	206	32.7%	(28.8-36.7)	389	67.3%	(63.3-71.2)
	<b>15 years old</b>	492	36.1%	(33.4-38.8)	889	63.9%	(61.2-66.6)
	<b>16 years old</b>	470	34.3%	(31.0-37.7)	853	65.7%	(62.3-69.0)
	<b>17 years old</b>	409	35.9%	(32.3-39.6)	745	64.1%	(60.4-67.7)
	<b>18 years old or older</b>	169	30.8%	(25.3-36.3)	380	69.2%	(63.7-74.7)
<b>Grade</b>	<b>9th grade</b>	515	34.6%	(31.9-37.3)	949	65.4%	(62.7-68.1)
	<b>10th grade</b>	466	35.1%	(32.0-38.2)	846	64.9%	(61.8-68.0)
	<b>11th grade</b>	448	36.4%	(32.6-40.3)	782	63.6%	(59.7-67.4)
	<b>12th grade</b>	300	32.0%	(27.5-36.4)	643	68.0%	(63.6-72.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	36	36.3%	(24.8-47.8)	67	63.7%	(52.2-75.2)
	<b>Asian<sup>d</sup></b>	75	29.4%	(21.7-37.2)	178	70.6%	(62.8-78.3)
	<b>Black<sup>d</sup></b>	78	28.4%	(22.5-34.3)	188	71.6%	(65.7-77.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	25	26.7%	(17.1-36.2)	63	73.3%	(63.8-82.9)
	<b>White<sup>d</sup></b>	656	33.3%	(30.2-36.4)	1278	66.7%	(63.6-69.8)
	<b>Hispanic/Latino</b>	738	37.3%	(34.7-39.9)	1254	62.7%	(60.1-65.3)
	<b>Other/Multiple<sup>d</sup></b>	105	40.2%	(33.2-47.3)	168	59.8%	(52.7-66.8)
<b>Region</b>	<b>1: Carson City and Douglas</b>	96	30.1%	(22.2-38.1)	188	69.9%	(61.9-77.8)
	<b>2: Elko, White Pine, and Eureka</b>	118	33.5%	(27.7-39.3)	236	66.5%	(60.7-72.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	100	31.7%	(25.6-37.8)	215	68.3%	(62.2-74.4)
	<b>4: Lyon, Mineral, and Storey</b>	89	37.1%	(31.6-42.6)	143	62.9%	(57.4-68.4)
	<b>5: Nye and Lincoln</b>	131	31.8%	(27.4-36.1)	277	68.2%	(63.9-72.6)
	<b>6: Washoe</b>	400	33.5%	(30.0-37.0)	750	66.5%	(63.0-70.0)
	<b>7: Clark</b>	815	35.0%	(32.6-37.4)	1457	65.0%	(62.6-67.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Almost every day for 2 or more weeks in a row so that they stopped doing some usual activities

<sup>f</sup> During the 12 months before the survey

**Table 28: Percentage of high school students who seriously considered attempting suicide,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	942	17.7%	(16.2-19.3)	4093	82.3%	(80.7-83.8)
<b>Sex</b>	<b>Female</b>	621	23.1%	(20.8-25.3)	1956	76.9%	(74.7-79.2)
	<b>Male</b>	317	12.7%	(11.0-14.4)	2122	87.3%	(85.6-89.0)
<b>Age</b>	<b>14 years old or younger</b>	107	16.4%	(12.4-20.5)	491	83.6%	(79.5-87.6)
	<b>15 years old</b>	295	21.0%	(18.5-23.4)	1088	79.0%	(76.6-81.5)
	<b>16 years old</b>	238	15.8%	(13.2-18.4)	1088	84.2%	(81.6-86.8)
	<b>17 years old</b>	216	19.2%	(15.8-22.6)	944	80.8%	(77.4-84.2)
	<b>18 years old or older</b>	84	13.7%	(9.6-17.8)	471	86.3%	(82.2-90.4)
<b>Grade</b>	<b>9th grade</b>	294	18.7%	(16.1-21.4)	1176	81.3%	(78.6-83.9)
	<b>10th grade</b>	257	19.1%	(16.4-21.8)	1058	80.9%	(78.2-83.6)
	<b>11th grade</b>	215	16.1%	(13.3-18.9)	1018	83.9%	(81.1-86.7)
	<b>12th grade</b>	166	17.1%	(13.6-20.6)	786	82.9%	(79.4-86.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	21	20.1%	(9.6-30.5)	82	79.9%	(69.5-90.4)
	<b>Asian<sup>d</sup></b>	41	17.1%	(10.9-23.4)	214	82.9%	(76.6-89.1)
	<b>Black<sup>d</sup></b>	39	13.1%	(8.5-17.7)	229	86.9%	(82.3-91.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	15	15.3%	(7.3-23.4)	76	84.7%	(76.6-92.7)
	<b>White<sup>d</sup></b>	377	18.3%	(15.5-21.2)	1562	81.7%	(78.8-84.5)
	<b>Hispanic/Latino</b>	365	17.8%	(15.9-19.6)	1637	82.2%	(80.4-84.1)
	<b>Other/Multiple<sup>d</sup></b>	64	22.3%	(17.5-27.1)	212	77.7%	(72.9-82.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	51	10.2%	(5.6-14.7)	236	89.8%	(85.3-94.4)
	<b>2: Elko, White Pine, and Eureka</b>	70	19.4%	(14.5-24.2)	284	80.6%	(75.8-85.5)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	57	18.7%	(11.7-25.8)	260	81.3%	(74.2-88.3)
	<b>4: Lyon, Mineral, and Storey</b>	53	23.4%	(16.6-30.3)	181	76.6%	(69.7-83.4)
	<b>5: Nye and Lincoln</b>	82	20.4%	(15.9-25.0)	328	79.6%	(75.0-84.1)
	<b>6: Washoe</b>	221	18.8%	(15.5-22.1)	933	81.2%	(77.9-84.5)
	<b>7: Clark</b>	408	17.5%	(15.6-19.5)	1871	82.5%	(80.5-84.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 12 months before the survey

**Table 29: Percentage of high school students who made a plan about how they would attempt suicide,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	838	15.8%	(14.6-17.1)	4187	84.2%	(82.9-85.4)
<b>Sex</b>	<b>Female</b>	535	20.5%	(18.5-22.4)	2040	79.5%	(77.6-81.5)
	<b>Male</b>	299	11.5%	(10.1-12.9)	2133	88.5%	(87.1-89.9)
<b>Age</b>	<b>14 years old or younger</b>	95	15.4%	(12.5-18.3)	501	84.6%	(81.7-87.5)
	<b>15 years old</b>	254	17.8%	(15.6-20.0)	1129	82.2%	(80.0-84.4)
	<b>16 years old</b>	219	14.3%	(12.1-16.6)	1109	85.7%	(83.4-87.9)
	<b>17 years old</b>	194	17.3%	(14.2-20.4)	959	82.7%	(79.6-85.8)
	<b>18 years old or older</b>	74	12.6%	(9.4-15.8)	479	87.4%	(84.2-90.6)
<b>Grade</b>	<b>9th grade</b>	265	17.4%	(15.2-19.6)	1204	82.6%	(80.4-84.8)
	<b>10th grade</b>	222	16.2%	(14.0-18.4)	1093	83.8%	(81.6-86.0)
	<b>11th grade</b>	198	14.4%	(12.0-16.8)	1030	85.6%	(83.2-88.0)
	<b>12th grade</b>	141	15.3%	(12.5-18.1)	807	84.7%	(81.9-87.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	16	15.2%	(5.9-24.4)	87	84.8%	(75.6-94.1)
	<b>Asian<sup>d</sup></b>	43	18.6%	(10.9-26.2)	213	81.4%	(73.8-89.1)
	<b>Black<sup>d</sup></b>	44	14.8%	(10.4-19.2)	224	85.2%	(80.8-89.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	15	15.5%	(7.0-24.1)	75	84.5%	(75.9-93.0)
	<b>White<sup>d</sup></b>	326	15.9%	(13.8-17.9)	1612	84.1%	(82.1-86.2)
	<b>Hispanic/Latino</b>	314	15.3%	(13.5-17.1)	1682	84.7%	(82.9-86.5)
	<b>Other/Multiple<sup>d</sup></b>	57	19.0%	(14.9-23.0)	217	81.0%	(77.0-85.1)
<b>Region</b>	<b>1: Carson City and Douglas</b>	52	16.2%	(8.4-24.1)	236	83.8%	(75.9-91.6)
	<b>2: Elko, White Pine, and Eureka</b>	67	19.0%	(13.2-24.7)	284	81.0%	(75.3-86.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	53	16.9%	(10.1-23.7)	262	83.1%	(76.3-89.9)
	<b>4: Lyon, Mineral, and Storey</b>	51	22.4%	(16.1-28.8)	183	77.6%	(71.2-83.9)
	<b>5: Nye and Lincoln</b>	64	16.1%	(12.3-19.9)	344	83.9%	(80.1-87.7)
	<b>6: Washoe</b>	189	15.4%	(12.7-18.1)	961	84.6%	(81.9-87.3)
	<b>7: Clark</b>	362	15.6%	(14.1-17.1)	1917	84.4%	(82.9-85.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 12 months before the survey



**Table 30: Percentage of high school students who attempted suicide,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	488	9.8%	(8.7-10.9)	3928	90.2%	(89.1-91.3)
<b>Sex</b>	<b>Female</b>	308	11.7%	(10.0-13.4)	2008	88.3%	(86.6-90.0)
	<b>Male</b>	176	7.8%	(6.4-9.3)	1904	92.2%	(90.7-93.6)
<b>Age</b>	<b>14 years old or younger</b>	61	9.6%	(6.7-12.6)	466	90.4%	(87.4-93.3)
	<b>15 years old</b>	148	11.6%	(9.4-13.8)	1082	88.4%	(86.2-90.6)
	<b>16 years old</b>	134	10.0%	(7.7-12.4)	1040	90.0%	(87.6-92.3)
	<b>17 years old</b>	110	9.9%	(7.8-12.0)	888	90.1%	(88.0-92.2)
	<b>18 years old or older</b>	34	5.7%	(3.2-8.3)	444	94.3%	(91.7-96.8)
<b>Grade</b>	<b>9th grade</b>	159	11.4%	(9.1-13.7)	1131	88.6%	(86.3-90.9)
	<b>10th grade</b>	136	11.3%	(8.9-13.7)	1026	88.7%	(86.3-91.1)
	<b>11th grade</b>	115	8.8%	(6.7-11.0)	974	91.2%	(89.0-93.3)
	<b>12th grade</b>	70	7.5%	(5.6-9.3)	747	92.5%	(90.7-94.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	10	16.5%	(5.2-27.9)	74	83.5%	(72.1-94.8)
	<b>Asian<sup>d</sup></b>	19	8.0%	(3.8-12.2)	210	92.0%	(87.8-96.2)
	<b>Black<sup>d</sup></b>	21	8.0%	(4.1-11.9)	208	92.0%	(88.1-95.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	9	9.5%	(2.4-16.6)	66	90.5%	(83.4-97.6)
	<b>White<sup>d</sup></b>	173	8.4%	(6.6-10.1)	1558	91.6%	(89.9-93.4)
	<b>Hispanic/Latino</b>	210	11.4%	(9.6-13.2)	1515	88.6%	(86.8-90.4)
	<b>Other/Multiple<sup>d</sup></b>	31	11.2%	(7.3-15.2)	219	88.8%	(84.8-92.7)
<b>Region</b>	<b>1: Carson City and Douglas</b>	35	11.7%	(3.1-20.4)	216	88.3%	(79.6-96.9)
	<b>2: Elko, White Pine, and Eureka</b>	37	11.4%	(7.0-15.9)	260	88.6%	(84.1-93.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	26	8.3%	(3.0-13.5)	254	91.7%	(86.5-97.0)
	<b>4: Lyon, Mineral, and Storey</b>	25	12.8%	(7.9-17.6)	180	87.2%	(82.4-92.1)
	<b>5: Nye and Lincoln</b>	52	14.9%	(11.4-18.4)	296	85.1%	(81.6-88.6)
	<b>6: Washoe</b>	119	11.7%	(9.0-14.4)	901	88.3%	(85.6-91.0)
	<b>7: Clark</b>	194	9.2%	(7.8-10.5)	1821	90.8%	(89.5-92.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more times during the 12 months before the survey

**Table 31: Percentage of high school students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	152	3.2%	(2.6-3.9)	4289	96.8%	(96.1-97.4)
<b>Sex</b>	<b>Female</b>	86	3.5%	(2.6-4.5)	2242	96.5%	(95.5-97.4)
	<b>Male</b>	66	2.9%	(2.1-3.8)	2029	97.1%	(96.2-97.9)
<b>Age</b>	<b>14 years old or younger</b>	11	1.8%	(0.6-2.9)	519	98.2%	(97.1-99.4)
	<b>15 years old</b>	50	4.3%	(3.0-5.6)	1188	95.7%	(94.4-97.0)
	<b>16 years old</b>	45	3.7%	(2.3-5.1)	1136	96.3%	(94.9-97.7)
	<b>17 years old</b>	36	3.0%	(1.7-4.3)	968	97.0%	(95.7-98.3)
	<b>18 years old or older</b>	10	1.8%	(0.3-3.2)	468	98.2%	(96.8-99.7)
<b>Grade</b>	<b>9th grade</b>	48	4.0%	(2.6-5.3)	1256	96.0%	(94.7-97.4)
	<b>10th grade</b>	45	3.9%	(2.4-5.4)	1121	96.1%	(94.6-97.6)
	<b>11th grade</b>	35	3.0%	(1.7-4.4)	1060	97.0%	(95.6-98.3)
	<b>12th grade</b>	20	1.8%	(0.9-2.6)	798	98.2%	(97.4-99.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	8.5%	(0.0-18.3)	80	91.5%	(81.7-100.0)
	<b>Asian<sup>d</sup></b>	4	1.8%	(0.0-3.6)	226	98.2%	(96.4-100.0)
	<b>Black<sup>d</sup></b>	6	2.4%	(0.0-4.8)	224	97.6%	(95.2-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	3	3.7%	(0.0-8.7)	71	96.3%	(91.3-100.0)
	<b>White<sup>d</sup></b>	57	3.1%	(2.1-4.2)	1680	96.9%	(95.8-97.9)
	<b>Hispanic/Latino</b>	66	3.6%	(2.6-4.6)	1676	96.4%	(95.4-97.4)
	<b>Other/Multiple<sup>d</sup></b>	10	2.8%	(0.8-4.8)	240	97.2%	(95.2-99.2)
<b>Region</b>	<b>1: Carson City and Douglas</b>	11	2.3%	(0.9-3.7)	240	97.7%	(96.3-99.1)
	<b>2: Elko, White Pine, and Eureka</b>	9	3.0%	(0.3-5.7)	289	97.0%	(94.3-99.7)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	6	1.8%	(0.1-3.6)	276	98.2%	(96.4-99.9)
	<b>4: Lyon, Mineral, and Storey</b>	9	3.6%	(1.7-5.5)	196	96.4%	(94.5-98.3)
	<b>5: Nye and Lincoln</b>	14	3.6%	(2.1-5.2)	337	96.4%	(94.8-97.9)
	<b>6: Washoe</b>	35	4.0%	(2.2-5.8)	991	96.0%	(94.2-97.8)
	<b>7: Clark</b>	68	3.1%	(2.3-3.9)	1960	96.9%	(96.1-97.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 12 months before the survey

**Table 32: Percentage of high school students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1170	21.5%	(19.9-23.0)	3889	78.5%	(77.0-80.1)
<b>Sex</b>	<b>Female</b>	760	27.7%	(25.5-29.9)	1823	72.3%	(70.1-74.5)
	<b>Male</b>	402	15.5%	(13.6-17.4)	2052	84.5%	(82.6-86.4)
<b>Age</b>	<b>14 years old or younger</b>	159	23.8%	(20.0-27.6)	447	76.2%	(72.4-80.0)
	<b>15 years old</b>	334	22.9%	(20.1-25.7)	1057	77.1%	(74.3-79.9)
	<b>16 years old</b>	313	20.9%	(18.2-23.7)	1019	79.1%	(76.3-81.8)
	<b>17 years old</b>	260	21.3%	(18.4-24.2)	903	78.7%	(75.8-81.6)
	<b>18 years old or older</b>	102	18.2%	(13.6-22.7)	452	81.8%	(77.3-86.4)
<b>Grade</b>	<b>9th grade</b>	370	24.1%	(21.5-26.7)	1108	75.9%	(73.3-78.5)
	<b>10th grade</b>	320	21.6%	(18.3-24.9)	1002	78.4%	(75.1-81.7)
	<b>11th grade</b>	259	19.1%	(16.4-21.7)	977	80.9%	(78.3-83.6)
	<b>12th grade</b>	199	20.6%	(17.3-23.9)	754	79.4%	(76.1-82.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	25	21.4%	(10.5-32.3)	79	78.6%	(67.7-89.5)
	<b>Asian<sup>d</sup></b>	50	19.6%	(13.4-25.7)	205	80.4%	(74.3-86.6)
	<b>Black<sup>d</sup></b>	47	15.1%	(10.9-19.3)	223	84.9%	(80.7-89.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	20	18.6%	(10.7-26.5)	71	81.4%	(73.5-89.3)
	<b>White<sup>d</sup></b>	431	20.8%	(18.3-23.3)	1514	79.2%	(76.7-81.7)
	<b>Hispanic/Latino</b>	491	23.8%	(21.4-26.3)	1518	76.2%	(73.7-78.6)
	<b>Other/Multiple<sup>d</sup></b>	71	22.9%	(18.1-27.7)	204	77.1%	(72.3-81.9)
<b>Region</b>	<b>1: Carson City and Douglas</b>	73	28.8%	(18.1-39.5)	216	71.2%	(60.5-81.9)
	<b>2: Elko, White Pine, and Eureka</b>	81	22.1%	(16.8-27.3)	274	77.9%	(72.7-83.2)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	75	25.0%	(19.8-30.3)	247	75.0%	(69.7-80.2)
	<b>4: Lyon, Mineral, and Storey</b>	67	27.8%	(21.5-34.0)	165	72.2%	(66.0-78.5)
	<b>5: Nye and Lincoln</b>	101	23.8%	(19.6-27.9)	314	76.2%	(72.1-80.4)
	<b>6: Washoe</b>	288	23.8%	(20.5-27.2)	872	76.2%	(72.8-79.5)
	<b>7: Clark</b>	485	20.3%	(18.4-22.3)	1801	79.7%	(77.7-81.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> One or more times during the 12 months before the survey

**Table 33: Percentage of high school students who ever lived with someone who was depressed, mentally ill, or suicidal, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1526	30.4%	(28.5-32.3)	3313	69.6%	(67.7-71.5)
<b>Sex</b>	<b>Female</b>	905	36.0%	(33.4-38.6)	1586	64.0%	(61.4-66.6)
	<b>Male</b>	616	25.0%	(22.7-27.4)	1716	75.0%	(72.6-77.3)
<b>Age</b>	<b>14 years old or younger</b>	151	28.4%	(23.8-32.9)	420	71.6%	(67.1-76.2)
	<b>15 years old</b>	396	28.3%	(25.2-31.4)	940	71.7%	(68.6-74.8)
	<b>16 years old</b>	421	31.0%	(27.5-34.5)	866	69.0%	(65.5-72.5)
	<b>17 years old</b>	408	34.5%	(30.4-38.6)	706	65.5%	(61.4-69.6)
	<b>18 years old or older</b>	149	27.7%	(22.4-33.0)	371	72.3%	(67.0-77.6)
<b>Grade</b>	<b>9th grade</b>	412	28.9%	(26.1-31.6)	1000	71.1%	(68.4-73.9)
	<b>10th grade</b>	390	29.2%	(25.6-32.7)	881	70.8%	(67.3-74.4)
	<b>11th grade</b>	409	32.6%	(28.8-36.3)	778	67.4%	(63.7-71.2)
	<b>12th grade</b>	297	31.3%	(27.2-35.4)	612	68.7%	(64.6-72.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	37	41.4%	(26.9-55.8)	66	58.6%	(44.2-73.1)
	<b>Asian<sup>d</sup></b>	47	18.7%	(13.1-24.3)	202	81.3%	(75.7-86.9)
	<b>Black<sup>d</sup></b>	68	24.3%	(18.7-30.0)	185	75.7%	(70.0-81.3)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	19	23.0%	(14.2-31.8)	69	77.0%	(68.2-85.8)
	<b>White<sup>d</sup></b>	667	34.6%	(31.2-37.9)	1215	65.4%	(62.1-68.8)
	<b>Hispanic/Latino</b>	529	28.3%	(25.6-31.0)	1364	71.7%	(69.0-74.4)
	<b>Other/Multiple<sup>d</sup></b>	116	40.3%	(33.4-47.2)	157	59.7%	(52.8-66.6)
<b>Region</b>	<b>1: Carson City and Douglas</b>	94	29.9%	(21.7-38.1)	189	70.1%	(61.9-78.3)
	<b>2: Elko, White Pine, and Eureka</b>	103	30.4%	(23.2-37.7)	244	69.6%	(62.3-76.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	80	25.4%	(17.1-33.6)	222	74.6%	(66.4-82.9)
	<b>4: Lyon, Mineral, and Storey</b>	82	34.9%	(27.5-42.2)	137	65.1%	(57.8-72.5)
	<b>5: Nye and Lincoln</b>	146	37.3%	(31.8-42.8)	255	62.7%	(57.2-68.2)
	<b>6: Washoe</b>	361	32.8%	(27.9-37.6)	730	67.2%	(62.4-72.1)
	<b>7: Clark</b>	660	29.8%	(27.5-32.2)	1536	70.2%	(67.8-72.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**Tobacco Use**

**Table 34: Percentage of high school students who ever smoked cigarettes,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1705	32.4%	(30.0-34.8)	3225	67.6%	(65.2-70.0)
<b>Sex</b>	<b>Female</b>	872	32.8%	(29.6-36.0)	1667	67.2%	(64.0-70.4)
	<b>Male</b>	825	31.9%	(29.3-34.6)	1549	68.1%	(65.4-70.7)
<b>Age</b>	<b>14 years old or younger</b>	162	25.4%	(20.6-30.2)	425	74.6%	(69.8-79.4)
	<b>15 years old</b>	400	26.6%	(23.1-30.0)	961	73.4%	(70.0-76.9)
	<b>16 years old</b>	444	31.3%	(27.7-35.0)	858	68.7%	(65.0-72.3)
	<b>17 years old</b>	456	39.1%	(34.9-43.2)	674	60.9%	(56.8-65.1)
	<b>18 years old or older</b>	237	39.0%	(32.8-45.1)	303	61.0%	(54.9-67.2)
<b>Grade</b>	<b>9th grade</b>	421	26.3%	(23.1-29.6)	1023	73.7%	(70.4-76.9)
	<b>10th grade</b>	413	30.0%	(25.5-34.5)	877	70.0%	(65.5-74.5)
	<b>11th grade</b>	435	34.2%	(29.9-38.5)	775	65.8%	(61.5-70.1)
	<b>12th grade</b>	409	39.7%	(35.0-44.3)	518	60.3%	(55.7-65.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	56	52.8%	(40.3-65.3)	44	47.2%	(34.7-59.7)
	<b>Asian<sup>d</sup></b>	51	22.1%	(15.7-28.5)	200	77.9%	(71.5-84.3)
	<b>Black<sup>d</sup></b>	84	31.9%	(25.3-38.5)	176	68.1%	(61.5-74.7)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	30	35.2%	(23.6-46.8)	60	64.8%	(53.2-76.4)
	<b>White<sup>d</sup></b>	613	29.2%	(26.0-32.4)	1299	70.8%	(67.6-74.0)
	<b>Hispanic/Latino</b>	730	35.7%	(32.7-38.8)	1220	64.3%	(61.2-67.3)
	<b>Other/Multiple<sup>d</sup></b>	102	35.4%	(27.6-43.2)	166	64.6%	(56.8-72.4)
<b>Region</b>	<b>1: Carson City and Douglas</b>	99	30.5%	(20.6-40.4)	181	69.5%	(59.6-79.4)
	<b>2: Elko, White Pine, and Eureka</b>	156	42.2%	(35.7-48.6)	191	57.8%	(51.4-64.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	117	38.8%	(30.5-47.1)	196	61.2%	(52.9-69.5)
	<b>4: Lyon, Mineral, and Storey</b>	112	49.8%	(39.8-59.8)	115	50.2%	(40.2-60.2)
	<b>5: Nye and Lincoln</b>	141	36.4%	(28.8-44.0)	253	63.6%	(56.0-71.2)
	<b>6: Washoe</b>	395	36.2%	(31.4-41.0)	732	63.8%	(59.0-68.6)
	<b>7: Clark</b>	685	30.7%	(27.7-33.7)	1557	69.3%	(66.3-72.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Ever tried cigarette smoking, even one or two puffs

**Table 35: Percentage of high school students who smoked a whole cigarette for the first time before age 13 years, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	362	6.4%	(5.5-7.2)	4563	93.6%	(92.8-94.5)
<b>Sex</b>	<b>Female</b>	142	4.8%	(3.8-5.9)	2385	95.2%	(94.1-96.2)
	<b>Male</b>	215	7.7%	(6.3-9.1)	2163	92.3%	(90.9-93.7)
<b>Age</b>	<b>14 years old or younger</b>	46	6.3%	(3.9-8.6)	537	93.7%	(91.4-96.1)
	<b>15 years old</b>	102	6.7%	(5.0-8.5)	1255	93.3%	(91.5-95.0)
	<b>16 years old</b>	90	5.1%	(3.8-6.5)	1213	94.9%	(93.5-96.2)
	<b>17 years old</b>	91	7.9%	(5.7-10.0)	1039	92.1%	(90.0-94.3)
	<b>18 years old or older</b>	30	5.3%	(2.9-7.6)	510	94.7%	(92.4-97.1)
<b>Grade</b>	<b>9th grade</b>	107	6.5%	(5.0-8.0)	1331	93.5%	(92.0-95.0)
	<b>10th grade</b>	99	6.7%	(5.0-8.5)	1187	93.3%	(91.5-95.0)
	<b>11th grade</b>	95	7.0%	(5.1-8.9)	1113	93.0%	(91.1-94.9)
	<b>12th grade</b>	53	5.0%	(3.4-6.6)	878	95.0%	(93.4-96.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	19	18.4%	(8.3-28.5)	83	81.6%	(71.5-91.7)
	<b>Asian<sup>d</sup></b>	11	4.6%	(1.6-7.6)	241	95.4%	(92.4-98.4)
	<b>Black<sup>d</sup></b>	23	7.9%	(4.0-11.8)	237	92.1%	(88.2-96.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	4.6%	(0.0-10.0)	86	95.4%	(90.0-100.0)
	<b>White<sup>d</sup></b>	122	5.4%	(4.1-6.8)	1787	94.6%	(93.2-95.9)
	<b>Hispanic/Latino</b>	150	6.5%	(5.4-7.7)	1793	93.5%	(92.3-94.6)
	<b>Other/Multiple<sup>d</sup></b>	21	7.1%	(3.1-11.0)	246	92.9%	(89.0-96.9)
<b>Region</b>	<b>1: Carson City and Douglas</b>	22	5.3%	(1.7-9.0)	257	94.7%	(91.0-98.3)
	<b>2: Elko, White Pine, and Eureka</b>	38	10.2%	(4.7-15.8)	308	89.8%	(84.2-95.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	25	7.7%	(3.4-12.0)	291	92.3%	(88.0-96.6)
	<b>4: Lyon, Mineral, and Storey</b>	33	15.8%	(8.8-22.8)	198	84.2%	(77.2-91.2)
	<b>5: Nye and Lincoln</b>	37	10.1%	(6.0-14.2)	350	89.9%	(85.8-94.0)
	<b>6: Washoe</b>	76	7.2%	(5.2-9.2)	1050	92.8%	(90.8-94.8)
	<b>7: Clark</b>	131	5.7%	(4.7-6.8)	2109	94.3%	(93.2-95.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**Table 36: Percentage of high school students who currently smoked cigarettes,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	412	7.2%	(6.2-8.2)	4443	92.8%	(91.8-93.8)
<b>Sex</b>	<b>Female</b>	221	8.0%	(6.5-9.5)	2274	92.0%	(90.5-93.5)
	<b>Male</b>	189	6.5%	(5.2-7.7)	2153	93.5%	(92.3-94.8)
<b>Age</b>	<b>14 years old or younger</b>	43	5.8%	(3.8-7.7)	536	94.2%	(92.3-96.2)
	<b>15 years old</b>	86	5.8%	(4.3-7.3)	1255	94.2%	(92.7-95.7)
	<b>16 years old</b>	106	6.7%	(5.0-8.4)	1174	93.3%	(91.6-95.0)
	<b>17 years old</b>	110	8.8%	(6.8-10.8)	1007	91.2%	(89.2-93.2)
	<b>18 years old or older</b>	66	9.3%	(6.2-12.4)	461	90.7%	(87.6-93.8)
<b>Grade</b>	<b>9th grade</b>	89	4.8%	(3.6-6.1)	1331	95.2%	(93.9-96.4)
	<b>10th grade</b>	100	7.1%	(5.0-9.3)	1177	92.9%	(90.7-95.0)
	<b>11th grade</b>	101	7.6%	(5.7-9.5)	1095	92.4%	(90.5-94.3)
	<b>12th grade</b>	115	9.6%	(7.1-12.2)	790	90.4%	(87.8-92.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	15	20.8%	(8.8-32.8)	75	79.2%	(67.2-91.2)
	<b>Asian<sup>d</sup></b>	5	2.7%	(0.2-5.2)	244	97.3%	(94.8-99.8)
	<b>Black<sup>d</sup></b>	19	5.4%	(2.7-8.1)	243	94.6%	(91.9-97.3)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	6	6.5%	(0.5-12.5)	82	93.5%	(87.5-99.5)
	<b>White<sup>d</sup></b>	179	8.4%	(6.7-10.0)	1710	91.6%	(90.0-93.3)
	<b>Hispanic/Latino</b>	155	7.1%	(5.6-8.6)	1754	92.9%	(91.4-94.4)
	<b>Other/Multiple<sup>d</sup></b>	21	5.7%	(2.6-8.8)	248	94.3%	(91.2-97.4)
<b>Region</b>	<b>1: Carson City and Douglas</b>	29	9.8%	(4.5-15.2)	248	90.2%	(84.8-95.5)
	<b>2: Elko, White Pine, and Eureka</b>	55	16.0%	(10.5-21.5)	283	84.0%	(78.5-89.5)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	26	9.8%	(4.5-15.1)	283	90.2%	(84.9-95.5)
	<b>4: Lyon, Mineral, and Storey</b>	37	15.6%	(9.6-21.5)	186	84.4%	(78.5-90.4)
	<b>5: Nye and Lincoln</b>	33	8.3%	(4.8-11.8)	353	91.7%	(88.2-95.2)
	<b>6: Washoe</b>	102	10.3%	(7.5-13.1)	1010	89.7%	(86.9-92.5)
	<b>7: Clark</b>	130	5.9%	(4.7-7.1)	2080	94.1%	(92.9-95.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Smoked cigarettes on at least 1 day during the 30 days before the survey

**Table 37: Percentage of high school students who frequently currently smoked cigarettes,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	122	1.9%	(1.4-2.4)	4733	98.1%	(97.6-98.6)
<b>Sex</b>	<b>Female</b>	66	2.1%	(1.4-2.9)	2429	97.9%	(97.1-98.6)
	<b>Male</b>	56	1.6%	(1.1-2.2)	2286	98.4%	(97.8-98.9)
<b>Age</b>	<b>14 years old or younger</b>	7	0.7%	(0.0-1.3)	572	99.3%	(98.7-100.0)
	<b>15 years old</b>	19	0.8%	(0.4-1.3)	1322	99.2%	(98.7-99.6)
	<b>16 years old</b>	28	1.3%	(0.6-2.0)	1252	98.7%	(98.0-99.4)
	<b>17 years old</b>	44	3.5%	(2.2-4.8)	1073	96.5%	(95.2-97.8)
	<b>18 years old or older</b>	23	3.0%	(1.3-4.7)	504	97.0%	(95.3-98.7)
<b>Grade</b>	<b>9th grade</b>	21	0.9%	(0.4-1.3)	1399	99.1%	(98.7-99.6)
	<b>10th grade</b>	22	1.1%	(0.4-1.9)	1255	98.9%	(98.1-99.6)
	<b>11th grade</b>	33	2.3%	(1.3-3.3)	1163	97.7%	(96.7-98.7)
	<b>12th grade</b>	45	3.3%	(1.9-4.8)	860	96.7%	(95.2-98.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	5	9.8%	(0.0-19.5)	85	90.2%	(80.5-100.0)
	<b>Asian<sup>d</sup></b>	3	1.4%	(0.0-3.2)	246	98.6%	(96.8-100.0)
	<b>Black<sup>d</sup></b>	5	0.7%	(0.0-1.6)	257	99.3%	(98.4-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	0.5%	(0.0-1.4)	86	99.5%	(98.6-100.0)
	<b>White<sup>d</sup></b>	65	3.0%	(2.0-3.9)	1824	97.0%	(96.1-98.0)
	<b>Hispanic/Latino</b>	30	1.0%	(0.4-1.7)	1879	99.0%	(98.3-99.6)
	<b>Other/Multiple<sup>d</sup></b>	8	1.3%	(0.0-2.6)	261	98.7%	(97.4-100.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	9	2.8%	(0.1-5.6)	268	97.2%	(94.4-99.9)
	<b>2: Elko, White Pine, and Eureka</b>	21	5.8%	(1.4-10.1)	317	94.2%	(89.9-98.6)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	13	4.5%	(1.3-7.6)	296	95.5%	(92.4-98.7)
	<b>4: Lyon, Mineral, and Storey</b>	11	4.1%	(1.5-6.7)	212	95.9%	(93.3-98.5)
	<b>5: Nye and Lincoln</b>	12	3.5%	(0.6-6.4)	374	96.5%	(93.6-99.4)
	<b>6: Washoe</b>	33	3.6%	(1.8-5.4)	1079	96.4%	(94.6-98.2)
	<b>7: Clark</b>	23	1.2%	(0.7-1.7)	2187	98.8%	(98.3-99.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Smoked cigarettes on 20 or more days during the 30 days before the survey



**Table 38: Percentage of high school students who smoked more than 10 cigarettes per day,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	24	5.7%	(2.6-8.8)	383	94.3%	(91.2-97.4)
<b>Sex</b>	<b>Female</b>	11	5.4%	(0.9-9.8)	206	94.6%	(90.2-99.1)
	<b>Male</b>	13	6.2%	(1.6-10.7)	175	93.8%	(89.3-98.4)
<b>Age</b>	<b>14 years old or younger</b>	3	5.5%	(0.0-14.3)	39	94.5%	(85.7-100.0)
	<b>15 years old</b>	4	4.1%	(0.0-9.1)	81	95.9%	(90.9-100.0)
	<b>16 years old</b>	3	3.1%	(0.0-7.9)	102	96.9%	(92.1-100.0)
	<b>17 years old</b>	10	9.3%	(1.2-17.4)	99	90.7%	(82.6-98.8)
	<b>18 years old or older</b>	4	4.9%	(0.0-11.9)	61	95.1%	(88.1-100.0)
<b>Grade</b>	<b>9th grade</b>	5	6.6%	(0.0-13.3)	83	93.4%	(86.7-100.0)
	<b>10th grade</b>	3	3.1%	(0.0-7.8)	96	96.9%	(92.2-100.0)
	<b>11th grade</b>	7	6.5%	(0.5-12.5)	93	93.5%	(87.5-99.5)
	<b>12th grade</b>	9	6.8%	(0.0-14.1)	105	93.2%	(85.9-100.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	2	22.3%	(0.0-54.4)	13	77.7%	(45.6-100.0)
	<b>Asian<sup>d</sup></b>	1	16.1%	(0.0-46.5)	4	83.9%	(53.5-100.0)
	<b>Black<sup>d</sup></b>	2	8.3%	(0.0-22.8)	17	91.7%	(77.2-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	0	0.0%	(0.0-0.0)	6	100.0%	(100.0-100.0)
	<b>White<sup>d</sup></b>	12	5.7%	(1.6-9.7)	165	94.3%	(90.3-98.4)
	<b>Hispanic/Latino</b>	4	3.3%	(0.0-7.0)	148	96.7%	(93.0-100.0)
	<b>Other/Multiple<sup>d</sup></b>	1	3.4%	(0.0-10.3)	20	96.6%	(89.7-100.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	1	1.2%	(0.0-3.6)	27	98.8%	(96.4-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	3	6.4%	(0.0-12.7)	51	93.6%	(87.3-100.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	2	6.7%	(0.0-13.7)	24	93.3%	(86.3-100.0)
	<b>4: Lyon, Mineral, and Storey</b>	2	6.4%	(0.0-13.6)	35	93.6%	(86.4-100.0)
	<b>5: Nye and Lincoln</b>	3	11.1%	(0.0-28.1)	29	88.9%	(71.9-100.0)
	<b>6: Washoe</b>	6	6.9%	(0.0-15.8)	94	93.1%	(84.2-100.0)
	<b>7: Clark</b>	7	5.3%	(1.3-9.3)	123	94.7%	(90.7-98.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> On the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes

**Table 39: Percentage of high school students who usually obtained their own cigarettes by buying them in a store or gas station,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	34	12.1%	(6.8-17.4)	304	87.9%	(82.6-93.2)
<b>Sex</b>	<b>Female</b>	18	12.8%	(5.9-19.8)	168	87.2%	(80.2-94.1)
	<b>Male</b>	15	11.3%	(3.8-18.8)	135	88.7%	(81.2-96.2)
<b>Age</b>	<b>14 years old or younger</b>	3	6.5%	(0.0-15.7)	40	93.5%	(84.3-100.0)
	<b>15 years old</b>	2	3.9%	(0.0-9.2)	84	96.1%	(90.8-100.0)
	<b>16 years old</b>	6	4.2%	(0.2-8.1)	97	95.8%	(91.9-99.8)
	<b>17 years old</b>	23	25.7%	(13.7-37.7)	83	74.3%	(62.3-86.3)
<b>Grade</b>	<b>9th grade</b>	4	9.0%	(0.8-17.2)	85	91.0%	(82.8-99.2)
	<b>10th grade</b>	3	1.6%	(0.0-3.8)	94	98.4%	(96.2-100.0)
	<b>11th grade</b>	14	16.5%	(4.5-28.5)	78	83.5%	(71.5-95.5)
	<b>12th grade</b>	12	25.5%	(8.7-42.4)	42	74.5%	(57.6-91.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	1	19.5%	(0.0-53.3)	13	80.5%	(46.7-100.0)
	<b>Asian<sup>d</sup></b>	2	64.0%	(7.4-100.0)	1	36.0%	(0.0-92.6)
	<b>Black<sup>d</sup></b>	0	0.0%	(0.0-0.0)	17	100.0%	(100.0-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	20.2%	(0.0-57.9)	4	79.8%	(42.1-100.0)
	<b>White<sup>d</sup></b>	16	13.7%	(6.3-21.1)	133	86.3%	(78.9-93.7)
	<b>Hispanic/Latino</b>	9	8.9%	(2.5-15.4)	114	91.1%	(84.6-97.5)
	<b>Other/Multiple<sup>d</sup></b>	3	12.3%	(0.0-34.1)	13	87.7%	(65.9-100.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	1	9.2%	(0.0-27.1)	26	90.8%	(72.9-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	3	3.3%	(0.0-8.5)	35	96.7%	(91.5-100.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	2	8.4%	(0.0-21.5)	19	91.6%	(78.5-100.0)
	<b>4: Lyon, Mineral, and Storey</b>	4	13.1%	(0.0-30.9)	25	86.9%	(69.1-100.0)
	<b>5: Nye and Lincoln</b>	2	4.8%	(0.0-12.7)	23	95.2%	(87.3-100.0)
	<b>6: Washoe</b>	8	11.8%	(0.7-23.0)	83	88.2%	(77.0-99.3)
	<b>7: Clark</b>	14	13.5%	(5.8-21.1)	93	86.5%	(78.9-94.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 30 days before the survey, among students who currently smoked cigarettes and who were aged <18 years

**Table 40: Percentage of high school students who tried to quit smoking cigarettes during the 12 months before the survey,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	211	52.0%	(45.0-59.0)	180	48.0%	(41.0-55.0)
<b>Sex</b>	<b>Female</b>	124	56.4%	(47.7-65.0)	90	43.6%	(35.0-52.3)
	<b>Male</b>	86	47.4%	(37.1-57.7)	89	52.6%	(42.3-62.9)
<b>Age</b>	<b>14 years old or younger</b>	14	29.8%	(13.9-45.7)	26	70.2%	(54.3-86.1)
	<b>15 years old</b>	53	63.4%	(50.0-76.7)	27	36.6%	(23.3-50.0)
	<b>16 years old</b>	61	58.7%	(46.6-70.8)	41	41.3%	(29.2-53.4)
	<b>17 years old</b>	53	52.1%	(38.7-65.5)	52	47.9%	(34.5-61.3)
	<b>18 years old or older</b>	30	40.4%	(25.3-55.4)	33	59.6%	(44.6-74.7)
<b>Grade</b>	<b>9th grade</b>	41	42.8%	(29.4-56.2)	44	57.2%	(43.8-70.6)
	<b>10th grade</b>	64	68.0%	(57.0-79.1)	31	32.0%	(20.9-43.0)
	<b>11th grade</b>	47	46.3%	(33.1-59.5)	48	53.7%	(40.5-66.9)
	<b>12th grade</b>	56	48.5%	(37.0-59.9)	55	51.5%	(40.1-63.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	11	98.5%	(96.1-100.0)	2	1.5%	(0.0-3.9)
	<b>Asian<sup>d</sup></b>	3	59.7%	(14.1-100.0)	2	40.3%	(0.0-85.9)
	<b>Black<sup>d</sup></b>	8	52.3%	(23.5-81.1)	8	47.7%	(18.9-76.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	3	28.9%	(0.0-69.1)	3	71.1%	(30.9-100.0)
	<b>White<sup>d</sup></b>	97	53.7%	(44.4-63.0)	77	46.3%	(37.0-55.6)
	<b>Hispanic/Latino</b>	66	43.2%	(32.8-53.5)	79	56.8%	(46.5-67.2)
	<b>Other/Multiple<sup>d</sup></b>	16	73.9%	(48.9-98.9)	5	26.1%	(1.1-51.1)
<b>Region</b>	<b>1: Carson City and Douglas</b>	12	39.3%	(24.6-54.0)	16	60.7%	(46.0-75.4)
	<b>2: Elko, White Pine, and Eureka</b>	34	70.3%	(58.2-82.3)	18	29.7%	(17.7-41.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	18	73.2%	(54.5-92.0)	7	26.8%	(8.0-45.5)
	<b>4: Lyon, Mineral, and Storey</b>	19	50.5%	(34.1-67.0)	18	49.5%	(33.0-65.9)
	<b>5: Nye and Lincoln</b>	13	39.5%	(17.9-61.1)	20	60.5%	(38.9-82.1)
	<b>6: Washoe</b>	56	63.5%	(51.8-75.3)	38	36.5%	(24.7-48.2)
	<b>7: Clark</b>	59	46.7%	(36.6-56.9)	63	53.3%	(43.1-63.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among students who currently smoked cigarettes during the 12 months before the survey

**Table 41: Percentage of high school students who currently used smokeless tobacco,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	282	4.3%	(3.6-5.1)	4760	95.7%	(94.9-96.4)
<b>Sex</b>	<b>Female</b>	64	2.0%	(1.3-2.7)	2515	98.0%	(97.3-98.7)
	<b>Male</b>	217	6.6%	(5.4-7.7)	2226	93.4%	(92.3-94.6)
<b>Age</b>	<b>14 years old or younger</b>	41	4.9%	(2.6-7.1)	563	95.1%	(92.9-97.4)
	<b>15 years old</b>	50	2.8%	(1.5-4.0)	1339	97.2%	(96.0-98.5)
	<b>16 years old</b>	69	3.8%	(2.5-5.1)	1256	96.2%	(94.9-97.5)
	<b>17 years old</b>	72	4.7%	(3.2-6.2)	1087	95.3%	(93.8-96.8)
	<b>18 years old or older</b>	49	7.0%	(4.0-10.0)	504	93.0%	(90.0-96.0)
<b>Grade</b>	<b>9th grade</b>	64	2.8%	(1.7-4.0)	1414	97.2%	(96.0-98.3)
	<b>10th grade</b>	66	4.4%	(2.8-5.9)	1249	95.6%	(94.1-97.2)
	<b>11th grade</b>	71	4.1%	(2.9-5.3)	1158	95.9%	(94.7-97.1)
	<b>12th grade</b>	69	5.9%	(4.1-7.8)	882	94.1%	(92.2-95.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	11	13.7%	(3.5-23.9)	92	86.3%	(76.1-96.5)
	<b>Asian<sup>d</sup></b>	5	2.3%	(0.0-4.9)	251	97.7%	(95.1-100.0)
	<b>Black<sup>d</sup></b>	12	3.7%	(1.4-6.0)	258	96.3%	(94.0-98.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	3.5%	(0.0-8.2)	85	96.5%	(91.8-100.0)
	<b>White<sup>d</sup></b>	133	5.4%	(4.2-6.7)	1801	94.6%	(93.3-95.8)
	<b>Hispanic/Latino</b>	89	3.6%	(2.4-4.7)	1915	96.4%	(95.3-97.6)
	<b>Other/Multiple<sup>d</sup></b>	15	3.2%	(1.0-5.5)	262	96.8%	(94.5-99.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	18	10.3%	(0.5-20.0)	272	89.7%	(80.0-99.5)
	<b>2: Elko, White Pine, and Eureka</b>	38	11.9%	(6.2-17.6)	316	88.1%	(82.4-93.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	37	12.5%	(5.9-19.2)	284	87.5%	(80.8-94.1)
	<b>4: Lyon, Mineral, and Storey</b>	29	14.1%	(7.4-20.8)	203	85.9%	(79.2-92.6)
	<b>5: Nye and Lincoln</b>	41	8.7%	(5.2-12.2)	361	91.3%	(87.8-94.8)
	<b>6: Washoe</b>	54	5.7%	(3.6-7.7)	1099	94.3%	(92.3-96.4)
	<b>7: Clark</b>	65	3.0%	(2.2-3.7)	2225	97.0%	(96.3-97.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey

**Table 42: Percentage of high school students who currently smoked cigars,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	368	6.5%	(5.5-7.4)	4666	93.5%	(92.6-94.5)
<b>Sex</b>	<b>Female</b>	123	4.6%	(3.5-5.8)	2451	95.4%	(94.2-96.5)
	<b>Male</b>	241	8.2%	(6.9-9.5)	2198	91.8%	(90.5-93.1)
<b>Age</b>	<b>14 years old or younger</b>	35	4.5%	(2.3-6.6)	567	95.5%	(93.4-97.7)
	<b>15 years old</b>	79	5.8%	(4.3-7.4)	1305	94.2%	(92.6-95.7)
	<b>16 years old</b>	81	4.7%	(3.3-6.2)	1246	95.3%	(93.8-96.7)
	<b>17 years old</b>	101	7.3%	(5.6-9.0)	1056	92.7%	(91.0-94.4)
	<b>18 years old or older</b>	68	10.5%	(7.0-14.0)	484	89.5%	(86.0-93.0)
<b>Grade</b>	<b>9th grade</b>	80	4.7%	(3.3-6.1)	1393	95.3%	(93.9-96.7)
	<b>10th grade</b>	76	6.1%	(4.2-8.0)	1239	93.9%	(92.0-95.8)
	<b>11th grade</b>	83	5.3%	(3.7-6.9)	1147	94.7%	(93.1-96.3)
	<b>12th grade</b>	120	10.0%	(7.5-12.5)	827	90.0%	(87.5-92.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	11	13.9%	(4.1-23.8)	93	86.1%	(76.2-95.9)
	<b>Asian<sup>d</sup></b>	7	3.2%	(0.1-6.3)	248	96.8%	(93.7-99.9)
	<b>Black<sup>d</sup></b>	20	6.6%	(3.4-9.9)	249	93.4%	(90.1-96.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	7	10.1%	(2.6-17.5)	83	89.9%	(82.5-97.4)
	<b>White<sup>d</sup></b>	144	6.8%	(5.4-8.3)	1792	93.2%	(91.7-94.6)
	<b>Hispanic/Latino</b>	148	6.5%	(5.3-7.7)	1849	93.5%	(92.3-94.7)
	<b>Other/Multiple<sup>d</sup></b>	13	3.5%	(1.2-5.9)	262	96.5%	(94.1-98.8)
<b>Region</b>	<b>1: Carson City and Douglas</b>	18	7.5%	(1.9-13.2)	271	92.5%	(86.8-98.1)
	<b>2: Elko, White Pine, and Eureka</b>	43	9.6%	(6.2-13.0)	311	90.4%	(87.0-93.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	29	10.6%	(5.4-15.8)	292	89.4%	(84.2-94.6)
	<b>4: Lyon, Mineral, and Storey</b>	22	9.0%	(4.6-13.3)	211	91.0%	(86.7-95.4)
	<b>5: Nye and Lincoln</b>	40	9.4%	(6.0-12.7)	367	90.6%	(87.3-94.0)
	<b>6: Washoe</b>	85	8.2%	(5.9-10.6)	1065	91.8%	(89.4-94.1)
	<b>7: Clark</b>	131	5.7%	(4.5-6.8)	2149	94.3%	(93.2-95.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Smoked cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey

**Table 43: Percentage of high school students who currently used tobacco,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	625	11.4%	(10.0-12.8)	4204	88.6%	(87.2-90.0)
<b>Sex</b>	<b>Female</b>	269	10.1%	(8.3-11.8)	2214	89.9%	(88.2-91.7)
	<b>Male</b>	352	12.6%	(10.9-14.2)	1975	87.4%	(85.8-89.1)
<b>Age</b>	<b>14 years old or younger</b>	58	7.8%	(5.5-10.1)	518	92.2%	(89.9-94.5)
	<b>15 years old</b>	130	8.5%	(6.8-10.2)	1201	91.5%	(89.8-93.2)
	<b>16 years old</b>	155	9.5%	(7.3-11.6)	1119	90.5%	(88.4-92.7)
	<b>17 years old</b>	170	14.0%	(11.4-16.6)	942	86.0%	(83.4-88.6)
	<b>18 years old or older</b>	109	18.5%	(13.8-23.2)	415	81.5%	(76.8-86.2)
<b>Grade</b>	<b>9th grade</b>	134	7.2%	(5.7-8.8)	1279	92.8%	(91.2-94.3)
	<b>10th grade</b>	145	10.4%	(7.9-13.0)	1121	89.6%	(87.0-92.1)
	<b>11th grade</b>	149	10.6%	(8.3-12.9)	1043	89.4%	(87.1-91.7)
	<b>12th grade</b>	186	18.0%	(14.6-21.4)	714	82.0%	(78.6-85.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	21	28.9%	(14.9-42.9)	69	71.1%	(57.1-85.1)
	<b>Asian<sup>d</sup></b>	8	3.5%	(0.8-6.3)	241	96.5%	(93.7-99.2)
	<b>Black<sup>d</sup></b>	29	9.8%	(5.9-13.6)	233	90.2%	(86.4-94.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	12	14.0%	(5.4-22.6)	75	86.0%	(77.4-94.6)
	<b>White<sup>d</sup></b>	294	14.4%	(12.1-16.6)	1584	85.6%	(83.4-87.9)
	<b>Hispanic/Latino</b>	211	9.9%	(8.0-11.8)	1686	90.1%	(88.2-92.0)
	<b>Other/Multiple<sup>d</sup></b>	29	8.3%	(3.8-12.8)	238	91.7%	(87.2-96.2)
<b>Region</b>	<b>1: Carson City and Douglas</b>	38	17.2%	(3.2-31.1)	238	82.8%	(68.9-96.8)
	<b>2: Elko, White Pine, and Eureka</b>	80	24.1%	(17.3-30.9)	257	75.9%	(69.1-82.7)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	56	20.0%	(11.5-28.6)	253	80.0%	(71.4-88.5)
	<b>4: Lyon, Mineral, and Storey</b>	54	25.4%	(16.8-34.0)	167	74.6%	(66.0-83.2)
	<b>5: Nye and Lincoln</b>	59	14.9%	(10.0-19.9)	321	85.1%	(80.1-90.0)
	<b>6: Washoe</b>	139	14.4%	(11.3-17.5)	971	85.6%	(82.5-88.7)
	<b>7: Clark</b>	199	9.4%	(7.8-11.0)	1997	90.6%	(89.0-92.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Cigarette, smokeless tobacco, or cigar use on at least 1 day during the 30 days before the survey

## Electronic Vapor Product Use

**Table 44: Percentage of high school students who ever used electronic vapor products,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	2569	50.9%	(48.3-53.5)	2393	49.1%	(46.5-51.7)
<b>Sex</b>	<b>Female</b>	1335	52.6%	(49.2-56.1)	1213	47.4%	(43.9-50.8)
	<b>Male</b>	1223	49.3%	(46.2-52.4)	1172	50.7%	(47.6-53.8)
<b>Age</b>	<b>14 years old or younger</b>	258	41.1%	(35.5-46.8)	326	58.9%	(53.2-64.5)
	<b>15 years old</b>	613	42.5%	(38.8-46.3)	755	57.5%	(53.7-61.2)
	<b>16 years old</b>	689	51.8%	(48.0-55.6)	621	48.2%	(44.4-52.0)
	<b>17 years old</b>	679	58.9%	(55.4-62.4)	464	41.1%	(37.6-44.6)
	<b>18 years old or older</b>	320	57.4%	(50.4-64.3)	225	42.6%	(35.7-49.6)
<b>Grade</b>	<b>9th grade</b>	643	41.5%	(37.8-45.2)	809	58.5%	(54.8-62.2)
	<b>10th grade</b>	645	49.2%	(44.2-54.3)	647	50.8%	(45.7-55.8)
	<b>11th grade</b>	677	55.2%	(51.5-58.9)	539	44.8%	(41.1-48.5)
	<b>12th grade</b>	565	58.9%	(54.1-63.7)	373	41.1%	(36.3-45.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	66	63.4%	(50.1-76.7)	33	36.6%	(23.3-49.9)
	<b>Asian<sup>d</sup></b>	94	38.0%	(31.2-44.9)	160	62.0%	(55.1-68.8)
	<b>Black<sup>d</sup></b>	133	50.6%	(43.4-57.9)	132	49.4%	(42.1-56.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	47	50.2%	(39.5-60.8)	43	49.8%	(39.2-60.5)
	<b>White<sup>d</sup></b>	908	46.7%	(42.9-50.5)	1006	53.3%	(49.5-57.1)
	<b>Hispanic/Latino</b>	1111	55.9%	(52.9-58.9)	854	44.1%	(41.1-47.1)
	<b>Other/Multiple<sup>d</sup></b>	152	54.6%	(46.3-63.0)	122	45.4%	(37.0-53.7)
<b>Region</b>	<b>1: Carson City and Douglas</b>	140	41.2%	(25.1-57.3)	145	58.8%	(42.7-74.9)
	<b>2: Elko, White Pine, and Eureka</b>	210	58.0%	(51.6-64.4)	136	42.0%	(35.6-48.4)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	174	56.4%	(47.0-65.8)	141	43.6%	(34.2-53.0)
	<b>4: Lyon, Mineral, and Storey</b>	141	65.2%	(55.7-74.6)	83	34.8%	(25.4-44.3)
	<b>5: Nye and Lincoln</b>	183	44.5%	(34.7-54.3)	220	55.5%	(45.7-65.3)
	<b>6: Washoe</b>	602	53.5%	(48.5-58.4)	533	46.5%	(41.6-51.5)
	<b>7: Clark</b>	1119	50.2%	(46.9-53.4)	1135	49.8%	(46.6-53.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz

**Table 45: Percentage of high school students who currently use electronic vapor products,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1330	26.1%	(24.0-28.2)	3658	73.9%	(71.8-76.0)
<b>Sex</b>	<b>Female</b>	638	25.2%	(22.5-27.9)	1918	74.8%	(72.1-77.5)
	<b>Male</b>	687	27.0%	(24.2-29.7)	1726	73.0%	(70.3-75.8)
<b>Age</b>	<b>14 years old or younger</b>	135	18.9%	(14.9-22.9)	457	81.1%	(77.1-85.1)
	<b>15 years old</b>	325	22.8%	(19.6-26.0)	1048	77.2%	(74.0-80.4)
	<b>16 years old</b>	352	26.9%	(23.6-30.1)	958	73.1%	(69.9-76.4)
	<b>17 years old</b>	325	26.8%	(23.3-30.2)	827	73.2%	(69.8-76.7)
	<b>18 years old or older</b>	189	35.2%	(29.7-40.7)	360	64.8%	(59.3-70.3)
<b>Grade</b>	<b>9th grade</b>	331	20.5%	(17.5-23.5)	1125	79.5%	(76.5-82.5)
	<b>10th grade</b>	332	26.0%	(22.4-29.7)	967	74.0%	(70.3-77.6)
	<b>11th grade</b>	334	25.9%	(22.4-29.4)	886	74.1%	(70.6-77.6)
	<b>12th grade</b>	311	32.7%	(27.9-37.5)	633	67.3%	(62.5-72.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	45	48.3%	(34.8-61.7)	55	51.7%	(38.3-65.2)
	<b>Asian<sup>d</sup></b>	41	17.1%	(12.1-22.1)	212	82.9%	(77.9-87.9)
	<b>Black<sup>d</sup></b>	73	26.5%	(20.1-32.8)	196	73.5%	(67.2-79.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	19	18.5%	(9.7-27.3)	71	81.5%	(72.7-90.3)
	<b>White<sup>d</sup></b>	473	24.9%	(21.8-28.0)	1438	75.1%	(72.0-78.2)
	<b>Hispanic/Latino</b>	568	28.0%	(25.5-30.4)	1415	72.0%	(69.6-74.5)
	<b>Other/Multiple<sup>d</sup></b>	76	25.6%	(20.4-30.8)	199	74.4%	(69.2-79.6)
<b>Region</b>	<b>1: Carson City and Douglas</b>	78	27.0%	(12.0-42.0)	207	73.0%	(58.0-88.0)
	<b>2: Elko, White Pine, and Eureka</b>	125	34.2%	(27.5-40.9)	224	65.8%	(59.1-72.5)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	86	29.1%	(23.0-35.3)	229	70.9%	(64.7-77.0)
	<b>4: Lyon, Mineral, and Storey</b>	67	32.3%	(22.1-42.5)	160	67.7%	(57.5-77.9)
	<b>5: Nye and Lincoln</b>	96	23.2%	(16.9-29.6)	308	76.8%	(70.4-83.1)
	<b>6: Washoe</b>	324	30.1%	(25.7-34.6)	818	69.9%	(65.4-74.3)
	<b>7: Clark</b>	554	24.8%	(22.2-27.4)	1712	75.2%	(72.6-77.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey



## Alcohol Use

**Table 46: Percentage of high school students who ever drank alcohol,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	3129	64.0%	(61.6-66.4)	1742	36.0%	(33.6-38.4)
<b>Sex</b>	<b>Female</b>	1692	68.3%	(65.2-71.4)	809	31.7%	(28.6-34.8)
	<b>Male</b>	1430	60.1%	(57.3-62.9)	921	39.9%	(37.1-42.7)
<b>Age</b>	<b>14 years old or younger</b>	298	47.7%	(42.5-52.9)	285	52.3%	(47.1-57.5)
	<b>15 years old</b>	750	54.7%	(51.3-58.1)	583	45.3%	(41.9-48.7)
	<b>16 years old</b>	858	66.9%	(63.4-70.3)	430	33.1%	(29.7-36.6)
	<b>17 years old</b>	819	72.4%	(68.6-76.3)	300	27.6%	(23.7-31.4)
	<b>18 years old or older</b>	400	74.3%	(69.6-79.0)	137	25.7%	(21.0-30.4)
<b>Grade</b>	<b>9th grade</b>	747	49.7%	(46.4-53.0)	671	50.3%	(47.0-53.6)
	<b>10th grade</b>	791	62.3%	(58.4-66.3)	483	37.7%	(33.7-41.6)
	<b>11th grade</b>	850	70.3%	(66.8-73.9)	346	29.7%	(26.1-33.2)
	<b>12th grade</b>	701	75.2%	(71.0-79.5)	221	24.8%	(20.5-29.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	60	62.4%	(48.4-76.3)	37	37.6%	(23.7-51.6)
	<b>Asian<sup>d</sup></b>	115	49.6%	(42.8-56.3)	129	50.4%	(43.7-57.2)
	<b>Black<sup>d</sup></b>	155	59.5%	(51.8-67.3)	106	40.5%	(32.7-48.2)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	46	50.6%	(38.6-62.6)	42	49.4%	(37.4-61.4)
	<b>White<sup>d</sup></b>	1220	63.5%	(59.9-67.1)	665	36.5%	(32.9-40.1)
	<b>Hispanic/Latino</b>	1285	67.9%	(65.1-70.7)	635	32.1%	(29.3-34.9)
	<b>Other/Multiple<sup>d</sup></b>	185	67.7%	(60.5-74.9)	87	32.3%	(25.1-39.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	169	57.7%	(48.3-67.0)	110	42.3%	(33.0-51.7)
	<b>2: Elko, White Pine, and Eureka</b>	226	63.4%	(57.7-69.1)	119	36.6%	(30.9-42.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	210	72.6%	(64.9-80.3)	92	27.4%	(19.7-35.1)
	<b>4: Lyon, Mineral, and Storey</b>	172	76.5%	(69.3-83.7)	53	23.5%	(16.3-30.7)
	<b>5: Nye and Lincoln</b>	242	63.3%	(56.0-70.6)	144	36.7%	(29.4-44.0)
	<b>6: Washoe</b>	734	65.6%	(61.0-70.3)	390	34.4%	(29.7-39.0)
	<b>7: Clark</b>	1376	63.4%	(60.3-66.5)	834	36.6%	(33.5-39.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Had at least one drink of alcohol on at least 1 day during their life

**Table 47: Percentage of high school students who drank alcohol for the first time before age 13 years,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	962	18.0%	(16.4-19.5)	4044	82.0%	(80.5-83.6)
<b>Sex</b>	<b>Female</b>	427	16.1%	(14.3-17.9)	2132	83.9%	(82.1-85.7)
	<b>Male</b>	530	19.7%	(17.5-22.0)	1896	80.3%	(78.0-82.5)
<b>Age</b>	<b>14 years old or younger</b>	136	21.0%	(16.4-25.5)	458	79.0%	(74.5-83.6)
	<b>15 years old</b>	284	20.1%	(17.6-22.5)	1092	79.9%	(77.5-82.4)
	<b>16 years old</b>	248	18.0%	(14.9-21.1)	1075	82.0%	(78.9-85.1)
	<b>17 years old</b>	199	15.5%	(12.9-18.2)	953	84.5%	(81.8-87.1)
	<b>18 years old or older</b>	92	16.2%	(12.3-20.2)	456	83.8%	(79.8-87.7)
<b>Grade</b>	<b>9th grade</b>	324	21.8%	(19.2-24.5)	1139	78.2%	(75.5-80.8)
	<b>10th grade</b>	245	18.8%	(15.9-21.8)	1062	81.2%	(78.2-84.1)
	<b>11th grade</b>	212	15.2%	(12.3-18.0)	1010	84.8%	(82.0-87.7)
	<b>12th grade</b>	160	15.4%	(12.6-18.2)	786	84.6%	(81.8-87.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	32	32.1%	(18.9-45.2)	72	67.9%	(54.8-81.1)
	<b>Asian<sup>d</sup></b>	40	17.1%	(11.4-22.7)	214	82.9%	(77.3-88.6)
	<b>Black<sup>d</sup></b>	59	19.7%	(14.0-25.3)	211	80.3%	(74.7-86.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	13	12.6%	(5.3-20.0)	75	87.4%	(80.0-94.7)
	<b>White<sup>d</sup></b>	324	15.3%	(12.9-17.7)	1592	84.7%	(82.3-87.1)
	<b>Hispanic/Latino</b>	416	19.6%	(17.5-21.7)	1572	80.4%	(78.3-82.5)
	<b>Other/Multiple<sup>d</sup></b>	61	19.1%	(13.9-24.3)	216	80.9%	(75.7-86.1)
<b>Region</b>	<b>1: Carson City and Douglas</b>	48	17.1%	(5.3-28.8)	241	82.9%	(71.2-94.7)
	<b>2: Elko, White Pine, and Eureka</b>	81	22.7%	(17.4-28.1)	272	77.3%	(71.9-82.6)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	66	22.2%	(16.3-28.2)	252	77.8%	(71.8-83.7)
	<b>4: Lyon, Mineral, and Storey</b>	58	25.7%	(18.4-33.1)	175	74.3%	(66.9-81.6)
	<b>5: Nye and Lincoln</b>	110	26.9%	(21.3-32.6)	290	73.1%	(67.4-78.7)
	<b>6: Washoe</b>	194	18.3%	(15.4-21.1)	950	81.7%	(78.9-84.6)
	<b>7: Clark</b>	405	17.3%	(15.3-19.2)	1864	82.7%	(80.8-84.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Other than a few sips

**Table 48: Percentage of high school students who currently drank alcohol,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1420	30.6%	(28.3-32.9)	3126	69.4%	(67.1-71.7)
<b>Sex</b>	<b>Female</b>	814	35.5%	(32.2-38.7)	1516	64.5%	(61.3-67.8)
	<b>Male</b>	603	26.1%	(23.5-28.7)	1595	73.9%	(71.3-76.5)
<b>Age</b>	<b>14 years old or younger</b>	127	20.7%	(16.3-25.1)	429	79.3%	(74.9-83.7)
	<b>15 years old</b>	299	22.7%	(19.6-25.7)	957	77.3%	(74.3-80.4)
	<b>16 years old</b>	369	30.5%	(26.7-34.4)	819	69.5%	(65.6-73.3)
	<b>17 years old</b>	405	36.7%	(32.6-40.8)	635	63.3%	(59.2-67.4)
	<b>18 years old or older</b>	219	43.4%	(37.8-49.0)	276	56.6%	(51.0-62.2)
<b>Grade</b>	<b>9th grade</b>	292	19.4%	(16.7-22.0)	1052	80.6%	(78.0-83.3)
	<b>10th grade</b>	330	27.2%	(23.0-31.4)	852	72.8%	(68.6-77.0)
	<b>11th grade</b>	407	35.7%	(30.9-40.5)	700	64.3%	(59.5-69.1)
	<b>12th grade</b>	373	41.5%	(36.9-46.0)	484	58.5%	(54.0-63.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	31	42.8%	(28.1-57.6)	54	57.2%	(42.4-71.9)
	<b>Asian<sup>d</sup></b>	36	15.4%	(9.5-21.3)	201	84.6%	(78.7-90.5)
	<b>Black<sup>d</sup></b>	57	23.3%	(17.8-28.8)	176	76.7%	(71.2-82.2)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	17	17.0%	(7.4-26.7)	67	83.0%	(73.3-92.6)
	<b>White<sup>d</sup></b>	551	30.9%	(27.1-34.7)	1214	69.1%	(65.3-72.9)
	<b>Hispanic/Latino</b>	624	34.8%	(31.6-38.1)	1174	65.2%	(61.9-68.4)
	<b>Other/Multiple<sup>d</sup></b>	78	27.3%	(20.6-34.0)	172	72.7%	(66.0-79.4)
<b>Region</b>	<b>1: Carson City and Douglas</b>	74	33.3%	(24.6-42.1)	181	66.7%	(57.9-75.4)
	<b>2: Elko, White Pine, and Eureka</b>	110	31.1%	(24.2-38.1)	207	68.9%	(61.9-75.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	108	41.7%	(32.5-50.9)	173	58.3%	(49.1-67.5)
	<b>4: Lyon, Mineral, and Storey</b>	76	36.0%	(27.7-44.3)	135	64.0%	(55.7-72.3)
	<b>5: Nye and Lincoln</b>	104	29.6%	(21.4-37.9)	246	70.4%	(62.1-78.6)
	<b>6: Washoe</b>	370	35.5%	(30.9-40.1)	694	64.5%	(59.9-69.1)
	<b>7: Clark</b>	578	29.0%	(26.1-31.9)	1490	71.0%	(68.1-73.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Had at least one drink of alcohol on at least 1 day during the 30 days before the survey

**Table 49: Percentage of high school students who recently participated in binge drinking,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	793	15.3%	(13.7-16.8)	4100	84.7%	(83.2-86.3)
<b>Sex</b>	<b>Female</b>	436	17.2%	(14.9-19.5)	2079	82.8%	(80.5-85.1)
	<b>Male</b>	355	13.5%	(11.7-15.4)	2003	86.5%	(84.6-88.3)
<b>Age</b>	<b>14 years old or younger</b>	67	8.9%	(6.2-11.7)	516	91.1%	(88.3-93.8)
	<b>15 years old</b>	152	10.2%	(8.3-12.1)	1204	89.8%	(87.9-91.7)
	<b>16 years old</b>	203	14.8%	(12.2-17.5)	1077	85.2%	(82.5-87.8)
	<b>17 years old</b>	234	19.5%	(16.3-22.8)	891	80.5%	(77.2-83.7)
	<b>18 years old or older</b>	136	23.3%	(18.2-28.5)	401	76.7%	(71.5-81.8)
<b>Grade</b>	<b>9th grade</b>	151	9.1%	(7.4-10.9)	1279	90.9%	(89.1-92.6)
	<b>10th grade</b>	170	12.5%	(9.7-15.3)	1104	87.5%	(84.7-90.3)
	<b>11th grade</b>	236	18.2%	(15.1-21.3)	960	81.8%	(78.7-84.9)
	<b>12th grade</b>	225	22.2%	(18.4-25.9)	703	77.8%	(74.1-81.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	22	30.2%	(18.5-41.9)	75	69.8%	(58.1-81.5)
	<b>Asian<sup>d</sup></b>	20	9.1%	(4.3-13.8)	228	90.9%	(86.2-95.7)
	<b>Black<sup>d</sup></b>	27	8.1%	(4.6-11.7)	236	91.9%	(88.3-95.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	10	10.9%	(3.6-18.2)	80	89.1%	(81.8-96.4)
	<b>White<sup>d</sup></b>	312	16.1%	(13.4-18.9)	1573	83.9%	(81.1-86.6)
	<b>Hispanic/Latino</b>	343	17.0%	(14.8-19.2)	1593	83.0%	(80.8-85.2)
	<b>Other/Multiple<sup>d</sup></b>	46	13.9%	(9.7-18.2)	227	86.1%	(81.8-90.3)
<b>Region</b>	<b>1: Carson City and Douglas</b>	42	16.5%	(5.4-27.6)	239	83.5%	(72.4-94.6)
	<b>2: Elko, White Pine, and Eureka</b>	75	18.6%	(14.0-23.3)	269	81.4%	(76.7-86.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	61	21.9%	(15.5-28.3)	243	78.1%	(71.7-84.5)
	<b>4: Lyon, Mineral, and Storey</b>	47	20.5%	(13.7-27.4)	179	79.5%	(72.6-86.3)
	<b>5: Nye and Lincoln</b>	63	16.8%	(10.7-22.9)	320	83.2%	(77.1-89.3)
	<b>6: Washoe</b>	207	19.3%	(16.1-22.4)	918	80.7%	(77.6-83.9)
	<b>7: Clark</b>	298	14.0%	(12.1-15.9)	1932	86.0%	(84.1-87.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Had five or more drinks of alcohol in a row within a couple of hours on at least 1 day during the 30 days before the survey

**Table 50: Percentage of high school students who usually obtained the alcohol they drank by someone giving it to them,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	535	38.7%	(35.4-42.1)	873	61.3%	(57.9-64.6)
<b>Sex</b>	<b>Female</b>	336	42.6%	(38.3-46.9)	473	57.4%	(53.1-61.7)
	<b>Male</b>	199	34.0%	(29.6-38.5)	397	66.0%	(61.5-70.4)
<b>Age</b>	<b>14 years old or younger</b>	49	45.2%	(34.9-55.4)	77	54.8%	(44.6-65.1)
	<b>15 years old</b>	107	35.8%	(29.0-42.6)	189	64.2%	(57.4-71.0)
	<b>16 years old</b>	147	39.4%	(33.4-45.4)	217	60.6%	(54.6-66.6)
	<b>17 years old</b>	152	40.2%	(34.2-46.2)	251	59.8%	(53.8-65.8)
	<b>18 years old or older</b>	80	36.0%	(28.1-43.9)	138	64.0%	(56.1-71.9)
<b>Grade</b>	<b>9th grade</b>	109	40.7%	(34.9-46.6)	181	59.3%	(53.4-65.1)
	<b>10th grade</b>	117	35.2%	(28.7-41.6)	208	64.8%	(58.4-71.3)
	<b>11th grade</b>	177	45.3%	(38.6-52.1)	227	54.7%	(47.9-61.4)
	<b>12th grade</b>	128	34.8%	(28.6-41.0)	243	65.2%	(59.0-71.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	8	23.9%	(4.8-43.1)	23	76.1%	(56.9-95.2)
	<b>Asian<sup>d</sup></b>	12	30.6%	(10.2-50.9)	24	69.4%	(49.1-89.8)
	<b>Black<sup>d</sup></b>	23	42.3%	(28.7-55.9)	34	57.7%	(44.1-71.3)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	7	38.4%	(13.3-63.5)	10	61.6%	(36.5-86.7)
	<b>White<sup>d</sup></b>	220	41.4%	(36.1-46.7)	330	58.6%	(53.3-63.9)
	<b>Hispanic/Latino</b>	226	36.9%	(32.4-41.5)	391	63.1%	(58.5-67.6)
	<b>Other/Multiple<sup>d</sup></b>	31	41.5%	(28.8-54.2)	45	58.5%	(45.8-71.2)
<b>Region</b>	<b>1: Carson City and Douglas</b>	24	24.6%	(8.1-41.1)	50	75.4%	(58.9-91.9)
	<b>2: Elko, White Pine, and Eureka</b>	43	45.7%	(33.8-57.5)	67	54.3%	(42.5-66.2)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	39	34.6%	(24.6-44.6)	69	65.4%	(55.4-75.4)
	<b>4: Lyon, Mineral, and Storey</b>	26	29.7%	(17.9-41.5)	50	70.3%	(58.5-82.1)
	<b>5: Nye and Lincoln</b>	31	29.3%	(20.9-37.7)	73	70.7%	(62.3-79.1)
	<b>6: Washoe</b>	143	37.7%	(32.5-43.0)	221	62.3%	(57.0-67.5)
	<b>7: Clark</b>	229	40.1%	(35.6-44.6)	343	59.9%	(55.4-64.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among students who drank alcohol during the 30 days before the survey

## Marijuana Use

**Table 51: Percentage of high school students who ever used marijuana,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1956	39.4%	(36.5-42.2)	2979	60.6%	(57.8-63.5)
<b>Sex</b>	<b>Female</b>	1045	41.3%	(37.6-44.9)	1487	58.7%	(55.1-62.4)
	<b>Male</b>	908	37.7%	(34.3-41.0)	1478	62.3%	(59.0-65.7)
<b>Age</b>	<b>14 years old or younger</b>	172	28.0%	(22.7-33.3)	422	72.0%	(66.7-77.3)
	<b>15 years old</b>	424	30.6%	(26.7-34.4)	932	69.4%	(65.6-73.3)
	<b>16 years old</b>	529	38.7%	(34.8-42.6)	767	61.3%	(57.4-65.2)
	<b>17 years old</b>	557	48.6%	(44.1-53.1)	579	51.4%	(46.9-55.9)
	<b>18 years old or older</b>	269	49.4%	(42.3-56.6)	272	50.6%	(43.4-57.7)
<b>Grade</b>	<b>9th grade</b>	416	27.6%	(23.6-31.6)	1032	72.4%	(68.4-76.4)
	<b>10th grade</b>	473	37.1%	(32.4-41.8)	806	62.9%	(58.2-67.6)
	<b>11th grade</b>	545	43.2%	(38.5-47.8)	664	56.8%	(52.2-61.5)
	<b>12th grade</b>	485	50.9%	(45.0-56.8)	448	49.1%	(43.2-55.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	55	58.6%	(46.8-70.4)	44	41.4%	(29.6-53.2)
	<b>Asian<sup>d</sup></b>	46	19.3%	(12.3-26.3)	206	80.7%	(73.7-87.7)
	<b>Black<sup>d</sup></b>	122	47.7%	(40.6-54.9)	137	52.3%	(45.1-59.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	30	32.1%	(21.7-42.4)	59	67.9%	(57.6-78.3)
	<b>White<sup>d</sup></b>	663	34.5%	(31.0-38.0)	1243	65.5%	(62.0-69.0)
	<b>Hispanic/Latino</b>	880	44.2%	(40.9-47.5)	1074	55.8%	(52.5-59.1)
	<b>Other/Multiple<sup>d</sup></b>	113	40.3%	(31.2-49.5)	158	59.7%	(50.5-68.8)
<b>Region</b>	<b>1: Carson City and Douglas</b>	118	38.9%	(22.7-55.2)	167	61.1%	(44.8-77.3)
	<b>2: Elko, White Pine, and Eureka</b>	144	39.4%	(31.7-47.1)	205	60.6%	(52.9-68.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	112	38.5%	(29.7-47.4)	199	61.5%	(52.6-70.3)
	<b>4: Lyon, Mineral, and Storey</b>	103	45.9%	(34.8-57.1)	124	54.1%	(42.9-65.2)
	<b>5: Nye and Lincoln</b>	138	34.1%	(25.7-42.6)	259	65.9%	(57.4-74.3)
	<b>6: Washoe</b>	503	45.2%	(39.3-51.0)	619	54.8%	(49.0-60.7)
	<b>7: Clark</b>	838	38.2%	(34.7-41.7)	1406	61.8%	(58.3-65.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used marijuana one or more times during their life

**Table 52: Percentage of high school students who tried marijuana for the first time before age 13 years,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	473	9.0%	(7.9-10.1)	4451	91.0%	(89.9-92.1)
<b>Sex</b>	<b>Female</b>	187	7.1%	(5.8-8.4)	2335	92.9%	(91.6-94.2)
	<b>Male</b>	285	10.7%	(9.1-12.4)	2099	89.3%	(87.6-90.9)
<b>Age</b>	<b>14 years old or younger</b>	69	9.7%	(6.2-13.1)	517	90.3%	(86.9-93.8)
	<b>15 years old</b>	133	9.9%	(7.7-12.0)	1219	90.1%	(88.0-92.3)
	<b>16 years old</b>	113	7.7%	(5.9-9.4)	1180	92.3%	(90.6-94.1)
	<b>17 years old</b>	102	8.4%	(6.2-10.5)	1037	91.6%	(89.5-93.8)
	<b>18 years old or older</b>	54	10.0%	(6.5-13.5)	487	90.0%	(86.5-93.5)
<b>Grade</b>	<b>9th grade</b>	147	9.3%	(7.3-11.4)	1289	90.7%	(88.6-92.7)
	<b>10th grade</b>	125	9.8%	(7.5-12.0)	1158	90.2%	(88.0-92.5)
	<b>11th grade</b>	101	7.5%	(5.7-9.4)	1103	92.5%	(90.6-94.3)
	<b>12th grade</b>	86	8.8%	(6.6-11.1)	847	91.2%	(88.9-93.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	16	16.3%	(6.6-26.1)	84	83.7%	(73.9-93.4)
	<b>Asian<sup>d</sup></b>	9	4.3%	(0.8-7.8)	242	95.7%	(92.2-99.2)
	<b>Black<sup>d</sup></b>	38	14.6%	(9.5-19.7)	221	85.4%	(80.3-90.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	8	6.8%	(1.0-12.7)	79	93.2%	(87.3-99.0)
	<b>White<sup>d</sup></b>	137	6.9%	(5.6-8.2)	1765	93.1%	(91.8-94.4)
	<b>Hispanic/Latino</b>	218	9.8%	(8.0-11.6)	1731	90.2%	(88.4-92.0)
	<b>Other/Multiple<sup>d</sup></b>	34	10.0%	(6.1-14.0)	238	90.0%	(86.0-93.9)
<b>Region</b>	<b>1: Carson City and Douglas</b>	36	14.8%	(3.5-26.1)	247	85.2%	(73.9-96.5)
	<b>2: Elko, White Pine, and Eureka</b>	41	9.0%	(4.8-13.2)	309	91.0%	(86.8-95.2)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	19	5.7%	(3.2-8.3)	291	94.3%	(91.7-96.8)
	<b>4: Lyon, Mineral, and Storey</b>	28	11.7%	(5.8-17.6)	200	88.3%	(82.4-94.2)
	<b>5: Nye and Lincoln</b>	37	8.8%	(4.5-13.1)	355	91.2%	(86.9-95.5)
	<b>6: Washoe</b>	135	13.2%	(10.3-16.0)	994	86.8%	(84.0-89.7)
	<b>7: Clark</b>	177	7.9%	(6.6-9.2)	2055	92.1%	(90.8-93.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used marijuana for the first time

**Table 53: Percentage of high school students who currently use marijuana,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	977	19.6%	(17.7-21.5)	4001	80.4%	(78.5-82.3)
<b>Sex</b>	<b>Female</b>	521	20.1%	(17.5-22.7)	2028	79.9%	(77.3-82.5)
	<b>Male</b>	453	19.1%	(16.6-21.6)	1957	80.9%	(78.4-83.4)
<b>Age</b>	<b>14 years old or younger</b>	93	15.4%	(11.4-19.3)	504	84.6%	(80.7-88.6)
	<b>15 years old</b>	210	15.0%	(12.2-17.7)	1166	85.0%	(82.3-87.8)
	<b>16 years old</b>	268	18.1%	(15.4-20.7)	1043	81.9%	(79.3-84.6)
	<b>17 years old</b>	273	24.8%	(21.2-28.4)	867	75.2%	(71.6-78.8)
	<b>18 years old or older</b>	130	25.2%	(19.2-31.1)	411	74.8%	(68.9-80.8)
<b>Grade</b>	<b>9th grade</b>	215	13.9%	(11.3-16.5)	1248	86.1%	(83.5-88.7)
	<b>10th grade</b>	234	17.8%	(14.7-20.8)	1065	82.2%	(79.2-85.3)
	<b>11th grade</b>	270	20.5%	(17.6-23.3)	943	79.5%	(76.7-82.4)
	<b>12th grade</b>	244	27.2%	(22.7-31.7)	693	72.8%	(68.3-77.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	34	36.9%	(25.0-48.8)	66	63.1%	(51.2-75.0)
	<b>Asian<sup>d</sup></b>	22	11.2%	(5.4-17.1)	230	88.8%	(82.9-94.6)
	<b>Black<sup>d</sup></b>	71	26.0%	(20.1-31.9)	194	74.0%	(68.1-79.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	18	22.0%	(12.5-31.5)	71	78.0%	(68.5-87.5)
	<b>White<sup>d</sup></b>	341	17.9%	(15.2-20.5)	1581	82.1%	(79.5-84.8)
	<b>Hispanic/Latino</b>	405	19.6%	(17.3-21.8)	1564	80.4%	(78.2-82.7)
	<b>Other/Multiple<sup>d</sup></b>	66	23.3%	(16.5-30.2)	210	76.7%	(69.8-83.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	64	23.1%	(11.7-34.6)	224	76.9%	(65.4-88.3)
	<b>2: Elko, White Pine, and Eureka</b>	68	19.4%	(15.1-23.8)	280	80.6%	(76.2-84.9)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	54	18.1%	(11.9-24.3)	262	81.9%	(75.7-88.1)
	<b>4: Lyon, Mineral, and Storey</b>	37	15.7%	(8.5-22.8)	193	84.3%	(77.2-91.5)
	<b>5: Nye and Lincoln</b>	79	20.6%	(13.8-27.5)	321	79.4%	(72.5-86.2)
	<b>6: Washoe</b>	267	24.6%	(20.7-28.4)	866	75.4%	(71.6-79.3)
	<b>7: Clark</b>	408	18.6%	(16.2-21.0)	1855	81.4%	(79.0-83.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used marijuana one or more times during the 30 days before the survey



## Drug Use

**Table 54: Percentage of high school students who ever used cocaine,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	334	6.1%	(5.2-7.1)	4699	93.9%	(92.9-94.8)
<b>Sex</b>	<b>Female</b>	157	6.0%	(4.7-7.2)	2416	94.0%	(92.8-95.3)
	<b>Male</b>	175	6.3%	(5.1-7.6)	2264	93.7%	(92.4-94.9)
<b>Age</b>	<b>14 years old or younger</b>	24	2.9%	(1.2-4.7)	577	97.1%	(95.3-98.8)
	<b>15 years old</b>	64	4.4%	(3.0-5.9)	1321	95.6%	(94.1-97.0)
	<b>16 years old</b>	89	5.4%	(4.0-6.9)	1240	94.6%	(93.1-96.0)
	<b>17 years old</b>	97	7.7%	(5.9-9.6)	1060	92.3%	(90.4-94.1)
	<b>18 years old or older</b>	59	10.4%	(6.8-14.1)	491	89.6%	(85.9-93.2)
<b>Grade</b>	<b>9th grade</b>	56	3.2%	(2.2-4.3)	1414	96.8%	(95.7-97.8)
	<b>10th grade</b>	82	5.6%	(4.0-7.2)	1237	94.4%	(92.8-96.0)
	<b>11th grade</b>	91	6.1%	(4.5-7.8)	1139	93.9%	(92.2-95.5)
	<b>12th grade</b>	95	9.7%	(7.2-12.2)	850	90.3%	(87.8-92.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	11	17.5%	(7.1-27.9)	92	82.5%	(72.1-92.9)
	<b>Asian<sup>d</sup></b>	6	2.4%	(0.0-4.8)	249	97.6%	(95.2-100.0)
	<b>Black<sup>d</sup></b>	12	3.4%	(1.2-5.6)	257	96.6%	(94.4-98.8)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	5	3.5%	(0.0-7.0)	85	96.5%	(93.0-100.0)
	<b>White<sup>d</sup></b>	115	5.8%	(4.3-7.2)	1823	94.2%	(92.8-95.7)
	<b>Hispanic/Latino</b>	160	7.6%	(6.1-9.2)	1833	92.4%	(90.8-93.9)
	<b>Other/Multiple<sup>d</sup></b>	13	3.9%	(1.4-6.4)	263	96.1%	(93.6-98.6)
<b>Region</b>	<b>1: Carson City and Douglas</b>	27	11.0%	(1.6-20.4)	263	89.0%	(79.6-98.4)
	<b>2: Elko, White Pine, and Eureka</b>	32	7.9%	(5.1-10.8)	320	92.1%	(89.2-94.9)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	21	6.2%	(2.7-9.7)	297	93.8%	(90.3-97.3)
	<b>4: Lyon, Mineral, and Storey</b>	18	6.8%	(3.5-10.2)	215	93.2%	(89.8-96.5)
	<b>5: Nye and Lincoln</b>	18	4.5%	(1.8-7.2)	393	95.5%	(92.8-98.2)
	<b>6: Washoe</b>	100	9.2%	(6.4-12.0)	1050	90.8%	(88.0-93.6)
	<b>7: Clark</b>	118	5.3%	(4.2-6.3)	2161	94.7%	(93.7-95.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used any form of cocaine (e.g., powder, crack, or freebase) one or more times during their life

**Table 55: Percentage of high school students who ever used inhalants,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	377	6.9%	(6.0-7.9)	4631	93.1%	(92.1-94.0)
<b>Sex</b>	<b>Female</b>	201	7.8%	(6.5-9.2)	2367	92.2%	(90.8-93.5)
	<b>Male</b>	173	6.1%	(4.9-7.3)	2246	93.9%	(92.7-95.1)
<b>Age</b>	<b>14 years old or younger</b>	49	7.0%	(4.6-9.4)	549	93.0%	(90.6-95.4)
	<b>15 years old</b>	98	7.0%	(5.2-8.8)	1280	93.0%	(91.2-94.8)
	<b>16 years old</b>	99	7.3%	(5.5-9.1)	1227	92.7%	(90.9-94.5)
	<b>17 years old</b>	91	6.8%	(5.1-8.5)	1056	93.2%	(91.5-94.9)
	<b>18 years old or older</b>	38	5.9%	(3.7-8.1)	509	94.1%	(91.9-96.3)
<b>Grade</b>	<b>9th grade</b>	104	6.6%	(5.0-8.3)	1356	93.4%	(91.7-95.0)
	<b>10th grade</b>	97	7.2%	(5.2-9.2)	1220	92.8%	(90.8-94.8)
	<b>11th grade</b>	84	6.7%	(5.0-8.4)	1137	93.3%	(91.6-95.0)
	<b>12th grade</b>	83	7.1%	(5.0-9.1)	858	92.9%	(90.9-95.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	10	7.9%	(1.0-14.8)	92	92.1%	(85.2-99.0)
	<b>Asian<sup>d</sup></b>	7	2.6%	(0.0-5.4)	246	97.4%	(94.6-100.0)
	<b>Black<sup>d</sup></b>	19	6.2%	(3.2-9.3)	247	93.8%	(90.7-96.8)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	5	4.1%	(0.0-8.6)	85	95.9%	(91.4-100.0)
	<b>White<sup>d</sup></b>	119	5.5%	(4.0-7.0)	1808	94.5%	(93.0-96.0)
	<b>Hispanic/Latino</b>	185	9.1%	(7.6-10.6)	1803	90.9%	(89.4-92.4)
	<b>Other/Multiple<sup>d</sup></b>	24	6.9%	(3.6-10.3)	251	93.1%	(89.7-96.4)
<b>Region</b>	<b>1: Carson City and Douglas</b>	25	6.7%	(1.4-12.0)	263	93.3%	(88.0-98.6)
	<b>2: Elko, White Pine, and Eureka</b>	35	8.9%	(5.2-12.5)	316	91.1%	(87.5-94.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	22	6.5%	(2.7-10.3)	293	93.5%	(89.7-97.3)
	<b>4: Lyon, Mineral, and Storey</b>	23	9.0%	(5.1-12.9)	210	91.0%	(87.1-94.9)
	<b>5: Nye and Lincoln</b>	29	7.3%	(3.9-10.8)	378	92.7%	(89.2-96.1)
	<b>6: Washoe</b>	90	8.0%	(5.9-10.1)	1058	92.0%	(89.9-94.1)
	<b>7: Clark</b>	153	6.6%	(5.4-7.8)	2113	93.4%	(92.2-94.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

**Table 56: Percentage of high school students who ever used heroin,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	140	2.5%	(1.9-3.1)	4897	97.5%	(96.9-98.1)
<b>Sex</b>	<b>Female</b>	44	1.8%	(1.1-2.5)	2531	98.2%	(97.5-98.9)
	<b>Male</b>	92	3.1%	(2.2-4.0)	2348	96.9%	(96.0-97.8)
<b>Age</b>	<b>14 years old or younger</b>	23	3.1%	(1.1-5.1)	577	96.9%	(94.9-98.9)
	<b>15 years old</b>	27	1.8%	(0.9-2.7)	1358	98.2%	(97.3-99.1)
	<b>16 years old</b>	35	2.0%	(1.2-2.7)	1295	98.0%	(97.3-98.8)
	<b>17 years old</b>	34	2.6%	(1.6-3.7)	1123	97.4%	(96.3-98.4)
	<b>18 years old or older</b>	20	4.2%	(1.5-6.9)	532	95.8%	(93.1-98.5)
<b>Grade</b>	<b>9th grade</b>	31	2.0%	(1.0-3.0)	1439	98.0%	(97.0-99.0)
	<b>10th grade</b>	38	2.4%	(1.3-3.5)	1282	97.6%	(96.5-98.7)
	<b>11th grade</b>	31	2.1%	(1.2-3.0)	1198	97.9%	(97.0-98.8)
	<b>12th grade</b>	31	3.3%	(1.6-5.0)	918	96.7%	(95.0-98.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	6.9%	(0.0-15.2)	100	93.1%	(84.8-100.0)
	<b>Asian<sup>d</sup></b>	4	2.1%	(0.0-4.7)	251	97.9%	(95.3-100.0)
	<b>Black<sup>d</sup></b>	9	2.5%	(0.7-4.4)	261	97.5%	(95.6-99.3)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	0.7%	(0.0-2.1)	89	99.3%	(97.9-100.0)
	<b>White<sup>d</sup></b>	46	1.8%	(1.1-2.6)	1889	98.2%	(97.4-98.9)
	<b>Hispanic/Latino</b>	59	3.2%	(2.1-4.3)	1937	96.8%	(95.7-97.9)
	<b>Other/Multiple<sup>d</sup></b>	7	1.3%	(0.0-2.7)	270	98.7%	(97.3-100.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	11	9.0%	(0.0-18.7)	277	91.0%	(81.3-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	14	3.3%	(1.0-5.7)	338	96.7%	(94.3-99.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	8	2.1%	(0.2-4.0)	312	97.9%	(96.0-99.8)
	<b>4: Lyon, Mineral, and Storey</b>	7	2.7%	(0.0-5.5)	226	97.3%	(94.5-100.0)
	<b>5: Nye and Lincoln</b>	20	4.6%	(2.4-6.7)	390	95.4%	(93.3-97.6)
	<b>6: Washoe</b>	34	3.5%	(1.9-5.0)	1117	96.5%	(95.0-98.1)
	<b>7: Clark</b>	46	2.0%	(1.3-2.6)	2237	98.0%	(97.4-98.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used heroin (also called “smack,” “junk,” or “China White”) one or more times during their life

**Table 57: Percentage of high school students who ever used methamphetamines,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	191	3.4%	(2.7-4.1)	4839	96.6%	(95.9-97.3)
<b>Sex</b>	<b>Female</b>	78	3.0%	(2.1-4.0)	2495	97.0%	(96.0-97.9)
	<b>Male</b>	110	3.8%	(2.8-4.8)	2326	96.2%	(95.2-97.2)
<b>Age</b>	<b>14 years old or younger</b>	27	3.2%	(1.1-5.3)	574	96.8%	(94.7-98.9)
	<b>15 years old</b>	46	3.3%	(2.1-4.5)	1338	96.7%	(95.5-97.9)
	<b>16 years old</b>	43	3.0%	(1.8-4.2)	1285	97.0%	(95.8-98.2)
	<b>17 years old</b>	53	3.7%	(2.5-5.0)	1103	96.3%	(95.0-97.5)
	<b>18 years old or older</b>	22	4.1%	(1.4-6.8)	528	95.9%	(93.2-98.6)
<b>Grade</b>	<b>9th grade</b>	42	2.4%	(1.4-3.4)	1426	97.6%	(96.6-98.6)
	<b>10th grade</b>	56	4.0%	(2.5-5.6)	1262	96.0%	(94.4-97.5)
	<b>11th grade</b>	44	3.1%	(1.8-4.4)	1186	96.9%	(95.6-98.2)
	<b>12th grade</b>	39	3.9%	(2.0-5.9)	906	96.1%	(94.1-98.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	8	13.9%	(3.9-24.0)	96	86.1%	(76.0-96.1)
	<b>Asian<sup>d</sup></b>	5	2.2%	(0.0-4.9)	250	97.8%	(95.1-100.0)
	<b>Black<sup>d</sup></b>	12	4.0%	(1.4-6.5)	256	96.0%	(93.5-98.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	6.9%	(0.5-13.3)	86	93.1%	(86.7-99.5)
	<b>White<sup>d</sup></b>	57	2.3%	(1.5-3.2)	1874	97.7%	(96.8-98.5)
	<b>Hispanic/Latino</b>	86	4.2%	(3.0-5.5)	1910	95.8%	(94.5-97.0)
	<b>Other/Multiple<sup>d</sup></b>	4	0.5%	(0.0-1.0)	272	99.5%	(99.0-100.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	14	9.8%	(0.0-19.9)	273	90.2%	(80.1-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	21	5.1%	(2.0-8.2)	330	94.9%	(91.8-98.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	13	3.6%	(1.1-6.2)	306	96.4%	(93.8-98.9)
	<b>4: Lyon, Mineral, and Storey</b>	11	4.0%	(1.3-6.7)	222	96.0%	(93.3-98.7)
	<b>5: Nye and Lincoln</b>	15	3.1%	(1.1-5.1)	393	96.9%	(94.9-98.9)
	<b>6: Washoe</b>	50	4.8%	(2.9-6.7)	1101	95.2%	(93.3-97.1)
	<b>7: Clark</b>	67	2.8%	(2.0-3.6)	2214	97.2%	(96.4-98.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used methamphetamines (also called “speed,” “crystal,” “crank,” or “ice”) one or more times during their life

**Table 58: Percentage of high school students who used ecstasy,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	367	7.0%	(6.0-8.0)	4543	93.0%	(92.0-94.0)
<b>Sex</b>	<b>Female</b>	164	6.7%	(5.2-8.2)	2345	93.3%	(91.8-94.8)
	<b>Male</b>	200	7.3%	(6.1-8.6)	2180	92.7%	(91.4-93.9)
<b>Age</b>	<b>14 years old or younger</b>	36	4.1%	(2.2-6.0)	547	95.9%	(94.0-97.8)
	<b>15 years old</b>	68	5.3%	(3.8-6.8)	1268	94.7%	(93.2-96.2)
	<b>16 years old</b>	100	6.1%	(4.5-7.7)	1209	93.9%	(92.3-95.5)
	<b>17 years old</b>	112	10.0%	(7.7-12.3)	1021	90.0%	(87.7-92.3)
	<b>18 years old or older</b>	50	8.5%	(5.3-11.7)	488	91.5%	(88.3-94.7)
<b>Grade</b>	<b>9th grade</b>	69	4.3%	(3.2-5.3)	1350	95.7%	(94.7-96.8)
	<b>10th grade</b>	90	6.2%	(4.6-7.9)	1194	93.8%	(92.1-95.4)
	<b>11th grade</b>	103	7.6%	(5.7-9.5)	1108	92.4%	(90.5-94.3)
	<b>12th grade</b>	95	10.2%	(7.6-12.7)	834	89.8%	(87.3-92.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	14	17.1%	(6.2-28.0)	88	82.9%	(72.0-93.8)
	<b>Asian<sup>d</sup></b>	7	2.7%	(0.1-5.3)	239	97.3%	(94.7-99.9)
	<b>Black<sup>d</sup></b>	18	6.4%	(3.5-9.3)	237	93.6%	(90.7-96.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	5	6.5%	(0.2-12.8)	84	93.5%	(87.2-99.8)
	<b>White<sup>d</sup></b>	134	6.6%	(5.1-8.1)	1765	93.4%	(91.9-94.9)
	<b>Hispanic/Latino</b>	154	7.9%	(6.4-9.3)	1786	92.1%	(90.7-93.6)
	<b>Other/Multiple<sup>d</sup></b>	20	6.3%	(3.2-9.5)	251	93.7%	(90.5-96.8)
<b>Region</b>	<b>1: Carson City and Douglas</b>	29	12.5%	(2.5-22.5)	252	87.5%	(77.5-97.5)
	<b>2: Elko, White Pine, and Eureka</b>	22	5.2%	(2.5-7.9)	323	94.8%	(92.1-97.5)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	20	6.5%	(3.6-9.4)	292	93.5%	(90.6-96.4)
	<b>4: Lyon, Mineral, and Storey</b>	19	7.2%	(4.2-10.2)	209	92.8%	(89.8-95.8)
	<b>5: Nye and Lincoln</b>	34	8.5%	(5.3-11.6)	370	91.5%	(88.4-94.7)
	<b>6: Washoe</b>	108	10.5%	(8.2-12.8)	1020	89.5%	(87.2-91.8)
	<b>7: Clark</b>	135	6.1%	(4.9-7.3)	2077	93.9%	(92.7-95.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used ecstasy (also called “MDMA”) one or more times during their life

**Table 59: Percentage of high school students who ever used synthetic marijuana,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	549	10.9%	(9.5-12.3)	4481	89.1%	(87.7-90.5)
<b>Sex</b>	<b>Female</b>	259	10.5%	(8.8-12.2)	2314	89.5%	(87.8-91.2)
	<b>Male</b>	288	11.4%	(9.5-13.2)	2149	88.6%	(86.8-90.5)
<b>Age</b>	<b>14 years old or younger</b>	55	8.6%	(5.5-11.8)	544	91.4%	(88.2-94.5)
	<b>15 years old</b>	122	8.6%	(6.4-10.9)	1261	91.4%	(89.1-93.6)
	<b>16 years old</b>	132	9.1%	(7.1-11.0)	1196	90.9%	(89.0-92.9)
	<b>17 years old</b>	157	13.4%	(11.0-15.8)	1000	86.6%	(84.2-89.0)
	<b>18 years old or older</b>	82	16.4%	(11.7-21.2)	469	83.6%	(78.8-88.3)
<b>Grade</b>	<b>9th grade</b>	125	7.5%	(5.5-9.5)	1341	92.5%	(90.5-94.5)
	<b>10th grade</b>	130	10.1%	(7.6-12.6)	1189	89.9%	(87.4-92.4)
	<b>11th grade</b>	135	10.9%	(8.7-13.1)	1094	89.1%	(86.9-91.3)
	<b>12th grade</b>	145	15.3%	(11.8-18.8)	803	84.7%	(81.2-88.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	23	26.3%	(15.3-37.4)	80	73.7%	(62.6-84.7)
	<b>Asian<sup>d</sup></b>	11	3.9%	(1.0-6.8)	244	96.1%	(93.2-99.0)
	<b>Black<sup>d</sup></b>	24	8.4%	(5.3-11.5)	244	91.6%	(88.5-94.7)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	10	12.3%	(4.3-20.2)	80	87.7%	(79.8-95.7)
	<b>White<sup>d</sup></b>	163	9.0%	(7.3-10.7)	1773	91.0%	(89.3-92.7)
	<b>Hispanic/Latino</b>	273	13.9%	(11.8-16.1)	1719	86.1%	(83.9-88.2)
	<b>Other/Multiple<sup>d</sup></b>	29	9.4%	(6.0-12.7)	248	90.6%	(87.3-94.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	32	11.7%	(2.2-21.2)	256	88.3%	(78.8-97.8)
	<b>2: Elko, White Pine, and Eureka</b>	56	13.6%	(9.5-17.7)	295	86.4%	(82.3-90.5)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	28	8.8%	(3.9-13.6)	291	91.2%	(86.4-96.1)
	<b>4: Lyon, Mineral, and Storey</b>	30	12.7%	(7.3-18.0)	203	87.3%	(82.0-92.7)
	<b>5: Nye and Lincoln</b>	38	9.9%	(6.7-13.2)	371	90.1%	(86.8-93.3)
	<b>6: Washoe</b>	120	11.1%	(8.3-13.8)	1030	88.9%	(86.2-91.7)
	<b>7: Clark</b>	245	10.8%	(9.1-12.5)	2035	89.2%	(87.5-90.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used synthetic marijuana (also called “K2,” “Spice,” “fake weed,” “King Kong,” “Yucatan Fire,” “Skunk,” or “Moon Rocks”) one or more times during their life

**Table 60: Percentage of high school students who currently use synthetic marijuana,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	219	4.1%	(3.3-5.0)	4800	95.9%	(95.0-96.7)
<b>Sex</b>	<b>Female</b>	98	4.1%	(3.0-5.1)	2472	95.9%	(94.9-97.0)
	<b>Male</b>	120	4.2%	(2.9-5.5)	2310	95.8%	(94.5-97.1)
<b>Age</b>	<b>14 years old or younger</b>	35	5.7%	(3.1-8.3)	564	94.3%	(91.7-96.9)
	<b>15 years old</b>	57	4.8%	(3.0-6.5)	1321	95.2%	(93.5-97.0)
	<b>16 years old</b>	62	3.7%	(2.6-4.8)	1265	96.3%	(95.2-97.4)
	<b>17 years old</b>	46	3.1%	(2.0-4.3)	1110	96.9%	(95.7-98.0)
	<b>18 years old or older</b>	18	4.5%	(1.5-7.5)	531	95.5%	(92.5-98.5)
<b>Grade</b>	<b>9th grade</b>	57	3.9%	(2.4-5.3)	1406	96.1%	(94.7-97.6)
	<b>10th grade</b>	73	5.5%	(3.6-7.5)	1241	94.5%	(92.5-96.4)
	<b>11th grade</b>	48	3.4%	(2.2-4.5)	1181	96.6%	(95.5-97.8)
	<b>12th grade</b>	34	3.7%	(1.9-5.5)	911	96.3%	(94.5-98.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	11	14.0%	(4.2-23.9)	93	86.0%	(76.1-95.8)
	<b>Asian<sup>d</sup></b>	5	1.8%	(0.0-4.3)	249	98.2%	(95.7-100.0)
	<b>Black<sup>d</sup></b>	10	3.0%	(1.0-4.9)	257	97.0%	(95.1-99.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	4.0%	(0.0-8.8)	87	96.0%	(91.2-100.0)
	<b>White<sup>d</sup></b>	48	2.5%	(1.6-3.4)	1882	97.5%	(96.6-98.4)
	<b>Hispanic/Latino</b>	121	6.1%	(4.7-7.4)	1867	93.9%	(92.6-95.3)
	<b>Other/Multiple<sup>d</sup></b>	10	2.3%	(0.6-4.0)	267	97.7%	(96.0-99.4)
<b>Region</b>	<b>1: Carson City and Douglas</b>	16	9.6%	(0.0-19.6)	271	90.4%	(80.4-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	24	4.5%	(2.6-6.3)	325	95.5%	(93.7-97.4)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	10	2.8%	(0.6-5.1)	309	97.2%	(94.9-99.4)
	<b>4: Lyon, Mineral, and Storey</b>	4	1.7%	(0.0-3.4)	229	98.3%	(96.6-100.0)
	<b>5: Nye and Lincoln</b>	16	3.9%	(1.2-6.5)	390	96.1%	(93.5-98.8)
	<b>6: Washoe</b>	55	5.1%	(3.2-7.0)	1096	94.9%	(93.0-96.8)
	<b>7: Clark</b>	94	3.8%	(2.8-4.8)	2180	96.2%	(95.2-97.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used synthetic marijuana (also called “K2,” “Spice,” “fake weed,” “King Kong,” “Yucatan Fire,” “Skunk,” or “Moon Rocks”) one or more times in the last 30 days before the survey

**Table 61: Percentage of high school students who ever took steroids without a doctor's prescription,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	184	3.6%	(2.8-4.4)	4799	96.4%	(95.6-97.2)
<b>Sex</b>	<b>Female</b>	86	3.4%	(2.6-4.3)	2466	96.6%	(95.7-97.4)
	<b>Male</b>	97	3.8%	(2.6-5.0)	2315	96.2%	(95.0-97.4)
<b>Age</b>	<b>14 years old or younger</b>	32	5.1%	(2.6-7.6)	562	94.9%	(92.4-97.4)
	<b>15 years old</b>	37	3.0%	(1.8-4.1)	1330	97.0%	(95.9-98.2)
	<b>16 years old</b>	52	3.2%	(2.0-4.3)	1263	96.8%	(95.7-98.0)
	<b>17 years old</b>	39	3.0%	(1.8-4.2)	1110	97.0%	(95.8-98.2)
	<b>18 years old or older</b>	23	5.4%	(2.5-8.2)	524	94.6%	(91.8-97.5)
<b>Grade</b>	<b>9th grade</b>	44	3.0%	(1.9-4.2)	1408	97.0%	(95.8-98.1)
	<b>10th grade</b>	53	3.5%	(2.2-4.9)	1247	96.5%	(95.1-97.8)
	<b>11th grade</b>	42	2.9%	(1.6-4.3)	1181	97.1%	(95.7-98.4)
	<b>12th grade</b>	36	4.5%	(2.5-6.6)	905	95.5%	(93.4-97.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	7	11.4%	(2.0-20.9)	96	88.6%	(79.1-98.0)
	<b>Asian<sup>d</sup></b>	6	2.7%	(0.0-5.5)	245	97.3%	(94.5-100.0)
	<b>Black<sup>d</sup></b>	9	3.1%	(1.0-5.2)	254	96.9%	(94.8-99.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	2.1%	(0.0-5.0)	87	97.9%	(95.0-100.0)
	<b>White<sup>d</sup></b>	60	2.8%	(1.8-3.8)	1865	97.2%	(96.2-98.2)
	<b>Hispanic/Latino</b>	83	4.5%	(3.2-5.9)	1888	95.5%	(94.1-96.8)
	<b>Other/Multiple<sup>d</sup></b>	8	2.0%	(0.2-3.8)	268	98.0%	(96.2-99.8)
<b>Region</b>	<b>1: Carson City and Douglas</b>	14	8.8%	(0.0-18.7)	274	91.2%	(81.3-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	10	3.2%	(0.0-7.1)	341	96.8%	(92.9-100.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	10	3.0%	(1.4-4.7)	305	97.0%	(95.3-98.6)
	<b>4: Lyon, Mineral, and Storey</b>	8	3.1%	(1.0-5.1)	223	96.9%	(94.9-99.0)
	<b>5: Nye and Lincoln</b>	19	4.1%	(2.2-5.9)	382	95.9%	(94.1-97.8)
	<b>6: Washoe</b>	51	5.0%	(3.0-6.9)	1088	95.0%	(93.1-97.0)
	<b>7: Clark</b>	72	3.1%	(2.3-4.0)	2186	96.9%	(96.0-97.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Took prescription steroid pills or shots without a doctor's prescription one or more times during their life



**Table 62: Percentage of high school students who ever took prescription drugs without a doctor’s prescription,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	883	16.9%	(15.3-18.6)	4137	83.1%	(81.4-84.7)
<b>Sex</b>	<b>Female</b>	489	19.0%	(16.6-21.3)	2077	81.0%	(78.7-83.4)
	<b>Male</b>	393	15.1%	(13.4-16.9)	2041	84.9%	(83.1-86.6)
<b>Age</b>	<b>14 years old or younger</b>	75	11.4%	(8.1-14.7)	523	88.6%	(85.3-91.9)
	<b>15 years old</b>	184	12.9%	(10.2-15.5)	1194	87.1%	(84.5-89.8)
	<b>16 years old</b>	250	17.7%	(15.0-20.4)	1077	82.3%	(79.6-85.0)
	<b>17 years old</b>	265	21.7%	(18.6-24.7)	891	78.3%	(75.3-81.4)
	<b>18 years old or older</b>	107	18.9%	(14.7-23.1)	442	81.1%	(76.9-85.3)
<b>Grade</b>	<b>9th grade</b>	173	10.8%	(8.7-12.9)	1291	89.2%	(87.1-91.3)
	<b>10th grade</b>	235	16.2%	(13.3-19.0)	1076	83.8%	(81.0-86.7)
	<b>11th grade</b>	246	19.8%	(16.9-22.7)	984	80.2%	(77.3-83.1)
	<b>12th grade</b>	207	20.9%	(17.4-24.4)	739	79.1%	(75.6-82.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	28	27.7%	(15.6-39.8)	76	72.3%	(60.2-84.4)
	<b>Asian<sup>d</sup></b>	20	7.1%	(2.9-11.3)	235	92.9%	(88.7-97.1)
	<b>Black<sup>d</sup></b>	39	15.3%	(10.5-20.1)	226	84.7%	(79.9-89.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	17	18.5%	(9.4-27.5)	74	81.5%	(72.5-90.6)
	<b>White<sup>d</sup></b>	345	17.6%	(15.1-20.1)	1589	82.4%	(79.9-84.9)
	<b>Hispanic/Latino</b>	349	17.2%	(15.0-19.4)	1640	82.8%	(80.6-85.0)
	<b>Other/Multiple<sup>d</sup></b>	63	21.3%	(16.5-26.1)	213	78.7%	(73.9-83.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	57	20.2%	(9.1-31.3)	230	79.8%	(68.7-90.9)
	<b>2: Elko, White Pine, and Eureka</b>	59	15.1%	(9.2-21.0)	293	84.9%	(79.0-90.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	54	15.7%	(10.5-21.0)	265	84.3%	(79.0-89.5)
	<b>4: Lyon, Mineral, and Storey</b>	53	21.7%	(15.7-27.7)	179	78.3%	(72.3-84.3)
	<b>5: Nye and Lincoln</b>	82	19.3%	(14.5-24.2)	327	80.7%	(75.8-85.5)
	<b>6: Washoe</b>	206	18.3%	(14.9-21.6)	941	81.7%	(78.4-85.1)
	<b>7: Clark</b>	372	16.5%	(14.5-18.5)	1902	83.5%	(81.5-85.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Took prescription drugs (e.g., Oxycontin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax) without a doctor’s prescription one or more times during their life

**Table 63: Percentage of high school students who currently take prescription drugs without a doctor’s prescription,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	455	9.0%	(7.9-10.2)	4555	91.0%	(89.8-92.1)
<b>Sex</b>	<b>Female</b>	253	10.5%	(8.7-12.2)	2313	89.5%	(87.8-91.3)
	<b>Male</b>	200	7.7%	(6.3-9.1)	2225	92.3%	(90.9-93.7)
<b>Age</b>	<b>14 years old or younger</b>	60	9.5%	(6.2-12.8)	537	90.5%	(87.2-93.8)
	<b>15 years old</b>	90	6.7%	(4.8-8.6)	1286	93.3%	(91.4-95.2)
	<b>16 years old</b>	128	9.0%	(7.2-10.9)	1195	91.0%	(89.1-92.8)
	<b>17 years old</b>	119	10.7%	(7.9-13.4)	1038	89.3%	(86.6-92.1)
	<b>18 years old or older</b>	56	9.8%	(6.5-13.1)	490	90.2%	(86.9-93.5)
<b>Grade</b>	<b>9th grade</b>	99	6.2%	(4.5-7.9)	1358	93.8%	(92.1-95.5)
	<b>10th grade</b>	129	9.9%	(7.8-12.0)	1183	90.1%	(88.0-92.2)
	<b>11th grade</b>	113	9.2%	(6.5-11.9)	1115	90.8%	(88.1-93.5)
	<b>12th grade</b>	103	10.9%	(8.3-13.4)	841	89.1%	(86.6-91.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	21	24.5%	(14.0-35.0)	83	75.5%	(65.0-86.0)
	<b>Asian<sup>d</sup></b>	11	4.0%	(0.7-7.3)	244	96.0%	(92.7-99.3)
	<b>Black<sup>d</sup></b>	22	8.2%	(5.0-11.4)	244	91.8%	(88.6-95.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	8	8.1%	(1.8-14.5)	83	91.9%	(85.5-98.2)
	<b>White<sup>d</sup></b>	166	9.0%	(7.1-10.8)	1762	91.0%	(89.2-92.9)
	<b>Hispanic/Latino</b>	192	9.6%	(7.9-11.3)	1792	90.4%	(88.7-92.1)
	<b>Other/Multiple<sup>d</sup></b>	23	8.0%	(4.8-11.2)	253	92.0%	(88.8-95.2)
<b>Region</b>	<b>1: Carson City and Douglas</b>	34	13.7%	(2.9-24.5)	251	86.3%	(75.5-97.1)
	<b>2: Elko, White Pine, and Eureka</b>	21	5.8%	(2.7-8.9)	329	94.2%	(91.1-97.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	18	5.6%	(3.1-8.2)	300	94.4%	(91.8-96.9)
	<b>4: Lyon, Mineral, and Storey</b>	27	11.6%	(6.7-16.5)	204	88.4%	(83.5-93.3)
	<b>5: Nye and Lincoln</b>	42	10.3%	(6.8-13.8)	366	89.7%	(86.2-93.2)
	<b>6: Washoe</b>	113	10.6%	(8.4-12.8)	1034	89.4%	(87.2-91.6)
	<b>7: Clark</b>	200	8.6%	(7.2-10.1)	2071	91.4%	(89.9-92.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Took prescription drugs (e.g., Oxycontin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax) without a doctor’s prescription one or more times in the last 30 days before the survey

**Table 64: Percentage of high school students who ever injected any illegal drugs,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	151	2.7%	(2.1-3.4)	4835	97.3%	(96.6-97.9)
<b>Sex</b>	<b>Female</b>	69	2.5%	(1.7-3.3)	2492	97.5%	(96.7-98.3)
	<b>Male</b>	79	3.0%	(2.0-4.0)	2328	97.0%	(96.0-98.0)
<b>Age</b>	<b>14 years old or younger</b>	21	2.6%	(0.9-4.4)	575	97.4%	(95.6-99.1)
	<b>15 years old</b>	31	2.2%	(1.1-3.3)	1340	97.8%	(96.7-98.9)
	<b>16 years old</b>	39	2.0%	(1.2-2.9)	1276	98.0%	(97.1-98.8)
	<b>17 years old</b>	37	2.8%	(1.7-3.9)	1112	97.2%	(96.1-98.3)
	<b>18 years old or older</b>	22	4.6%	(1.9-7.4)	523	95.4%	(92.6-98.1)
<b>Grade</b>	<b>9th grade</b>	35	1.9%	(0.9-2.8)	1420	98.1%	(97.2-99.1)
	<b>10th grade</b>	43	2.8%	(1.8-3.9)	1261	97.2%	(96.1-98.2)
	<b>11th grade</b>	35	2.3%	(1.4-3.2)	1185	97.7%	(96.8-98.6)
	<b>12th grade</b>	33	3.8%	(2.0-5.7)	910	96.2%	(94.3-98.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	5	7.8%	(0.0-16.1)	98	92.2%	(83.9-100.0)
	<b>Asian<sup>d</sup></b>	5	2.3%	(0.0-5.0)	250	97.7%	(95.0-100.0)
	<b>Black<sup>d</sup></b>	5	1.7%	(0.0-3.4)	257	98.3%	(96.6-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	0.0%	(0.0-0.1)	90	100.0%	(99.9-100.0)
	<b>White<sup>d</sup></b>	54	2.4%	(1.5-3.2)	1868	97.6%	(96.8-98.5)
	<b>Hispanic/Latino</b>	66	3.4%	(2.2-4.6)	1907	96.6%	(95.4-97.8)
	<b>Other/Multiple<sup>d</sup></b>	6	1.8%	(0.1-3.4)	268	98.2%	(96.6-99.9)
<b>Region</b>	<b>1: Carson City and Douglas</b>	10	8.1%	(0.0-17.8)	276	91.9%	(82.2-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	16	3.2%	(0.8-5.6)	334	96.8%	(94.4-99.2)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	7	2.5%	(0.7-4.3)	310	97.5%	(95.7-99.3)
	<b>4: Lyon, Mineral, and Storey</b>	10	3.6%	(1.3-5.8)	219	96.4%	(94.2-98.7)
	<b>5: Nye and Lincoln</b>	18	4.2%	(1.8-6.6)	385	95.8%	(93.4-98.2)
	<b>6: Washoe</b>	36	3.7%	(2.2-5.1)	1104	96.3%	(94.9-97.8)
	<b>7: Clark</b>	54	2.2%	(1.6-2.9)	2207	97.8%	(97.1-98.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Used a needle to inject any illegal drug into their body one or more times during their life

**Table 65: Percentage of high school students who were offered, sold, or given an illegal drug by someone on school property,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1369	29.2%	(27.2-31.1)	3617	70.8%	(68.9-72.8)
<b>Sex</b>	<b>Female</b>	683	28.8%	(26.2-31.3)	1874	71.2%	(68.7-73.8)
	<b>Male</b>	681	29.5%	(26.8-32.3)	1729	70.5%	(67.7-73.2)
<b>Age</b>	<b>14 years old or younger</b>	139	23.7%	(19.3-28.1)	453	76.3%	(71.9-80.7)
	<b>15 years old</b>	364	28.1%	(25.1-31.1)	1013	71.9%	(68.9-74.9)
	<b>16 years old</b>	365	28.9%	(25.1-32.6)	951	71.1%	(67.4-74.9)
	<b>17 years old</b>	349	31.8%	(27.8-35.7)	801	68.2%	(64.3-72.2)
	<b>18 years old or older</b>	150	31.3%	(26.0-36.5)	390	68.7%	(63.5-74.0)
<b>Grade</b>	<b>9th grade</b>	367	25.6%	(22.3-28.9)	1093	74.4%	(71.1-77.7)
	<b>10th grade</b>	371	30.6%	(27.0-34.2)	933	69.4%	(65.8-73.0)
	<b>11th grade</b>	341	28.9%	(25.9-31.9)	878	71.1%	(68.1-74.1)
	<b>12th grade</b>	274	32.5%	(28.0-36.9)	664	67.5%	(63.1-72.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	35	32.3%	(18.8-45.8)	68	67.7%	(54.2-81.2)
	<b>Asian<sup>d</sup></b>	52	24.2%	(17.5-31.0)	202	75.8%	(69.0-82.5)
	<b>Black<sup>d</sup></b>	76	28.5%	(23.3-33.7)	187	71.5%	(66.3-76.7)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	26	30.8%	(19.4-42.2)	65	69.2%	(57.8-80.6)
	<b>White<sup>d</sup></b>	471	26.3%	(23.5-29.2)	1450	73.7%	(70.8-76.5)
	<b>Hispanic/Latino</b>	591	32.1%	(29.3-35.0)	1381	67.9%	(65.0-70.7)
	<b>Other/Multiple<sup>d</sup></b>	89	32.0%	(25.5-38.5)	188	68.0%	(61.5-74.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	71	31.6%	(20.5-42.7)	216	68.4%	(57.3-79.5)
	<b>2: Elko, White Pine, and Eureka</b>	76	19.2%	(15.1-23.2)	275	80.8%	(76.8-84.9)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	70	22.1%	(18.7-25.5)	248	77.9%	(74.5-81.3)
	<b>4: Lyon, Mineral, and Storey</b>	65	26.7%	(20.4-33.1)	163	73.3%	(66.9-79.6)
	<b>5: Nye and Lincoln</b>	99	23.6%	(18.5-28.7)	306	76.4%	(71.3-81.5)
	<b>6: Washoe</b>	311	27.9%	(23.7-32.1)	825	72.1%	(67.9-76.3)
	<b>7: Clark</b>	677	30.1%	(27.6-32.5)	1584	69.9%	(67.5-72.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 12 months before the survey

**Table 66: Percentage of high school students who ever lived with someone who was a problem drinker, alcoholic, or abused street or prescription drugs, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1557	30.4%	(28.6-32.3)	3268	69.6%	(67.7-71.4)
<b>Sex</b>	<b>Female</b>	887	34.1%	(31.5-36.7)	1593	65.9%	(63.3-68.5)
	<b>Male</b>	665	26.9%	(24.4-29.4)	1665	73.1%	(70.6-75.6)
<b>Age</b>	<b>14 years old or younger</b>	168	29.1%	(23.8-34.4)	405	70.9%	(65.6-76.2)
	<b>15 years old</b>	403	28.0%	(25.2-30.8)	927	72.0%	(69.2-74.8)
	<b>16 years old</b>	422	29.0%	(25.6-32.5)	860	71.0%	(67.5-74.4)
	<b>17 years old</b>	385	33.9%	(30.6-37.2)	730	66.1%	(62.8-69.4)
	<b>18 years old or older</b>	176	32.7%	(27.0-38.5)	339	67.3%	(61.5-73.0)
<b>Grade</b>	<b>9th grade</b>	415	27.2%	(24.0-30.3)	990	72.8%	(69.7-76.0)
	<b>10th grade</b>	417	31.0%	(27.9-34.1)	846	69.0%	(65.9-72.1)
	<b>11th grade</b>	398	31.3%	(28.2-34.4)	795	68.7%	(65.6-71.8)
	<b>12th grade</b>	310	32.7%	(28.5-36.9)	595	67.3%	(63.1-71.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	39	33.7%	(21.3-46.1)	62	66.3%	(53.9-78.7)
	<b>Asian<sup>d</sup></b>	36	11.8%	(7.4-16.3)	213	88.2%	(83.7-92.6)
	<b>Black<sup>d</sup></b>	67	24.5%	(18.5-30.4)	182	75.5%	(69.6-81.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	24	30.5%	(19.2-41.8)	63	69.5%	(58.2-80.8)
	<b>White<sup>d</sup></b>	639	33.2%	(30.4-36.1)	1240	66.8%	(63.9-69.6)
	<b>Hispanic/Latino</b>	609	31.5%	(28.7-34.2)	1279	68.5%	(65.8-71.3)
	<b>Other/Multiple<sup>d</sup></b>	107	34.7%	(28.7-40.6)	167	65.3%	(59.4-71.3)
<b>Region</b>	<b>1: Carson City and Douglas</b>	97	26.6%	(19.0-34.2)	185	73.4%	(65.8-81.0)
	<b>2: Elko, White Pine, and Eureka</b>	115	32.2%	(25.9-38.5)	231	67.8%	(61.5-74.1)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	91	30.3%	(24.5-36.1)	206	69.7%	(63.9-75.5)
	<b>4: Lyon, Mineral, and Storey</b>	86	38.2%	(31.4-45.1)	130	61.8%	(54.9-68.6)
	<b>5: Nye and Lincoln</b>	151	38.5%	(31.6-45.4)	249	61.5%	(54.6-68.4)
	<b>6: Washoe</b>	370	33.8%	(30.1-37.6)	720	66.2%	(62.4-69.9)
	<b>7: Clark</b>	647	29.5%	(27.2-31.8)	1547	70.5%	(68.2-72.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

## Sexual Behaviors

**Table 67: Percentage of high school students who ever had sexual intercourse, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1758	38.5%	(35.4-41.6)	2734	61.5%	(58.4-64.6)
<b>Sex</b>	<b>Female</b>	901	37.6%	(34.0-41.1)	1437	62.4%	(58.9-66.0)
	<b>Male</b>	855	39.5%	(35.7-43.3)	1289	60.5%	(56.7-64.3)
<b>Age</b>	<b>14 years old or younger</b>	91	15.9%	(12.4-19.5)	436	84.1%	(80.5-87.6)
	<b>15 years old</b>	297	23.2%	(20.1-26.2)	957	76.8%	(73.8-79.9)
	<b>16 years old</b>	493	38.7%	(34.6-42.7)	691	61.3%	(57.3-65.4)
	<b>17 years old</b>	582	54.4%	(50.4-58.3)	455	45.6%	(41.7-49.6)
	<b>18 years old or older</b>	292	56.6%	(48.9-64.3)	189	43.4%	(35.7-51.1)
<b>Grade</b>	<b>9th grade</b>	265	19.0%	(16.2-21.7)	1053	81.0%	(78.3-83.8)
	<b>10th grade</b>	416	34.4%	(30.3-38.6)	748	65.6%	(61.4-69.7)
	<b>11th grade</b>	543	46.3%	(41.9-50.8)	566	53.7%	(49.2-58.1)
	<b>12th grade</b>	517	56.7%	(51.0-62.4)	336	43.3%	(37.6-49.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	45	47.6%	(33.2-62.0)	43	52.4%	(38.0-66.8)
	<b>Asian<sup>d</sup></b>	54	24.9%	(17.4-32.3)	177	75.1%	(67.7-82.6)
	<b>Black<sup>d</sup></b>	93	41.4%	(33.7-49.1)	140	58.6%	(50.9-66.3)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	34	38.7%	(26.5-51.0)	44	61.3%	(49.0-73.5)
	<b>White<sup>d</sup></b>	706	38.6%	(34.3-42.9)	1066	61.4%	(57.1-65.7)
	<b>Hispanic/Latino</b>	691	39.6%	(36.0-43.2)	1062	60.4%	(56.8-64.0)
	<b>Other/Multiple<sup>d</sup></b>	102	38.0%	(28.7-47.2)	154	62.0%	(52.8-71.3)
<b>Region</b>	<b>1: Carson City and Douglas</b>	91	35.8%	(18.1-53.6)	169	64.2%	(46.4-81.9)
	<b>2: Elko, White Pine, and Eureka</b>	150	44.7%	(35.9-53.6)	162	55.3%	(46.4-64.1)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	124	46.7%	(36.1-57.3)	164	53.3%	(42.7-63.9)
	<b>4: Lyon, Mineral, and Storey</b>	116	56.6%	(43.8-69.5)	91	43.4%	(30.5-56.2)
	<b>5: Nye and Lincoln</b>	139	41.4%	(31.4-51.3)	204	58.6%	(48.7-68.6)
	<b>6: Washoe</b>	412	40.8%	(34.7-46.9)	614	59.2%	(53.1-65.3)
	<b>7: Clark</b>	726	37.2%	(33.3-41.0)	1330	62.8%	(59.0-66.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**Table 68: Percentage of high school students who had sexual intercourse for the first time before age 13 years, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	185	3.9%	(3.1-4.7)	4300	96.1%	(95.3-96.9)
<b>Sex</b>	<b>Female</b>	63	2.3%	(1.6-3.0)	2274	97.7%	(97.0-98.4)
	<b>Male</b>	121	5.4%	(4.1-6.8)	2015	94.6%	(93.2-95.9)
<b>Age</b>	<b>14 years old or younger</b>	28	4.9%	(2.7-7.1)	494	95.1%	(92.9-97.3)
	<b>15 years old</b>	45	3.6%	(2.4-4.8)	1204	96.4%	(95.2-97.6)
	<b>16 years old</b>	44	3.3%	(2.0-4.7)	1140	96.7%	(95.3-98.0)
	<b>17 years old</b>	43	4.1%	(2.5-5.7)	994	95.9%	(94.3-97.5)
	<b>18 years old or older</b>	25	4.4%	(2.3-6.6)	458	95.6%	(93.4-97.7)
<b>Grade</b>	<b>9th grade</b>	47	3.3%	(2.2-4.3)	1257	96.7%	(95.7-97.8)
	<b>10th grade</b>	51	4.1%	(2.7-5.6)	1119	95.9%	(94.4-97.3)
	<b>11th grade</b>	54	4.7%	(2.9-6.5)	1051	95.3%	(93.5-97.1)
	<b>12th grade</b>	31	3.5%	(2.0-5.0)	825	96.5%	(95.0-98.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	6	3.4%	(0.3-6.6)	81	96.6%	(93.4-99.7)
	<b>Asian<sup>d</sup></b>	6	2.5%	(0.2-4.9)	225	97.5%	(95.1-99.8)
	<b>Black<sup>d</sup></b>	15	6.4%	(3.2-9.5)	216	93.6%	(90.5-96.8)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	5	4.5%	(0.0-9.3)	73	95.5%	(90.7-100.0)
	<b>White<sup>d</sup></b>	56	2.7%	(1.7-3.6)	1715	97.3%	(96.4-98.3)
	<b>Hispanic/Latino</b>	83	4.7%	(3.4-6.0)	1671	95.3%	(94.0-96.6)
	<b>Other/Multiple<sup>d</sup></b>	11	3.3%	(1.0-5.5)	240	96.7%	(94.5-99.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	12	2.6%	(0.0-5.1)	248	97.4%	(94.9-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	18	5.0%	(2.7-7.4)	293	95.0%	(92.6-97.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	9	3.7%	(1.4-5.9)	277	96.3%	(94.1-98.6)
	<b>4: Lyon, Mineral, and Storey</b>	14	6.6%	(2.2-11.1)	200	93.4%	(88.9-97.8)
	<b>5: Nye and Lincoln</b>	16	4.6%	(1.4-7.8)	324	95.4%	(92.2-98.6)
	<b>6: Washoe</b>	38	3.6%	(2.2-4.9)	981	96.4%	(95.1-97.8)
	<b>7: Clark</b>	78	3.9%	(2.9-4.9)	1977	96.1%	(95.1-97.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**Table 69: Percentage of high school students who had sexual intercourse with four or more persons during their life, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	510	10.5%	(9.0-12.0)	3995	89.5%	(88.0-91.0)
<b>Sex</b>	<b>Female</b>	220	8.0%	(6.4-9.5)	2130	92.0%	(90.5-93.6)
	<b>Male</b>	289	13.0%	(10.9-15.1)	1854	87.0%	(84.9-89.1)
<b>Age</b>	<b>14 years old or younger</b>	21	3.3%	(1.4-5.2)	509	96.7%	(94.8-98.6)
	<b>15 years old</b>	65	5.3%	(3.9-6.8)	1193	94.7%	(93.2-96.1)
	<b>16 years old</b>	134	9.4%	(7.3-11.4)	1051	90.6%	(88.6-92.7)
	<b>17 years old</b>	177	15.4%	(12.6-18.2)	861	84.6%	(81.8-87.4)
	<b>18 years old or older</b>	112	19.8%	(14.7-24.9)	373	80.2%	(75.1-85.3)
<b>Grade</b>	<b>9th grade</b>	51	3.7%	(2.5-5.0)	1269	96.3%	(95.0-97.5)
	<b>10th grade</b>	100	7.4%	(5.4-9.3)	1071	92.6%	(90.7-94.6)
	<b>11th grade</b>	172	13.1%	(10.4-15.9)	936	86.9%	(84.1-89.6)
	<b>12th grade</b>	178	18.6%	(14.2-23.0)	677	81.4%	(77.0-85.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	10	14.3%	(2.3-26.2)	78	85.7%	(73.8-97.7)
	<b>Asian<sup>d</sup></b>	8	3.3%	(0.4-6.2)	222	96.7%	(93.8-99.6)
	<b>Black<sup>d</sup></b>	39	16.8%	(12.0-21.6)	194	83.2%	(78.4-88.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	12	13.2%	(4.6-21.7)	66	86.8%	(78.3-95.4)
	<b>White<sup>d</sup></b>	210	10.5%	(8.3-12.8)	1568	89.5%	(87.2-91.7)
	<b>Hispanic/Latino</b>	188	9.8%	(8.2-11.4)	1570	90.2%	(88.6-91.8)
	<b>Other/Multiple<sup>d</sup></b>	31	10.8%	(5.5-16.0)	225	89.2%	(84.0-94.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	27	8.4%	(3.0-13.7)	235	91.6%	(86.3-97.0)
	<b>2: Elko, White Pine, and Eureka</b>	54	16.8%	(10.8-22.8)	260	83.2%	(77.2-89.2)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	44	17.7%	(11.4-24.0)	245	82.3%	(76.0-88.6)
	<b>4: Lyon, Mineral, and Storey</b>	39	16.7%	(9.6-23.7)	174	83.3%	(76.3-90.4)
	<b>5: Nye and Lincoln</b>	41	12.7%	(6.1-19.3)	304	87.3%	(80.7-93.9)
	<b>6: Washoe</b>	131	13.4%	(9.9-16.9)	892	86.6%	(83.1-90.1)
	<b>7: Clark</b>	174	9.4%	(7.5-11.3)	1885	90.6%	(88.7-92.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic



**Table 70: Percentage of high school students who were currently sexually active,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1266	27.1%	(24.5-29.6)	3247	72.9%	(70.4-75.5)
<b>Sex</b>	<b>Female</b>	677	27.7%	(24.6-30.8)	1675	72.3%	(69.2-75.4)
	<b>Male</b>	586	26.5%	(23.4-29.7)	1562	73.5%	(70.3-76.6)
<b>Age</b>	<b>14 years old or younger</b>	64	10.6%	(7.5-13.7)	467	89.4%	(86.3-92.5)
	<b>15 years old</b>	211	15.8%	(13.3-18.3)	1049	84.2%	(81.7-86.7)
	<b>16 years old</b>	351	27.4%	(24.0-30.7)	834	72.6%	(69.3-76.0)
	<b>17 years old</b>	421	38.7%	(35.1-42.4)	620	61.3%	(57.6-64.9)
	<b>18 years old or older</b>	217	40.1%	(33.2-47.1)	269	59.9%	(52.9-66.8)
<b>Grade</b>	<b>9th grade</b>	178	12.3%	(10.1-14.4)	1142	87.7%	(85.6-89.9)
	<b>10th grade</b>	286	22.0%	(19.0-25.1)	887	78.0%	(74.9-81.0)
	<b>11th grade</b>	400	34.2%	(30.3-38.1)	710	65.8%	(61.9-69.7)
	<b>12th grade</b>	387	41.7%	(36.5-46.8)	471	58.3%	(53.2-63.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	28	32.9%	(19.0-46.9)	60	67.1%	(53.1-81.0)
	<b>Asian<sup>d</sup></b>	37	15.4%	(9.5-21.4)	193	84.6%	(78.6-90.5)
	<b>Black<sup>d</sup></b>	61	25.4%	(19.4-31.4)	176	74.6%	(68.6-80.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	28	33.3%	(21.0-45.6)	51	66.7%	(54.4-79.0)
	<b>White<sup>d</sup></b>	523	28.7%	(24.7-32.7)	1255	71.3%	(67.3-75.3)
	<b>Hispanic/Latino</b>	490	27.2%	(24.2-30.1)	1269	72.8%	(69.9-75.8)
	<b>Other/Multiple<sup>d</sup></b>	74	28.1%	(20.1-36.1)	183	71.9%	(63.9-79.9)
<b>Region</b>	<b>1: Carson City and Douglas</b>	68	22.8%	(12.5-33.2)	194	77.2%	(66.8-87.5)
	<b>2: Elko, White Pine, and Eureka</b>	112	32.1%	(24.2-40.0)	202	67.9%	(60.0-75.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	95	36.3%	(28.0-44.7)	193	63.7%	(55.3-72.0)
	<b>4: Lyon, Mineral, and Storey</b>	83	38.9%	(27.2-50.7)	130	61.1%	(49.3-72.8)
	<b>5: Nye and Lincoln</b>	100	31.0%	(22.8-39.2)	245	69.0%	(60.8-77.2)
	<b>6: Washoe</b>	304	29.8%	(24.8-34.7)	722	70.2%	(65.3-75.2)
	<b>7: Clark</b>	504	25.9%	(22.6-29.1)	1561	74.1%	(70.9-77.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Had sexual intercourse with at least one person during the 3 months before the survey

**Table 71: Percentage of high school students who drank alcohol or used drugs before last sexual intercourse,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	270	20.4%	(17.7-23.2)	981	79.6%	(76.8-82.3)
<b>Sex</b>	<b>Female</b>	131	18.2%	(15.0-21.5)	543	81.8%	(78.5-85.0)
	<b>Male</b>	138	22.6%	(18.3-27.0)	437	77.4%	(73.0-81.7)
<b>Age</b>	<b>14 years old or younger</b>	17	18.6%	(8.4-28.9)	44	81.4%	(71.1-91.6)
	<b>15 years old</b>	47	20.5%	(13.9-27.1)	161	79.5%	(72.9-86.1)
	<b>16 years old</b>	66	19.0%	(14.0-24.0)	282	81.0%	(76.0-86.0)
	<b>17 years old</b>	94	21.0%	(16.1-26.0)	323	79.0%	(74.0-83.9)
	<b>18 years old or older</b>	45	21.6%	(14.6-28.6)	170	78.4%	(71.4-85.4)
<b>Grade</b>	<b>9th grade</b>	41	18.5%	(12.7-24.3)	136	81.5%	(75.7-87.3)
	<b>10th grade</b>	52	17.4%	(13.1-21.8)	228	82.6%	(78.2-86.9)
	<b>11th grade</b>	86	20.1%	(15.1-25.0)	311	79.9%	(75.0-84.9)
	<b>12th grade</b>	87	23.2%	(17.3-29.0)	296	76.8%	(71.0-82.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	8	27.4%	(4.8-50.0)	20	72.6%	(50.0-95.2)
	<b>Asian<sup>d</sup></b>	3	3.4%	(0.0-9.5)	34	96.6%	(90.5-100.0)
	<b>Black<sup>d</sup></b>	17	30.6%	(16.1-45.2)	41	69.4%	(54.8-83.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	6	21.5%	(4.3-38.6)	21	78.5%	(61.4-95.7)
	<b>White<sup>d</sup></b>	104	18.0%	(13.9-22.0)	416	82.0%	(78.0-86.1)
	<b>Hispanic/Latino</b>	107	21.3%	(17.2-25.4)	378	78.7%	(74.6-82.8)
	<b>Other/Multiple<sup>d</sup></b>	19	23.6%	(12.8-34.3)	54	76.4%	(65.7-87.2)
<b>Region</b>	<b>1: Carson City and Douglas</b>	14	17.9%	(5.0-30.9)	53	82.1%	(69.1-95.0)
	<b>2: Elko, White Pine, and Eureka</b>	19	17.6%	(10.7-24.5)	91	82.4%	(75.5-89.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	27	28.2%	(21.1-35.3)	67	71.8%	(64.7-78.9)
	<b>4: Lyon, Mineral, and Storey</b>	17	19.0%	(7.5-30.6)	66	81.0%	(69.4-92.5)
	<b>5: Nye and Lincoln</b>	26	27.6%	(17.6-37.7)	73	72.4%	(62.3-82.4)
	<b>6: Washoe</b>	68	23.6%	(18.3-28.8)	231	76.4%	(71.2-81.7)
	<b>7: Clark</b>	99	19.5%	(15.9-23.1)	400	80.5%	(76.9-84.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among students who were sexually active in the past 3 months

**Table 72: Percentage of high school students who used a condom during last sexual intercourse,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	700	56.9%	(53.5-60.3)	547	43.1%	(39.7-46.5)
<b>Sex</b>	<b>Female</b>	345	52.2%	(47.6-56.8)	324	47.8%	(43.2-52.4)
	<b>Male</b>	354	61.6%	(57.2-66.1)	222	38.4%	(33.9-42.8)
<b>Age</b>	<b>14 years old or younger</b>	27	49.0%	(31.6-66.3)	33	51.0%	(33.7-68.4)
	<b>15 years old</b>	132	62.4%	(55.0-69.9)	74	37.6%	(30.1-45.0)
	<b>16 years old</b>	197	59.5%	(53.9-65.2)	150	40.5%	(34.8-46.1)
	<b>17 years old</b>	239	58.9%	(53.7-64.1)	178	41.1%	(35.9-46.3)
	<b>18 years old or older</b>	104	47.1%	(38.9-55.3)	111	52.9%	(44.7-61.1)
<b>Grade</b>	<b>9th grade</b>	103	59.3%	(49.0-69.7)	70	40.7%	(30.3-51.0)
	<b>10th grade</b>	161	58.7%	(53.0-64.4)	121	41.3%	(35.6-47.0)
	<b>11th grade</b>	239	61.5%	(55.9-67.1)	157	38.5%	(32.9-44.1)
	<b>12th grade</b>	190	50.9%	(45.2-56.6)	192	49.1%	(43.4-54.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	12	51.0%	(26.1-75.9)	16	49.0%	(24.1-73.9)
	<b>Asian<sup>d</sup></b>	27	61.7%	(43.2-80.3)	10	38.3%	(19.7-56.8)
	<b>Black<sup>d</sup></b>	34	61.6%	(47.5-75.7)	23	38.4%	(24.3-52.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	16	51.5%	(26.8-76.2)	10	48.5%	(23.8-73.2)
	<b>White<sup>d</sup></b>	287	55.9%	(50.1-61.6)	231	44.1%	(38.4-49.9)
	<b>Hispanic/Latino</b>	266	56.9%	(52.0-61.8)	218	43.1%	(38.2-48.0)
	<b>Other/Multiple<sup>d</sup></b>	44	57.2%	(45.7-68.7)	30	42.8%	(31.3-54.3)
<b>Region</b>	<b>1: Carson City and Douglas</b>	40	53.7%	(40.9-66.4)	27	46.3%	(33.6-59.1)
	<b>2: Elko, White Pine, and Eureka</b>	60	54.4%	(44.9-63.9)	51	45.6%	(36.1-55.1)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	58	61.0%	(49.2-72.8)	36	39.0%	(27.2-50.8)
	<b>4: Lyon, Mineral, and Storey</b>	39	49.0%	(34.5-63.5)	41	51.0%	(36.5-65.5)
	<b>5: Nye and Lincoln</b>	49	46.0%	(34.6-57.3)	48	54.0%	(42.7-65.4)
	<b>6: Washoe</b>	166	53.6%	(46.6-60.5)	133	46.4%	(39.5-53.4)
	<b>7: Clark</b>	288	58.3%	(53.9-62.6)	211	41.7%	(37.4-46.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among students who were sexually active in the past 3 months

**Table 73: Percentage of high school students who used birth control pills before last sexual intercourse,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	198	15.7%	(12.1-19.3)	1055	84.3%	(80.7-87.9)
<b>Sex</b>	<b>Female</b>	125	18.7%	(13.7-23.6)	546	81.3%	(76.4-86.3)
	<b>Male</b>	72	12.7%	(9.2-16.2)	507	87.3%	(83.8-90.8)
<b>Age</b>	<b>14 years old or younger</b>	3	4.2%	(0.0-9.4)	60	95.8%	(90.6-100.0)
	<b>15 years old</b>	23	10.9%	(5.9-15.9)	183	89.1%	(84.1-94.1)
	<b>16 years old</b>	50	14.4%	(9.8-19.1)	299	85.6%	(80.9-90.2)
	<b>17 years old</b>	79	17.9%	(13.1-22.7)	338	82.1%	(77.3-86.9)
	<b>18 years old or older</b>	43	19.6%	(9.5-29.6)	173	80.4%	(70.4-90.5)
<b>Grade</b>	<b>9th grade</b>	11	5.0%	(1.3-8.6)	161	95.0%	(91.4-98.7)
	<b>10th grade</b>	38	11.8%	(7.6-16.0)	245	88.2%	(84.0-92.4)
	<b>11th grade</b>	68	16.3%	(11.6-20.9)	329	83.7%	(79.1-88.4)
	<b>12th grade</b>	80	21.0%	(13.5-28.5)	306	79.0%	(71.5-86.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	5	20.7%	(0.7-40.7)	23	79.3%	(59.3-99.3)
	<b>Asian<sup>d</sup></b>	3	9.9%	(0.0-22.2)	34	90.1%	(77.8-100.0)
	<b>Black<sup>d</sup></b>	7	8.5%	(1.3-15.7)	54	91.5%	(84.3-98.7)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	19.1%	(2.3-35.9)	23	80.9%	(64.1-97.7)
	<b>White<sup>d</sup></b>	117	22.7%	(16.3-29.1)	404	77.3%	(70.9-83.7)
	<b>Hispanic/Latino</b>	46	10.3%	(7.0-13.6)	437	89.7%	(86.4-93.0)
	<b>Other/Multiple<sup>d</sup></b>	12	16.9%	(7.2-26.7)	60	83.1%	(73.3-92.8)
<b>Region</b>	<b>1: Carson City and Douglas</b>	13	21.2%	(6.0-36.3)	55	78.8%	(63.7-94.0)
	<b>2: Elko, White Pine, and Eureka</b>	16	14.8%	(6.0-23.6)	94	85.2%	(76.4-94.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	7	7.3%	(1.6-13.0)	85	92.7%	(87.0-98.4)
	<b>4: Lyon, Mineral, and Storey</b>	14	13.6%	(6.9-20.3)	69	86.4%	(79.7-93.1)
	<b>5: Nye and Lincoln</b>	12	12.8%	(4.2-21.4)	86	87.2%	(78.6-95.8)
	<b>6: Washoe</b>	67	22.5%	(17.1-28.0)	236	77.5%	(72.0-82.9)
	<b>7: Clark</b>	69	14.5%	(9.6-19.4)	430	85.5%	(80.6-90.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among students who were sexually active in the past 3 months

<sup>f</sup> To prevent pregnancy

**Table 74: Percentage of high school students who used Depo-Provera,<sup>e</sup> Nuva Ring,<sup>f</sup> Implanon,<sup>g</sup> or any IUD before last sexual intercourse,<sup>h,i</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	72	5.1%	(3.3-6.8)	1181	94.9%	(93.2-96.7)
<b>Sex</b>	<b>Female</b>	55	6.6%	(4.3-9.0)	616	93.4%	(91.0-95.7)
	<b>Male</b>	17	3.5%	(0.7-6.3)	562	96.5%	(93.7-99.3)
<b>Age</b>	<b>14 years old or younger</b>	2	0.4%	(0.0-1.2)	61	99.6%	(98.8-100.0)
	<b>15 years old</b>	9	2.6%	(0.2-5.0)	197	97.4%	(95.0-99.8)
	<b>16 years old</b>	21	5.2%	(2.3-8.2)	328	94.8%	(91.8-97.7)
	<b>17 years old</b>	22	4.2%	(1.8-6.6)	395	95.8%	(93.4-98.2)
	<b>18 years old or older</b>	18	9.5%	(3.0-15.9)	198	90.5%	(84.1-97.0)
<b>Grade</b>	<b>9th grade</b>	4	0.7%	(0.0-1.6)	168	99.3%	(98.4-100.0)
	<b>10th grade</b>	14	3.1%	(0.9-5.3)	269	96.9%	(94.7-99.1)
	<b>11th grade</b>	26	5.8%	(2.8-8.7)	371	94.2%	(91.3-97.2)
	<b>12th grade</b>	27	7.0%	(3.1-10.8)	359	93.0%	(89.2-96.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	17.7%	(0.0-43.1)	25	82.3%	(56.9-100.0)
	<b>Asian<sup>d</sup></b>	1	5.1%	(0.0-15.0)	36	94.9%	(85.0-100.0)
	<b>Black<sup>d</sup></b>	2	2.3%	(0.0-6.7)	59	97.7%	(93.3-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	2	7.7%	(0.0-19.8)	25	92.3%	(80.2-100.0)
	<b>White<sup>d</sup></b>	43	7.9%	(4.7-11.1)	478	92.1%	(88.9-95.3)
	<b>Hispanic/Latino</b>	17	2.6%	(0.8-4.5)	466	97.4%	(95.5-99.2)
	<b>Other/Multiple<sup>d</sup></b>	2	1.6%	(0.0-4.1)	70	98.4%	(95.9-100.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	6	9.1%	(0.0-20.7)	62	90.9%	(79.3-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	7	6.5%	(0.7-12.4)	103	93.5%	(87.6-99.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	3	2.9%	(0.0-5.9)	89	97.1%	(94.1-100.0)
	<b>4: Lyon, Mineral, and Storey</b>	7	6.5%	(1.7-11.4)	76	93.5%	(88.6-98.3)
	<b>5: Nye and Lincoln</b>	9	9.2%	(3.0-15.4)	89	90.8%	(84.6-97.0)
	<b>6: Washoe</b>	21	7.6%	(3.0-12.2)	282	92.4%	(87.8-97.0)
	<b>7: Clark</b>	19	4.2%	(2.0-6.4)	480	95.8%	(93.6-98.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Or any injectable birth control

<sup>f</sup> Or any birth control ring

<sup>g</sup> Or any implant

<sup>h</sup> Among students who were sexually active in the past 3 months

<sup>i</sup> To prevent pregnancy

**Table 75: Percentage of high school students who used birth control pills, Depo-Provera,<sup>e</sup> Nuva Ring,<sup>f</sup> Implanon,<sup>g</sup> or any IUD before last sexual intercourse,<sup>h,i</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	270	20.8%	(17.1-24.4)	983	79.2%	(75.6-82.9)
<b>Sex</b>	<b>Female</b>	180	25.3%	(20.1-30.5)	491	74.7%	(69.5-79.9)
	<b>Male</b>	89	16.2%	(12.0-20.4)	490	83.8%	(79.6-88.0)
<b>Age</b>	<b>14 years old or younger</b>	5	4.6%	(0.0-9.9)	58	95.4%	(90.1-100.0)
	<b>15 years old</b>	32	13.5%	(8.0-19.0)	174	86.5%	(81.0-92.0)
	<b>16 years old</b>	71	19.7%	(14.3-25.0)	278	80.3%	(75.0-85.7)
	<b>17 years old</b>	101	22.1%	(17.0-27.3)	316	77.9%	(72.7-83.0)
	<b>18 years old or older</b>	61	29.0%	(18.7-39.4)	155	71.0%	(60.6-81.3)
<b>Grade</b>	<b>9th grade</b>	15	5.7%	(1.7-9.6)	157	94.3%	(90.4-98.3)
	<b>10th grade</b>	52	14.9%	(10.6-19.3)	231	85.1%	(80.7-89.4)
	<b>11th grade</b>	94	22.0%	(16.7-27.3)	303	78.0%	(72.7-83.3)
	<b>12th grade</b>	107	28.0%	(20.6-35.3)	279	72.0%	(64.7-79.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	8	38.4%	(11.6-65.2)	20	61.6%	(34.8-88.4)
	<b>Asian<sup>d</sup></b>	4	15.0%	(0.1-29.9)	33	85.0%	(70.1-99.9)
	<b>Black<sup>d</sup></b>	9	10.8%	(2.7-19.0)	52	89.2%	(81.0-97.3)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	6	26.8%	(8.2-45.3)	21	73.2%	(54.7-91.8)
	<b>White<sup>d</sup></b>	160	30.6%	(24.8-36.3)	361	69.4%	(63.7-75.2)
	<b>Hispanic/Latino</b>	63	13.0%	(9.1-16.8)	420	87.0%	(83.2-90.9)
	<b>Other/Multiple<sup>d</sup></b>	14	18.5%	(8.7-28.4)	58	81.5%	(71.6-91.3)
<b>Region</b>	<b>1: Carson City and Douglas</b>	19	30.3%	(11.4-49.1)	49	69.7%	(50.9-88.6)
	<b>2: Elko, White Pine, and Eureka</b>	23	21.3%	(12.4-30.2)	87	78.7%	(69.8-87.6)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	10	10.2%	(4.1-16.2)	82	89.8%	(83.8-95.9)
	<b>4: Lyon, Mineral, and Storey</b>	21	20.1%	(9.9-30.4)	62	79.9%	(69.6-90.1)
	<b>5: Nye and Lincoln</b>	21	22.0%	(11.0-33.0)	77	78.0%	(67.0-89.0)
	<b>6: Washoe</b>	88	30.1%	(22.0-38.2)	215	69.9%	(61.8-78.0)
	<b>7: Clark</b>	88	18.7%	(13.9-23.5)	411	81.3%	(76.5-86.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Or any injectable birth control

<sup>f</sup> Or any birth control ring

<sup>g</sup> Or any implant

<sup>h</sup> Among students who were sexually active in the past 3 months

<sup>i</sup> To prevent pregnancy

**Table 76: Percentage of high school students who used both a condom and birth control pills, Depo-Provera,<sup>e</sup> Nuva Ring,<sup>f</sup> Implanon,<sup>g</sup> or any IUD before last sexual intercourse,<sup>h,i</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	82	5.8%	(4.1-7.5)	1166	94.2%	(92.5-95.9)
<b>Sex</b>	<b>Female</b>	56	6.9%	(4.6-9.3)	611	93.1%	(90.7-95.4)
	<b>Male</b>	26	4.7%	(2.4-7.1)	552	95.3%	(92.9-97.6)
<b>Age</b>	<b>14 years old or younger</b>	1	2.7%	(0.0-7.6)	62	97.3%	(92.4-100.0)
	<b>15 years old</b>	8	2.4%	(0.0-4.7)	199	97.6%	(95.3-100.0)
	<b>16 years old</b>	25	6.4%	(3.0-9.9)	322	93.6%	(90.1-97.0)
	<b>17 years old</b>	31	6.8%	(4.1-9.6)	384	93.2%	(90.4-95.9)
	<b>18 years old or older</b>	17	6.7%	(3.0-10.3)	197	93.3%	(89.7-97.0)
<b>Grade</b>	<b>9th grade</b>	3	1.2%	(0.0-3.0)	171	98.8%	(97.0-100.0)
	<b>10th grade</b>	12	3.1%	(0.8-5.4)	270	96.9%	(94.6-99.2)
	<b>11th grade</b>	36	8.0%	(4.8-11.2)	359	92.0%	(88.8-95.2)
	<b>12th grade</b>	31	7.1%	(3.9-10.3)	351	92.9%	(89.7-96.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	3	19.8%	(0.0-45.4)	25	80.2%	(54.6-100.0)
	<b>Asian<sup>d</sup></b>	1	4.6%	(0.0-13.6)	36	95.4%	(86.4-100.0)
	<b>Black<sup>d</sup></b>	2	2.3%	(0.0-6.2)	58	97.7%	(93.8-100.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	1	1.6%	(0.0-4.7)	25	98.4%	(95.3-100.0)
	<b>White<sup>d</sup></b>	59	10.4%	(7.6-13.3)	459	89.6%	(86.7-92.4)
	<b>Hispanic/Latino</b>	11	2.2%	(0.7-3.7)	473	97.8%	(96.3-99.3)
	<b>Other/Multiple<sup>d</sup></b>	3	2.1%	(0.0-4.8)	69	97.9%	(95.2-100.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	7	10.4%	(3.3-17.5)	60	89.6%	(82.5-96.7)
	<b>2: Elko, White Pine, and Eureka</b>	7	6.7%	(1.0-12.4)	103	93.3%	(87.6-99.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	3	3.2%	(0.0-6.4)	90	96.8%	(93.6-100.0)
	<b>4: Lyon, Mineral, and Storey</b>	7	6.4%	(1.3-11.5)	73	93.6%	(88.5-98.7)
	<b>5: Nye and Lincoln</b>	8	9.0%	(2.6-15.5)	91	91.0%	(84.5-97.4)
	<b>6: Washoe</b>	29	10.4%	(5.0-15.8)	272	89.6%	(84.2-95.0)
	<b>7: Clark</b>	21	4.6%	(2.6-6.6)	477	95.4%	(93.4-97.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Or any injectable birth control

<sup>f</sup> Or any birth control ring

<sup>g</sup> Or any implant

<sup>h</sup> Among students who were sexually active in the past 3 months

<sup>i</sup> To prevent pregnancy

**Table 77: Percentage of high school students who did not use any method to prevent pregnancy during last sexual intercourse,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	175	12.4%	(10.2-14.6)	1078	87.6%	(85.4-89.8)
<b>Sex</b>	<b>Female</b>	104	14.2%	(10.5-17.8)	567	85.8%	(82.2-89.5)
	<b>Male</b>	71	10.7%	(7.5-13.8)	508	89.3%	(86.2-92.5)
<b>Age</b>	<b>14 years old or younger</b>	14	18.1%	(8.6-27.5)	49	81.9%	(72.5-91.4)
	<b>15 years old</b>	30	15.2%	(9.9-20.5)	176	84.8%	(79.5-90.1)
	<b>16 years old</b>	47	10.5%	(6.7-14.3)	302	89.5%	(85.7-93.3)
	<b>17 years old</b>	53	11.1%	(7.8-14.4)	364	88.9%	(85.6-92.2)
	<b>18 years old or older</b>	30	13.6%	(6.5-20.6)	186	86.4%	(79.4-93.5)
<b>Grade</b>	<b>9th grade</b>	31	17.0%	(11.2-22.9)	141	83.0%	(77.1-88.8)
	<b>10th grade</b>	31	11.9%	(7.7-16.0)	252	88.1%	(84.0-92.3)
	<b>11th grade</b>	49	9.3%	(5.7-12.8)	348	90.7%	(87.2-94.3)
	<b>12th grade</b>	60	14.0%	(9.3-18.7)	326	86.0%	(81.3-90.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	5	11.1%	(0.9-21.4)	23	88.9%	(78.6-99.1)
	<b>Asian<sup>d</sup></b>	6	18.9%	(2.5-35.3)	31	81.1%	(64.7-97.5)
	<b>Black<sup>d</sup></b>	6	13.2%	(3.5-22.9)	55	86.8%	(77.1-96.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	5	22.1%	(4.3-39.8)	22	77.9%	(60.2-95.7)
	<b>White<sup>d</sup></b>	58	9.7%	(6.9-12.4)	463	90.3%	(87.6-93.1)
	<b>Hispanic/Latino</b>	82	14.1%	(10.5-17.8)	401	85.9%	(82.2-89.5)
	<b>Other/Multiple<sup>d</sup></b>	11	12.1%	(4.2-19.9)	61	87.9%	(80.1-95.8)
<b>Region</b>	<b>1: Carson City and Douglas</b>	8	10.5%	(4.5-16.5)	60	89.5%	(83.5-95.5)
	<b>2: Elko, White Pine, and Eureka</b>	20	15.1%	(9.3-21.0)	90	84.9%	(79.0-90.7)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	16	18.1%	(6.8-29.4)	76	81.9%	(70.6-93.2)
	<b>4: Lyon, Mineral, and Storey</b>	12	14.7%	(3.1-26.2)	71	85.3%	(73.8-96.9)
	<b>5: Nye and Lincoln</b>	16	16.9%	(9.9-24.0)	82	83.1%	(76.0-90.1)
	<b>6: Washoe</b>	40	12.2%	(8.2-16.2)	263	87.8%	(83.8-91.8)
	<b>7: Clark</b>	63	12.0%	(9.1-14.9)	436	88.0%	(85.1-90.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among students who were sexually active in the past 3 months



**Table 78: Percentage of high school students did not have sexual contact, who had sexual contact with the opposite sex, and who had sexual contact with the same or both sexes, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Never Had Sexual Contact			Sexual Contact with Opposite Sex Only			Sexual Contact with Same Sex Only			Sexual Contact with Both Sexes		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	2451	48.9%	(45.9-51.9)	2052	41.8%	(39.2-44.4)	154	3.4%	(2.7-4.2)	289	5.9%	(4.9-6.8)
<b>Sex</b>	<b>Female</b>	1265	49.7%	(46.0-53.5)	942	36.7%	(33.6-39.7)	93	3.9%	(2.9-5.0)	235	9.6%	(8.0-11.2)
	<b>Male</b>	1173	48.0%	(44.6-51.4)	1110	46.8%	(43.4-50.1)	61	3.0%	(2.0-4.0)	53	2.3%	(1.4-3.2)
<b>Age</b>	<b>14 years old or younger</b>	397	68.1%	(62.8-73.5)	136	23.0%	(18.0-28.0)	24	4.0%	(2.0-6.0)	32	4.9%	(3.0-6.7)
	<b>15 years old</b>	848	61.4%	(57.6-65.2)	405	29.9%	(26.2-33.5)	41	3.7%	(2.3-5.1)	67	5.1%	(3.7-6.4)
	<b>16 years old</b>	607	46.9%	(42.7-51.2)	590	44.8%	(41.0-48.6)	33	2.5%	(1.5-3.5)	79	5.8%	(3.8-7.8)
	<b>17 years old</b>	403	35.8%	(32.1-39.6)	619	52.5%	(48.6-56.5)	37	4.0%	(2.5-5.6)	79	7.6%	(5.7-9.5)
	<b>18 years old or older</b>	190	38.1%	(30.8-45.5)	298	53.5%	(46.8-60.1)	18	3.0%	(1.0-5.0)	32	5.4%	(3.1-7.8)
<b>Grade</b>	<b>9th grade</b>	954	65.9%	(61.9-69.8)	380	26.1%	(22.6-29.7)	52	3.9%	(2.6-5.1)	61	4.1%	(3.1-5.1)
	<b>10th grade</b>	649	49.2%	(44.6-53.7)	537	42.1%	(37.9-46.3)	36	3.1%	(1.8-4.5)	70	5.6%	(3.6-7.5)
	<b>11th grade</b>	495	42.1%	(37.5-46.8)	592	47.0%	(43.2-50.9)	31	3.2%	(1.8-4.6)	92	7.6%	(5.7-9.6)
	<b>12th grade</b>	315	36.2%	(30.7-41.8)	525	54.0%	(48.6-59.3)	34	3.5%	(1.9-5.1)	59	6.3%	(4.4-8.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	41	43.6%	(31.9-55.4)	52	44.4%	(32.0-56.8)	1	0.4%	(0.0-1.3)	10	11.5%	(3.4-19.7)
	<b>Asian<sup>d</sup></b>	166	62.3%	(55.3-69.3)	73	30.9%	(24.6-37.2)	9	4.3%	(0.8-7.8)	5	2.4%	(0.1-4.7)
	<b>Black<sup>d</sup></b>	126	47.1%	(39.4-54.8)	101	41.3%	(33.7-48.8)	13	4.8%	(2.0-7.6)	19	6.9%	(3.8-9.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	44	52.3%	(40.6-64.0)	38	42.3%	(30.5-54.2)	2	2.6%	(0.0-6.2)	4	2.8%	(0.0-6.6)
	<b>White<sup>d</sup></b>	940	48.9%	(44.5-53.4)	796	41.4%	(37.4-45.4)	64	3.6%	(2.5-4.8)	112	6.0%	(4.4-7.7)
	<b>Hispanic/Latino</b>	959	47.8%	(44.4-51.1)	836	43.6%	(40.3-46.9)	51	3.0%	(2.0-4.0)	108	5.6%	(4.5-6.8)
	<b>Other/Multiple<sup>d</sup></b>	123	45.6%	(36.6-54.5)	122	43.3%	(35.0-51.5)	7	2.9%	(0.1-5.7)	23	8.3%	(4.4-12.1)
<b>Region</b>	<b>1: Carson City and Douglas</b>	161	51.4%	(30.7-72.1)	101	35.1%	(18.7-51.4)	7	3.3%	(0.0-8.1)	18	10.2%	(0.0-23.1)
	<b>2: Elko, White Pine, and Eureka</b>	161	48.3%	(40.8-55.9)	163	45.3%	(37.1-53.4)	4	1.2%	(0.0-2.7)	18	5.1%	(2.7-7.6)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	162	47.8%	(36.9-58.6)	138	46.0%	(35.2-56.8)	4	1.1%	(0.1-2.0)	14	5.2%	(2.0-8.3)
	<b>4: Lyon, Mineral, and Storey</b>	83	36.4%	(26.9-45.8)	111	49.2%	(40.4-57.9)	15	6.9%	(4.1-9.8)	19	7.5%	(4.3-10.7)
	<b>5: Nye and Lincoln</b>	202	50.0%	(42.7-57.3)	173	41.8%	(35.2-48.4)	11	3.1%	(1.1-5.1)	16	5.2%	(1.7-8.6)
	<b>6: Washoe</b>	535	46.8%	(42.4-51.2)	478	44.0%	(39.7-48.4)	31	2.5%	(1.5-3.5)	78	6.6%	(4.7-8.6)
	<b>7: Clark</b>	1147	49.6%	(45.8-53.3)	888	41.2%	(37.9-44.5)	82	3.7%	(2.7-4.6)	126	5.6%	(4.5-6.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**Table 79: Percentage of high school students who were heterosexual (straight), gay or lesbian, bisexual, or not sure, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Heterosexual (straight)			Gay or lesbian			Bisexual			Not sure		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	4230	85.6%	(84.1-87.1)	135	2.9%	(2.3-3.4)	363	7.0%	(6.0-8.0)	227	4.5%	(3.8-5.3)
<b>Sex</b>	<b>Female</b>	2032	79.4%	(77.0-81.7)	74	3.2%	(2.4-3.9)	286	11.4%	(9.5-13.2)	146	6.1%	(5.0-7.2)
	<b>Male</b>	2184	91.5%	(89.9-93.1)	60	2.6%	(1.8-3.5)	74	2.8%	(2.0-3.6)	80	3.1%	(2.2-3.9)
<b>Age</b>	<b>14 years old or younger</b>	498	85.6%	(82.1-89.2)	18	3.4%	(1.5-5.4)	47	6.7%	(4.4-8.9)	27	4.3%	(2.4-6.2)
	<b>15 years old</b>	1147	83.8%	(81.2-86.4)	35	2.7%	(1.6-3.7)	107	8.6%	(6.7-10.5)	70	4.9%	(3.7-6.2)
	<b>16 years old</b>	1127	87.7%	(85.3-90.1)	31	1.9%	(1.0-2.8)	96	6.3%	(4.8-7.8)	57	4.1%	(2.5-5.6)
	<b>17 years old</b>	980	84.9%	(81.8-87.9)	30	3.1%	(2.1-4.2)	83	7.5%	(5.2-9.8)	47	4.5%	(3.1-6.0)
	<b>18 years old or older</b>	468	86.1%	(82.3-89.8)	20	4.1%	(2.3-5.9)	30	5.1%	(2.7-7.5)	25	4.7%	(2.5-7.0)
<b>Grade</b>	<b>9th grade</b>	1218	84.8%	(82.5-87.1)	39	3.1%	(2.0-4.1)	114	7.6%	(5.9-9.3)	68	4.5%	(3.3-5.8)
	<b>10th grade</b>	1106	86.1%	(83.5-88.8)	35	2.6%	(1.4-3.8)	100	7.3%	(5.6-8.9)	57	4.0%	(2.7-5.3)
	<b>11th grade</b>	1058	86.9%	(83.9-89.9)	27	2.1%	(1.2-2.9)	86	7.4%	(5.2-9.5)	45	3.7%	(2.2-5.2)
	<b>12th grade</b>	790	84.5%	(81.4-87.6)	31	3.7%	(2.5-5.0)	62	5.9%	(4.1-7.8)	51	5.8%	(4.1-7.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	85	77.4%	(67.0-87.7)	2	4.1%	(0.0-10.3)	6	4.0%	(0.7-7.2)	10	14.6%	(4.6-24.6)
	<b>Asian<sup>d</sup></b>	224	87.6%	(82.8-92.4)	8	4.1%	(0.8-7.4)	12	4.7%	(1.8-7.5)	10	3.6%	(1.3-5.9)
	<b>Black<sup>d</sup></b>	217	84.0%	(79.7-88.4)	9	3.1%	(0.7-5.5)	26	9.1%	(5.4-12.8)	11	3.8%	(1.4-6.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	82	93.4%	(87.7-99.0)	0	0.0%	(0.0-0.0)	3	2.7%	(0.0-6.4)	4	4.0%	(0.0-8.4)
	<b>White<sup>d</sup></b>	1637	85.6%	(83.1-88.0)	51	2.7%	(1.8-3.6)	148	6.9%	(5.2-8.6)	83	4.8%	(3.6-6.0)
	<b>Hispanic/Latino</b>	1684	86.0%	(84.0-88.0)	51	2.6%	(1.8-3.5)	126	6.8%	(5.4-8.2)	90	4.6%	(3.4-5.7)
	<b>Other/Multiple<sup>d</sup></b>	228	83.4%	(78.2-88.6)	11	4.3%	(1.6-7.0)	30	10.6%	(6.5-14.8)	6	1.7%	(0.3-3.1)
<b>Region</b>	<b>1: Carson City and Douglas</b>	235	85.7%	(78.5-93.0)	10	3.8%	(0.0-8.7)	22	6.2%	(2.9-9.5)	17	4.3%	(1.1-7.5)
	<b>2: Elko, White Pine, and Eureka</b>	303	86.1%	(82.0-90.2)	9	2.9%	(0.4-5.4)	23	6.9%	(3.3-10.6)	15	4.1%	(1.3-6.9)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	281	89.8%	(85.6-94.0)	5	1.4%	(0.2-2.6)	16	4.7%	(2.2-7.3)	15	4.0%	(1.2-6.8)
	<b>4: Lyon, Mineral, and Storey</b>	188	83.8%	(78.2-89.5)	9	2.9%	(1.2-4.6)	25	11.1%	(7.0-15.3)	7	2.1%	(0.8-3.4)
	<b>5: Nye and Lincoln</b>	359	86.8%	(83.3-90.2)	5	1.2%	(0.2-2.2)	26	8.0%	(4.6-11.5)	17	4.0%	(1.6-6.4)
	<b>6: Washoe</b>	949	84.3%	(80.7-87.9)	34	3.2%	(2.1-4.4)	83	7.2%	(5.3-9.1)	57	5.3%	(3.5-7.1)
	<b>7: Clark</b>	1915	85.7%	(83.8-87.6)	63	2.8%	(2.2-3.5)	168	7.0%	(5.7-8.3)	99	4.5%	(3.6-5.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**Table 80: Percentage of high school students who have ever been tested for HIV,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	524	10.7%	(9.4-11.9)	4333	89.3%	(88.1-90.6)
<b>Sex</b>	<b>Female</b>	268	10.9%	(8.8-12.9)	2230	89.1%	(87.1-91.2)
	<b>Male</b>	251	10.4%	(8.9-12.0)	2091	89.6%	(88.0-91.1)
<b>Age</b>	<b>14 years old or younger</b>	45	7.2%	(4.6-9.7)	533	92.8%	(90.3-95.4)
	<b>15 years old</b>	118	8.9%	(7.1-10.7)	1221	91.1%	(89.3-92.9)
	<b>16 years old</b>	133	9.2%	(7.3-11.0)	1159	90.8%	(89.0-92.7)
	<b>17 years old</b>	146	12.8%	(10.4-15.2)	973	87.2%	(84.8-89.6)
	<b>18 years old or older</b>	80	15.6%	(11.3-19.9)	438	84.4%	(80.1-88.7)
<b>Grade</b>	<b>9th grade</b>	117	8.0%	(6.2-9.7)	1298	92.0%	(90.3-93.8)
	<b>10th grade</b>	127	9.6%	(7.8-11.5)	1147	90.4%	(88.5-92.2)
	<b>11th grade</b>	134	10.5%	(8.6-12.4)	1066	89.5%	(87.6-91.4)
	<b>12th grade</b>	136	14.8%	(11.3-18.3)	770	85.2%	(81.7-88.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	10	7.6%	(1.6-13.5)	93	92.4%	(86.5-98.4)
	<b>Asian<sup>d</sup></b>	17	6.2%	(2.6-9.8)	230	93.8%	(90.2-97.4)
	<b>Black<sup>d</sup></b>	50	19.4%	(14.5-24.4)	203	80.6%	(75.6-85.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	8	11.0%	(3.7-18.3)	79	89.0%	(81.7-96.3)
	<b>White<sup>d</sup></b>	196	9.5%	(7.3-11.7)	1696	90.5%	(88.3-92.7)
	<b>Hispanic/Latino</b>	199	10.8%	(9.1-12.4)	1700	89.2%	(87.6-90.9)
	<b>Other/Multiple<sup>d</sup></b>	26	8.0%	(3.5-12.5)	248	92.0%	(87.5-96.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	21	13.1%	(2.7-23.5)	262	86.9%	(76.5-97.3)
	<b>2: Elko, White Pine, and Eureka</b>	34	8.4%	(4.7-12.1)	312	91.6%	(87.9-95.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	32	10.9%	(6.6-15.2)	271	89.1%	(84.8-93.4)
	<b>4: Lyon, Mineral, and Storey</b>	35	15.6%	(10.9-20.4)	189	84.4%	(79.6-89.1)
	<b>5: Nye and Lincoln</b>	63	16.5%	(11.9-21.1)	338	83.5%	(78.9-88.1)
	<b>6: Washoe</b>	114	10.1%	(7.9-12.4)	987	89.9%	(87.6-92.1)
	<b>7: Clark</b>	225	10.5%	(8.9-12.1)	1974	89.5%	(87.9-91.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Not counting tests done when donating blood

**Diet**

**Table 81: Percentage of high school students who did not eat fruit or drink 100% fruit juices,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	245	5.0%	(4.0-5.9)	4696	95.0%	(94.1-96.0)
<b>Sex</b>	<b>Female</b>	86	3.2%	(2.3-4.1)	2454	96.8%	(95.9-97.7)
	<b>Male</b>	156	6.6%	(5.1-8.0)	2228	93.4%	(92.0-94.9)
<b>Age</b>	<b>14 years old or younger</b>	34	5.8%	(3.3-8.4)	555	94.2%	(91.6-96.7)
	<b>15 years old</b>	52	4.2%	(2.7-5.6)	1306	95.8%	(94.4-97.3)
	<b>16 years old</b>	73	5.5%	(3.9-7.0)	1239	94.5%	(93.0-96.1)
	<b>17 years old</b>	52	4.3%	(2.8-5.7)	1087	95.7%	(94.3-97.2)
	<b>18 years old or older</b>	31	6.1%	(2.8-9.3)	502	93.9%	(90.7-97.2)
<b>Grade</b>	<b>9th grade</b>	73	5.1%	(3.6-6.5)	1361	94.9%	(93.5-96.4)
	<b>10th grade</b>	70	5.7%	(3.8-7.6)	1224	94.3%	(92.4-96.2)
	<b>11th grade</b>	60	4.7%	(3.0-6.4)	1160	95.3%	(93.6-97.0)
	<b>12th grade</b>	38	4.2%	(2.2-6.2)	889	95.8%	(93.8-97.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	8	6.3%	(0.0-13.0)	94	93.7%	(87.0-100.0)
	<b>Asian<sup>d</sup></b>	14	5.5%	(2.0-9.0)	240	94.5%	(91.0-98.0)
	<b>Black<sup>d</sup></b>	16	5.8%	(3.0-8.6)	242	94.2%	(91.4-97.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	5.0%	(0.2-9.9)	86	95.0%	(90.1-99.8)
	<b>White<sup>d</sup></b>	99	5.4%	(3.8-6.9)	1815	94.6%	(93.1-96.2)
	<b>Hispanic/Latino</b>	83	4.4%	(3.2-5.6)	1859	95.6%	(94.4-96.8)
	<b>Other/Multiple<sup>d</sup></b>	15	4.2%	(1.5-6.9)	261	95.8%	(93.1-98.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	14	10.7%	(0.0-21.9)	271	89.3%	(78.1-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	11	3.2%	(1.2-5.3)	338	96.8%	(94.7-98.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	25	7.5%	(4.6-10.3)	291	92.5%	(89.7-95.4)
	<b>4: Lyon, Mineral, and Storey</b>	12	5.9%	(0.7-11.0)	216	94.1%	(89.0-99.3)
	<b>5: Nye and Lincoln</b>	32	7.6%	(4.7-10.6)	375	92.4%	(89.4-95.3)
	<b>6: Washoe</b>	45	4.3%	(2.8-5.7)	1072	95.7%	(94.3-97.2)
	<b>7: Clark</b>	106	4.8%	(3.7-5.9)	2133	95.2%	(94.1-96.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 7 days before the survey

**Table 82: Percentage of high school students who ate fruit or drank 100% fruit juices one or more times/day,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	2889	58.4%	(56.7-60.1)	2052	41.6%	(39.9-43.3)
<b>Sex</b>	<b>Female</b>	1466	57.2%	(54.7-59.6)	1074	42.8%	(40.4-45.3)
	<b>Male</b>	1414	59.6%	(57.2-62.1)	970	40.4%	(37.9-42.8)
<b>Age</b>	<b>14 years old or younger</b>	353	59.8%	(54.6-65.0)	236	40.2%	(35.0-45.4)
	<b>15 years old</b>	813	59.1%	(56.1-62.2)	545	40.9%	(37.8-43.9)
	<b>16 years old</b>	764	57.8%	(54.7-60.9)	548	42.2%	(39.1-45.3)
	<b>17 years old</b>	643	57.7%	(54.3-61.1)	496	42.3%	(38.9-45.7)
	<b>18 years old or older</b>	311	58.8%	(53.3-64.4)	222	41.2%	(35.6-46.7)
<b>Grade</b>	<b>9th grade</b>	838	57.4%	(54.1-60.7)	596	42.6%	(39.3-45.9)
	<b>10th grade</b>	775	59.5%	(55.9-63.0)	519	40.5%	(37.0-44.1)
	<b>11th grade</b>	703	58.8%	(55.6-61.9)	517	41.2%	(38.1-44.4)
	<b>12th grade</b>	535	57.9%	(54.0-61.8)	392	42.1%	(38.2-46.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	62	59.9%	(48.1-71.7)	40	40.1%	(28.3-51.9)
	<b>Asian<sup>d</sup></b>	152	59.0%	(50.7-67.3)	102	41.0%	(32.7-49.3)
	<b>Black<sup>d</sup></b>	147	56.8%	(50.6-63.1)	111	43.2%	(36.9-49.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	52	52.7%	(41.9-63.4)	38	47.3%	(36.6-58.1)
	<b>White<sup>d</sup></b>	1091	56.8%	(54.0-59.7)	823	43.2%	(40.3-46.0)
	<b>Hispanic/Latino</b>	1168	60.4%	(57.8-62.9)	774	39.6%	(37.1-42.2)
	<b>Other/Multiple<sup>d</sup></b>	160	58.6%	(52.1-65.1)	116	41.4%	(34.9-47.9)
<b>Region</b>	<b>1: Carson City and Douglas</b>	181	64.8%	(51.1-78.4)	104	35.2%	(21.6-48.9)
	<b>2: Elko, White Pine, and Eureka</b>	205	57.5%	(51.1-63.9)	144	42.5%	(36.1-48.9)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	173	54.9%	(49.2-60.7)	143	45.1%	(39.3-50.8)
	<b>4: Lyon, Mineral, and Storey</b>	121	50.8%	(45.9-55.7)	107	49.2%	(44.3-54.1)
	<b>5: Nye and Lincoln</b>	234	58.0%	(52.5-63.4)	173	42.0%	(36.6-47.5)
	<b>6: Washoe</b>	677	61.5%	(57.8-65.1)	440	38.5%	(34.9-42.2)
	<b>7: Clark</b>	1298	57.9%	(55.9-60.0)	941	42.1%	(40.0-44.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 7 days before the survey

**Table 83: Percentage of high school students who ate fruit or drank 100% fruit juices two or more times/day,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1419	28.3%	(26.7-29.9)	3522	71.7%	(70.1-73.3)
<b>Sex</b>	<b>Female</b>	703	27.5%	(25.3-29.7)	1837	72.5%	(70.3-74.7)
	<b>Male</b>	711	28.9%	(26.5-31.4)	1673	71.1%	(68.6-73.5)
<b>Age</b>	<b>14 years old or younger</b>	179	29.4%	(24.9-34.0)	410	70.6%	(66.0-75.1)
	<b>15 years old</b>	408	29.1%	(26.4-31.9)	950	70.9%	(68.1-73.6)
	<b>16 years old</b>	372	27.0%	(24.0-30.0)	940	73.0%	(70.0-76.0)
	<b>17 years old</b>	300	28.4%	(24.9-32.0)	839	71.6%	(68.0-75.1)
	<b>18 years old or older</b>	156	27.9%	(22.9-32.9)	377	72.1%	(67.1-77.1)
<b>Grade</b>	<b>9th grade</b>	443	29.9%	(27.3-32.5)	991	70.1%	(67.5-72.7)
	<b>10th grade</b>	367	27.9%	(24.5-31.2)	927	72.1%	(68.8-75.5)
	<b>11th grade</b>	328	27.7%	(24.3-31.1)	892	72.3%	(68.9-75.7)
	<b>12th grade</b>	259	27.2%	(24.0-30.5)	668	72.8%	(69.5-76.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	37	35.8%	(24.1-47.5)	65	64.2%	(52.5-75.9)
	<b>Asian<sup>d</sup></b>	74	26.2%	(20.1-32.3)	180	73.8%	(67.7-79.9)
	<b>Black<sup>d</sup></b>	86	32.0%	(25.9-38.1)	172	68.0%	(61.9-74.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	23	24.9%	(14.1-35.6)	67	75.1%	(64.4-85.9)
	<b>White<sup>d</sup></b>	509	26.3%	(23.7-28.9)	1405	73.7%	(71.1-76.3)
	<b>Hispanic/Latino</b>	577	29.5%	(26.9-32.0)	1365	70.5%	(68.0-73.1)
	<b>Other/Multiple<sup>d</sup></b>	77	27.2%	(22.2-32.2)	199	72.8%	(67.8-77.8)
<b>Region</b>	<b>1: Carson City and Douglas</b>	95	35.6%	(25.1-46.1)	190	64.4%	(53.9-74.9)
	<b>2: Elko, White Pine, and Eureka</b>	96	26.7%	(22.6-30.8)	253	73.3%	(69.2-77.4)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	89	27.1%	(21.3-33.0)	227	72.9%	(67.0-78.7)
	<b>4: Lyon, Mineral, and Storey</b>	61	27.0%	(21.5-32.5)	167	73.0%	(67.5-78.5)
	<b>5: Nye and Lincoln</b>	108	27.4%	(24.0-30.8)	299	72.6%	(69.2-76.0)
	<b>6: Washoe</b>	353	32.2%	(28.5-35.9)	764	67.8%	(64.1-71.5)
	<b>7: Clark</b>	617	27.3%	(25.4-29.3)	1622	72.7%	(70.7-74.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 7 days before the survey

**Table 84: Percentage of high school students who ate fruit or drank 100% fruit juices three or more times/day,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	873	17.3%	(15.9-18.8)	4068	82.7%	(81.2-84.1)
<b>Sex</b>	<b>Female</b>	413	16.4%	(14.5-18.3)	2127	83.6%	(81.7-85.5)
	<b>Male</b>	457	18.2%	(16.1-20.3)	1927	81.8%	(79.7-83.9)
<b>Age</b>	<b>14 years old or younger</b>	97	15.6%	(12.0-19.2)	492	84.4%	(80.8-88.0)
	<b>15 years old</b>	249	17.3%	(15.0-19.6)	1109	82.7%	(80.4-85.0)
	<b>16 years old</b>	237	18.0%	(15.3-20.6)	1075	82.0%	(79.4-84.7)
	<b>17 years old</b>	182	16.7%	(13.2-20.2)	957	83.3%	(79.8-86.8)
	<b>18 years old or older</b>	106	18.9%	(14.2-23.6)	427	81.1%	(76.4-85.8)
<b>Grade</b>	<b>9th grade</b>	260	17.1%	(15.2-19.1)	1174	82.9%	(80.9-84.8)
	<b>10th grade</b>	229	17.8%	(15.2-20.5)	1065	82.2%	(79.5-84.8)
	<b>11th grade</b>	206	17.6%	(14.7-20.5)	1014	82.4%	(79.5-85.3)
	<b>12th grade</b>	161	16.3%	(12.8-19.8)	766	83.7%	(80.2-87.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	28	25.2%	(13.5-37.0)	74	74.8%	(63.0-86.5)
	<b>Asian<sup>d</sup></b>	40	14.7%	(9.5-19.9)	214	85.3%	(80.1-90.5)
	<b>Black<sup>d</sup></b>	57	21.3%	(15.8-26.8)	201	78.7%	(73.2-84.2)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	15	13.6%	(5.5-21.7)	75	86.4%	(78.3-94.5)
	<b>White<sup>d</sup></b>	306	15.8%	(13.5-18.1)	1608	84.2%	(81.9-86.5)
	<b>Hispanic/Latino</b>	353	17.9%	(15.8-20.1)	1589	82.1%	(79.9-84.2)
	<b>Other/Multiple<sup>d</sup></b>	52	17.8%	(13.1-22.5)	224	82.2%	(77.5-86.9)
<b>Region</b>	<b>1: Carson City and Douglas</b>	54	24.3%	(13.3-35.3)	231	75.7%	(64.7-86.7)
	<b>2: Elko, White Pine, and Eureka</b>	56	16.3%	(12.1-20.5)	293	83.7%	(79.5-87.9)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	59	18.2%	(13.6-22.8)	257	81.8%	(77.2-86.4)
	<b>4: Lyon, Mineral, and Storey</b>	36	16.5%	(12.6-20.5)	192	83.5%	(79.5-87.4)
	<b>5: Nye and Lincoln</b>	77	19.1%	(15.8-22.5)	330	80.9%	(77.5-84.2)
	<b>6: Washoe</b>	214	19.6%	(17.1-22.2)	903	80.4%	(77.8-82.9)
	<b>7: Clark</b>	377	16.6%	(14.8-18.4)	1862	83.4%	(81.6-85.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 7 days before the survey

**Table 85: Percentage of high school students who did not eat vegetables,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	312	6.7%	(5.7-7.8)	4567	93.3%	(92.2-94.3)
<b>Sex</b>	<b>Female</b>	114	4.9%	(3.9-5.9)	2403	95.1%	(94.1-96.1)
	<b>Male</b>	196	8.5%	(6.9-10.1)	2148	91.5%	(89.9-93.1)
<b>Age</b>	<b>14 years old or younger</b>	36	6.4%	(3.6-9.1)	547	93.6%	(90.9-96.4)
	<b>15 years old</b>	90	7.5%	(5.7-9.3)	1245	92.5%	(90.7-94.3)
	<b>16 years old</b>	83	6.8%	(5.1-8.5)	1213	93.2%	(91.5-94.9)
	<b>17 years old</b>	71	6.3%	(4.5-8.1)	1052	93.7%	(91.9-95.5)
	<b>18 years old or older</b>	29	5.9%	(2.7-9.2)	503	94.1%	(90.8-97.3)
<b>Grade</b>	<b>9th grade</b>	92	7.2%	(5.6-8.8)	1317	92.8%	(91.2-94.4)
	<b>10th grade</b>	88	7.4%	(5.3-9.4)	1191	92.6%	(90.6-94.7)
	<b>11th grade</b>	72	6.4%	(4.3-8.4)	1134	93.6%	(91.6-95.7)
	<b>12th grade</b>	52	5.7%	(3.6-7.7)	869	94.3%	(92.3-96.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	5	7.9%	(0.0-16.6)	97	92.1%	(83.4-100.0)
	<b>Asian<sup>d</sup></b>	13	5.6%	(2.5-8.7)	240	94.4%	(91.3-97.5)
	<b>Black<sup>d</sup></b>	28	10.3%	(6.2-14.4)	224	89.7%	(85.6-93.8)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	8	8.7%	(2.3-15.0)	80	91.3%	(85.0-97.7)
	<b>White<sup>d</sup></b>	100	5.6%	(4.2-7.0)	1797	94.4%	(93.0-95.8)
	<b>Hispanic/Latino</b>	137	7.2%	(5.7-8.8)	1778	92.8%	(91.2-94.3)
	<b>Other/Multiple<sup>d</sup></b>	14	4.7%	(1.9-7.6)	259	95.3%	(92.4-98.1)
<b>Region</b>	<b>1: Carson City and Douglas</b>	20	9.0%	(0.0-18.4)	266	91.0%	(81.6-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	17	3.7%	(2.0-5.4)	325	96.3%	(94.6-98.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	15	4.5%	(2.5-6.4)	292	95.5%	(93.6-97.5)
	<b>4: Lyon, Mineral, and Storey</b>	16	6.7%	(3.1-10.2)	208	93.3%	(89.8-96.9)
	<b>5: Nye and Lincoln</b>	30	7.8%	(4.7-11.0)	373	92.2%	(89.0-95.3)
	<b>6: Washoe</b>	58	5.5%	(3.9-7.1)	1050	94.5%	(92.9-96.1)
	<b>7: Clark</b>	156	7.0%	(5.8-8.3)	2053	93.0%	(91.7-94.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 7 days before the survey



**Table 86: Percentage of high school students who ate vegetables one or more times/day,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	2811	56.9%	(55.0-58.7)	2068	43.1%	(41.3-45.0)
<b>Sex</b>	<b>Female</b>	1441	56.6%	(54.0-59.2)	1076	43.4%	(40.8-46.0)
	<b>Male</b>	1356	57.0%	(54.3-59.8)	988	43.0%	(40.2-45.7)
<b>Age</b>	<b>14 years old or younger</b>	317	54.0%	(48.6-59.3)	266	46.0%	(40.7-51.4)
	<b>15 years old</b>	759	55.2%	(52.0-58.5)	576	44.8%	(41.5-48.0)
	<b>16 years old</b>	755	57.0%	(53.7-60.3)	541	43.0%	(39.7-46.3)
	<b>17 years old</b>	657	59.1%	(55.2-63.0)	466	40.9%	(37.0-44.8)
	<b>18 years old or older</b>	318	57.8%	(53.0-62.5)	214	42.2%	(37.5-47.0)
<b>Grade</b>	<b>9th grade</b>	781	54.6%	(51.0-58.3)	628	45.4%	(41.7-49.0)
	<b>10th grade</b>	738	55.7%	(52.5-59.0)	541	44.3%	(41.0-47.5)
	<b>11th grade</b>	708	58.3%	(54.9-61.8)	498	41.7%	(38.2-45.1)
	<b>12th grade</b>	548	59.2%	(55.2-63.1)	373	40.8%	(36.9-44.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	62	53.2%	(38.8-67.6)	40	46.8%	(32.4-61.2)
	<b>Asian<sup>d</sup></b>	157	62.6%	(56.1-69.1)	96	37.4%	(30.9-43.9)
	<b>Black<sup>d</sup></b>	116	46.6%	(40.1-53.1)	136	53.4%	(46.9-59.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	51	54.2%	(42.0-66.4)	37	45.8%	(33.6-58.0)
	<b>White<sup>d</sup></b>	1189	63.3%	(60.7-65.9)	708	36.7%	(34.1-39.3)
	<b>Hispanic/Latino</b>	1012	53.2%	(50.4-56.0)	903	46.8%	(44.0-49.6)
	<b>Other/Multiple<sup>d</sup></b>	160	53.3%	(46.9-59.7)	113	46.7%	(40.3-53.1)
<b>Region</b>	<b>1: Carson City and Douglas</b>	173	60.0%	(50.5-69.6)	113	40.0%	(30.4-49.5)
	<b>2: Elko, White Pine, and Eureka</b>	199	58.8%	(52.4-65.1)	143	41.2%	(34.9-47.6)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	176	58.0%	(53.0-63.0)	131	42.0%	(37.0-47.0)
	<b>4: Lyon, Mineral, and Storey</b>	134	60.1%	(53.5-66.7)	90	39.9%	(33.3-46.5)
	<b>5: Nye and Lincoln</b>	242	59.1%	(52.0-66.3)	161	40.9%	(33.7-48.0)
	<b>6: Washoe</b>	664	60.4%	(56.5-64.3)	444	39.6%	(35.7-43.5)
	<b>7: Clark</b>	1223	55.8%	(53.4-58.2)	986	44.2%	(41.8-46.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

<sup>f</sup> During the 7 days before the survey

**Table 87: Percentage of high school students who ate vegetables two or more times/day,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1178	23.2%	(21.7-24.7)	3701	76.8%	(75.3-78.3)
<b>Sex</b>	<b>Female</b>	597	22.7%	(20.5-24.9)	1920	77.3%	(75.1-79.5)
	<b>Male</b>	574	23.6%	(21.5-25.8)	1770	76.4%	(74.2-78.5)
<b>Age</b>	<b>14 years old or younger</b>	124	21.4%	(16.7-26.1)	459	78.6%	(73.9-83.3)
	<b>15 years old</b>	320	23.7%	(21.1-26.2)	1015	76.3%	(73.8-78.9)
	<b>16 years old</b>	321	23.2%	(20.2-26.1)	975	76.8%	(73.9-79.8)
	<b>17 years old</b>	269	23.3%	(20.4-26.2)	854	76.7%	(73.8-79.6)
	<b>18 years old or older</b>	140	23.0%	(18.4-27.7)	392	77.0%	(72.3-81.6)
<b>Grade</b>	<b>9th grade</b>	324	22.7%	(19.8-25.6)	1085	77.3%	(74.4-80.2)
	<b>10th grade</b>	303	23.1%	(19.9-26.3)	976	76.9%	(73.7-80.1)
	<b>11th grade</b>	304	23.5%	(20.8-26.2)	902	76.5%	(73.8-79.2)
	<b>12th grade</b>	227	22.9%	(19.6-26.2)	694	77.1%	(73.8-80.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	29	24.6%	(13.1-36.1)	73	75.4%	(63.9-86.9)
	<b>Asian<sup>d</sup></b>	69	27.9%	(22.1-33.8)	184	72.1%	(66.2-77.9)
	<b>Black<sup>d</sup></b>	49	19.4%	(14.1-24.7)	203	80.6%	(75.3-85.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	22	26.2%	(15.0-37.3)	66	73.8%	(62.7-85.0)
	<b>White<sup>d</sup></b>	483	24.5%	(21.7-27.3)	1414	75.5%	(72.7-78.3)
	<b>Hispanic/Latino</b>	427	22.4%	(20.3-24.5)	1488	77.6%	(75.5-79.7)
	<b>Other/Multiple<sup>d</sup></b>	62	20.5%	(14.9-26.0)	211	79.5%	(74.0-85.1)
<b>Region</b>	<b>1: Carson City and Douglas</b>	65	28.4%	(16.2-40.6)	221	71.6%	(59.4-83.8)
	<b>2: Elko, White Pine, and Eureka</b>	91	26.7%	(21.3-32.1)	251	73.3%	(67.9-78.7)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	70	22.7%	(19.0-26.4)	237	77.3%	(73.6-81.0)
	<b>4: Lyon, Mineral, and Storey</b>	55	23.1%	(18.5-27.7)	169	76.9%	(72.3-81.5)
	<b>5: Nye and Lincoln</b>	101	24.7%	(19.7-29.7)	302	75.3%	(70.3-80.3)
	<b>6: Washoe</b>	301	27.2%	(24.0-30.4)	807	72.8%	(69.6-76.0)
	<b>7: Clark</b>	495	22.1%	(20.2-23.9)	1714	77.9%	(76.1-79.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

<sup>f</sup> During the 7 days before the survey

**Table 88: Percentage of high school students who ate vegetables three or more times/day,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	593	11.5%	(10.4-12.6)	4286	88.5%	(87.4-89.6)
<b>Sex</b>	<b>Female</b>	302	11.4%	(10.0-12.8)	2215	88.6%	(87.2-90.0)
	<b>Male</b>	285	11.5%	(9.9-13.2)	2059	88.5%	(86.8-90.1)
<b>Age</b>	<b>14 years old or younger</b>	55	8.4%	(6.1-10.7)	528	91.6%	(89.3-93.9)
	<b>15 years old</b>	158	11.6%	(9.5-13.6)	1177	88.4%	(86.4-90.5)
	<b>16 years old</b>	165	12.3%	(9.8-14.7)	1131	87.7%	(85.3-90.2)
	<b>17 years old</b>	128	11.0%	(8.7-13.3)	995	89.0%	(86.7-91.3)
	<b>18 years old or older</b>	84	13.2%	(9.3-17.2)	448	86.8%	(82.8-90.7)
<b>Grade</b>	<b>9th grade</b>	162	11.0%	(9.2-12.8)	1247	89.0%	(87.2-90.8)
	<b>10th grade</b>	145	11.3%	(8.9-13.7)	1134	88.7%	(86.3-91.1)
	<b>11th grade</b>	155	12.2%	(9.9-14.5)	1051	87.8%	(85.5-90.1)
	<b>12th grade</b>	119	11.2%	(9.0-13.5)	802	88.8%	(86.5-91.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	15	15.5%	(5.3-25.6)	87	84.5%	(74.4-94.7)
	<b>Asian<sup>d</sup></b>	34	12.7%	(8.6-16.7)	219	87.3%	(83.3-91.4)
	<b>Black<sup>d</sup></b>	28	11.2%	(6.9-15.4)	224	88.8%	(84.6-93.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	12	11.7%	(4.1-19.4)	76	88.3%	(80.6-95.9)
	<b>White<sup>d</sup></b>	225	11.6%	(9.6-13.5)	1672	88.4%	(86.5-90.4)
	<b>Hispanic/Latino</b>	232	11.7%	(10.0-13.3)	1683	88.3%	(86.7-90.0)
	<b>Other/Multiple<sup>d</sup></b>	24	8.2%	(4.5-12.0)	249	91.8%	(88.0-95.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	28	14.2%	(4.3-24.1)	258	85.8%	(75.9-95.7)
	<b>2: Elko, White Pine, and Eureka</b>	49	13.1%	(8.5-17.7)	293	86.9%	(82.3-91.5)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	36	11.7%	(8.4-15.1)	271	88.3%	(84.9-91.6)
	<b>4: Lyon, Mineral, and Storey</b>	28	12.6%	(8.7-16.4)	196	87.4%	(83.6-91.3)
	<b>5: Nye and Lincoln</b>	48	12.5%	(9.5-15.5)	355	87.5%	(84.5-90.5)
	<b>6: Washoe</b>	162	14.6%	(12.1-17.1)	946	85.4%	(82.9-87.9)
	<b>7: Clark</b>	242	10.7%	(9.4-12.0)	1967	89.3%	(88.0-90.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

<sup>f</sup> During the 7 days before the survey

**Table 89: Percentage of high school students who did not drink milk,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1038	22.7%	(21.3-24.2)	3873	77.3%	(75.8-78.7)
<b>Sex</b>	<b>Female</b>	640	28.5%	(26.2-30.8)	1884	71.5%	(69.2-73.8)
	<b>Male</b>	393	17.1%	(15.2-19.0)	1975	82.9%	(81.0-84.8)
<b>Age</b>	<b>14 years old or younger</b>	113	21.3%	(17.1-25.5)	469	78.7%	(74.5-82.9)
	<b>15 years old</b>	256	20.7%	(18.3-23.1)	1097	79.3%	(76.9-81.7)
	<b>16 years old</b>	276	21.4%	(18.7-24.2)	1029	78.6%	(75.8-81.3)
	<b>17 years old</b>	277	27.2%	(24.0-30.3)	851	72.8%	(69.7-76.0)
	<b>18 years old or older</b>	111	21.8%	(18.2-25.3)	420	78.2%	(74.7-81.8)
<b>Grade</b>	<b>9th grade</b>	271	20.8%	(17.9-23.6)	1157	79.2%	(76.4-82.1)
	<b>10th grade</b>	267	21.9%	(19.3-24.6)	1027	78.1%	(75.4-80.7)
	<b>11th grade</b>	278	24.6%	(21.4-27.7)	928	75.4%	(72.3-78.6)
	<b>12th grade</b>	209	23.9%	(21.0-26.8)	711	76.1%	(73.2-79.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	21	19.8%	(10.6-29.0)	81	80.2%	(71.0-89.4)
	<b>Asian<sup>d</sup></b>	72	32.2%	(25.6-38.8)	181	67.8%	(61.2-74.4)
	<b>Black<sup>d</sup></b>	99	37.8%	(31.4-44.2)	157	62.2%	(55.8-68.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	24	30.5%	(19.5-41.5)	63	69.5%	(58.5-80.5)
	<b>White<sup>d</sup></b>	390	20.8%	(18.5-23.1)	1517	79.2%	(76.9-81.5)
	<b>Hispanic/Latino</b>	343	18.7%	(16.6-20.8)	1586	81.3%	(79.2-83.4)
	<b>Other/Multiple<sup>d</sup></b>	64	25.5%	(19.3-31.7)	209	74.5%	(68.3-80.7)
<b>Region</b>	<b>1: Carson City and Douglas</b>	50	19.3%	(12.5-26.1)	236	80.7%	(73.9-87.5)
	<b>2: Elko, White Pine, and Eureka</b>	55	15.7%	(11.2-20.2)	292	84.3%	(79.8-88.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	57	19.2%	(14.8-23.6)	254	80.8%	(76.4-85.2)
	<b>4: Lyon, Mineral, and Storey</b>	51	20.6%	(13.8-27.4)	174	79.4%	(72.6-86.2)
	<b>5: Nye and Lincoln</b>	80	21.6%	(16.9-26.3)	326	78.4%	(73.7-83.1)
	<b>6: Washoe</b>	223	19.5%	(16.9-22.0)	891	80.5%	(78.0-83.1)
	<b>7: Clark</b>	522	23.9%	(22.1-25.8)	1700	76.1%	(74.2-77.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 7 days before the survey

**Table 90: Percentage of high school students who drank one or more glasses/day of milk,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1639	31.6%	(30.0-33.2)	3272	68.4%	(66.8-70.0)
<b>Sex</b>	<b>Female</b>	663	23.7%	(21.7-25.7)	1861	76.3%	(74.3-78.3)
	<b>Male</b>	968	39.2%	(36.6-41.7)	1400	60.8%	(58.3-63.4)
<b>Age</b>	<b>14 years old or younger</b>	200	32.6%	(28.2-37.1)	382	67.4%	(62.9-71.8)
	<b>15 years old</b>	498	35.4%	(32.3-38.6)	855	64.6%	(61.4-67.7)
	<b>16 years old</b>	430	30.7%	(27.5-33.9)	875	69.3%	(66.1-72.5)
	<b>17 years old</b>	350	28.9%	(25.7-32.2)	778	71.1%	(67.8-74.3)
	<b>18 years old or older</b>	155	29.8%	(25.0-34.6)	376	70.2%	(65.4-75.0)
<b>Grade</b>	<b>9th grade</b>	508	34.9%	(32.1-37.8)	920	65.1%	(62.2-67.9)
	<b>10th grade</b>	452	32.1%	(28.9-35.3)	842	67.9%	(64.7-71.1)
	<b>11th grade</b>	372	28.7%	(25.7-31.8)	834	71.3%	(68.2-74.3)
	<b>12th grade</b>	278	29.9%	(26.8-33.0)	642	70.1%	(67.0-73.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	32	30.6%	(18.2-43.0)	70	69.4%	(57.0-81.8)
	<b>Asian<sup>d</sup></b>	67	23.4%	(17.7-29.1)	186	76.6%	(70.9-82.3)
	<b>Black<sup>d</sup></b>	58	23.5%	(17.4-29.6)	198	76.5%	(70.4-82.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	21	20.8%	(11.8-29.8)	66	79.2%	(70.2-88.2)
	<b>White<sup>d</sup></b>	702	35.2%	(32.6-37.8)	1205	64.8%	(62.2-67.4)
	<b>Hispanic/Latino</b>	641	32.8%	(30.5-35.1)	1288	67.2%	(64.9-69.5)
	<b>Other/Multiple<sup>d</sup></b>	77	25.5%	(19.7-31.4)	196	74.5%	(68.6-80.3)
<b>Region</b>	<b>1: Carson City and Douglas</b>	101	37.0%	(21.0-53.0)	185	63.0%	(47.0-79.0)
	<b>2: Elko, White Pine, and Eureka</b>	135	39.7%	(34.7-44.7)	212	60.3%	(55.3-65.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	121	38.4%	(32.8-44.0)	190	61.6%	(56.0-67.2)
	<b>4: Lyon, Mineral, and Storey</b>	86	43.2%	(35.7-50.7)	139	56.8%	(49.3-64.3)
	<b>5: Nye and Lincoln</b>	130	30.9%	(24.7-37.2)	276	69.1%	(62.8-75.3)
	<b>6: Washoe</b>	406	37.0%	(33.8-40.2)	708	63.0%	(59.8-66.2)
	<b>7: Clark</b>	660	29.5%	(27.7-31.4)	1562	70.5%	(68.6-72.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 7 days before the survey

**Table 91: Percentage of high school students who drank two or more glasses/day of milk,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1011	19.4%	(18.0-20.9)	3900	80.6%	(79.1-82.0)
<b>Sex</b>	<b>Female</b>	381	13.5%	(11.8-15.2)	2143	86.5%	(84.8-88.2)
	<b>Male</b>	625	25.1%	(22.8-27.5)	1743	74.9%	(72.5-77.2)
<b>Age</b>	<b>14 years old or younger</b>	134	21.9%	(17.7-26.1)	448	78.1%	(73.9-82.3)
	<b>15 years old</b>	309	21.7%	(18.8-24.5)	1044	78.3%	(75.5-81.2)
	<b>16 years old</b>	256	18.7%	(16.0-21.5)	1049	81.3%	(78.5-84.0)
	<b>17 years old</b>	205	16.4%	(13.8-18.9)	923	83.6%	(81.1-86.2)
	<b>18 years old or older</b>	103	19.9%	(15.8-24.0)	428	80.1%	(76.0-84.2)
<b>Grade</b>	<b>9th grade</b>	333	22.6%	(20.0-25.3)	1095	77.4%	(74.7-80.0)
	<b>10th grade</b>	280	19.7%	(17.0-22.4)	1014	80.3%	(77.6-83.0)
	<b>11th grade</b>	214	16.8%	(14.1-19.6)	992	83.2%	(80.4-85.9)
	<b>12th grade</b>	166	18.1%	(15.4-20.7)	754	81.9%	(79.3-84.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	19	16.4%	(6.6-26.3)	83	83.6%	(73.7-93.4)
	<b>Asian<sup>d</sup></b>	36	13.7%	(8.6-18.7)	217	86.3%	(81.3-91.4)
	<b>Black<sup>d</sup></b>	38	15.6%	(10.1-21.1)	218	84.4%	(78.9-89.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	11	9.9%	(2.7-17.1)	76	90.1%	(82.9-97.3)
	<b>White<sup>d</sup></b>	449	22.5%	(19.9-25.1)	1458	77.5%	(74.9-80.1)
	<b>Hispanic/Latino</b>	388	19.7%	(17.7-21.6)	1541	80.3%	(78.4-82.3)
	<b>Other/Multiple<sup>d</sup></b>	41	13.9%	(9.7-18.2)	232	86.1%	(81.8-90.3)
<b>Region</b>	<b>1: Carson City and Douglas</b>	68	24.7%	(8.7-40.8)	218	75.3%	(59.2-91.3)
	<b>2: Elko, White Pine, and Eureka</b>	88	28.0%	(24.2-31.9)	259	72.0%	(68.1-75.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	82	25.4%	(19.3-31.4)	229	74.6%	(68.6-80.7)
	<b>4: Lyon, Mineral, and Storey</b>	53	28.3%	(21.3-35.4)	172	71.7%	(64.6-78.7)
	<b>5: Nye and Lincoln</b>	72	17.5%	(12.9-22.1)	334	82.5%	(77.9-87.1)
	<b>6: Washoe</b>	246	22.3%	(19.4-25.2)	868	77.7%	(74.8-80.6)
	<b>7: Clark</b>	402	18.0%	(16.3-19.7)	1820	82.0%	(80.3-83.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 7 days before the survey

**Table 92: Percentage of high school students who drank three or more glasses/day of milk,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	469	8.6%	(7.6-9.6)	4442	91.4%	(90.4-92.4)
<b>Sex</b>	<b>Female</b>	154	5.4%	(4.3-6.5)	2370	94.6%	(93.5-95.7)
	<b>Male</b>	312	11.7%	(10.1-13.3)	2056	88.3%	(86.7-89.9)
<b>Age</b>	<b>14 years old or younger</b>	65	10.5%	(7.5-13.6)	517	89.5%	(86.4-92.5)
	<b>15 years old</b>	144	9.7%	(7.7-11.6)	1209	90.3%	(88.4-92.3)
	<b>16 years old</b>	116	8.6%	(6.4-10.8)	1189	91.4%	(89.2-93.6)
	<b>17 years old</b>	86	6.5%	(4.7-8.3)	1042	93.5%	(91.7-95.3)
	<b>18 years old or older</b>	57	9.2%	(6.6-11.7)	474	90.8%	(88.3-93.4)
<b>Grade</b>	<b>9th grade</b>	161	10.3%	(8.5-12.2)	1267	89.7%	(87.8-91.5)
	<b>10th grade</b>	124	8.6%	(6.9-10.3)	1170	91.4%	(89.7-93.1)
	<b>11th grade</b>	98	8.1%	(5.7-10.5)	1108	91.9%	(89.5-94.3)
	<b>12th grade</b>	75	6.9%	(5.1-8.7)	845	93.1%	(91.3-94.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	11	8.5%	(2.6-14.4)	91	91.5%	(85.6-97.4)
	<b>Asian<sup>d</sup></b>	19	6.5%	(3.3-9.7)	234	93.5%	(90.3-96.7)
	<b>Black<sup>d</sup></b>	20	7.9%	(4.1-11.7)	236	92.1%	(88.3-95.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	4	3.4%	(0.0-7.5)	83	96.6%	(92.5-100.0)
	<b>White<sup>d</sup></b>	212	10.6%	(8.8-12.4)	1695	89.4%	(87.6-91.2)
	<b>Hispanic/Latino</b>	164	7.7%	(6.1-9.2)	1765	92.3%	(90.8-93.9)
	<b>Other/Multiple<sup>d</sup></b>	21	6.8%	(3.7-9.9)	252	93.2%	(90.1-96.3)
<b>Region</b>	<b>1: Carson City and Douglas</b>	28	12.2%	(2.0-22.3)	258	87.8%	(77.7-98.0)
	<b>2: Elko, White Pine, and Eureka</b>	50	16.4%	(11.8-21.1)	297	83.6%	(78.9-88.2)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	46	13.4%	(8.6-18.3)	265	86.6%	(81.7-91.4)
	<b>4: Lyon, Mineral, and Storey</b>	31	16.8%	(9.7-24.0)	194	83.2%	(76.0-90.3)
	<b>5: Nye and Lincoln</b>	37	8.8%	(5.7-11.8)	369	91.2%	(88.2-94.3)
	<b>6: Washoe</b>	107	9.9%	(7.9-11.9)	1007	90.1%	(88.1-92.1)
	<b>7: Clark</b>	170	7.6%	(6.4-8.7)	2052	92.4%	(91.3-93.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 7 days before the survey

**Table 93: Percentage of high school students who did not drink soda or pop,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1472	29.4%	(27.6-31.1)	3470	70.6%	(68.9-72.4)
<b>Sex</b>	<b>Female</b>	837	32.5%	(30.1-34.9)	1699	67.5%	(65.1-69.9)
	<b>Male</b>	626	26.1%	(24.1-28.2)	1760	73.9%	(71.8-75.9)
<b>Age</b>	<b>14 years old or younger</b>	166	27.7%	(23.6-31.8)	420	72.3%	(68.2-76.4)
	<b>15 years old</b>	415	30.5%	(27.5-33.6)	945	69.5%	(66.4-72.5)
	<b>16 years old</b>	410	29.8%	(26.2-33.4)	903	70.2%	(66.6-73.8)
	<b>17 years old</b>	341	29.6%	(26.1-33.0)	793	70.4%	(67.0-73.9)
	<b>18 years old or older</b>	137	27.1%	(22.5-31.7)	400	72.9%	(68.3-77.5)
<b>Grade</b>	<b>9th grade</b>	415	29.7%	(26.7-32.8)	1016	70.3%	(67.2-73.3)
	<b>10th grade</b>	416	30.6%	(27.2-34.0)	883	69.4%	(66.0-72.8)
	<b>11th grade</b>	355	26.3%	(23.1-29.4)	861	73.7%	(70.6-76.9)
	<b>12th grade</b>	265	30.5%	(26.7-34.3)	665	69.5%	(65.7-73.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	30	37.2%	(22.4-51.9)	73	62.8%	(48.1-77.6)
	<b>Asian<sup>d</sup></b>	94	35.1%	(28.1-42.1)	160	64.9%	(57.9-71.9)
	<b>Black<sup>d</sup></b>	69	27.2%	(20.3-34.1)	191	72.8%	(65.9-79.7)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	29	31.8%	(20.4-43.3)	60	68.2%	(56.7-79.6)
	<b>White<sup>d</sup></b>	574	29.0%	(26.3-31.6)	1342	71.0%	(68.4-73.7)
	<b>Hispanic/Latino</b>	553	28.6%	(26.3-31.0)	1387	71.4%	(69.0-73.7)
	<b>Other/Multiple<sup>d</sup></b>	90	31.6%	(24.8-38.5)	185	68.4%	(61.5-75.2)
<b>Region</b>	<b>1: Carson City and Douglas</b>	87	30.3%	(23.5-37.0)	199	69.7%	(63.0-76.5)
	<b>2: Elko, White Pine, and Eureka</b>	93	27.6%	(21.8-33.4)	257	72.4%	(66.6-78.2)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	86	26.3%	(21.8-30.8)	230	73.7%	(69.2-78.2)
	<b>4: Lyon, Mineral, and Storey</b>	57	25.7%	(17.9-33.5)	170	74.3%	(66.5-82.1)
	<b>5: Nye and Lincoln</b>	135	34.1%	(27.7-40.4)	273	65.9%	(59.6-72.3)
	<b>6: Washoe</b>	354	31.2%	(27.7-34.6)	767	68.8%	(65.4-72.3)
	<b>7: Clark</b>	660	29.1%	(26.9-31.3)	1574	70.9%	(68.7-73.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> A can, bottle, or glass of soda or pop, not counting diet soda or diet pop

<sup>f</sup> During the 7 days before the survey



**Table 94: Percentage of high school students who drank soda or pop one or more times/day,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	727	14.5%	(13.3-15.7)	4207	85.5%	(84.3-86.7)
<b>Sex</b>	<b>Female</b>	309	12.1%	(10.4-13.8)	2226	87.9%	(86.2-89.6)
	<b>Male</b>	417	16.8%	(15.1-18.5)	1964	83.2%	(81.5-84.9)
<b>Age</b>	<b>14 years old or younger</b>	76	12.0%	(8.9-15.2)	508	88.0%	(84.8-91.1)
	<b>15 years old</b>	201	14.9%	(12.6-17.3)	1157	85.1%	(82.7-87.4)
	<b>16 years old</b>	180	13.4%	(11.2-15.6)	1133	86.6%	(84.4-88.8)
	<b>17 years old</b>	162	14.2%	(11.5-16.8)	972	85.8%	(83.2-88.5)
	<b>18 years old or older</b>	106	18.5%	(14.3-22.7)	428	81.5%	(77.3-85.7)
<b>Grade</b>	<b>9th grade</b>	194	12.9%	(11.0-14.7)	1236	87.1%	(85.3-89.0)
	<b>10th grade</b>	190	15.2%	(12.9-17.6)	1107	84.8%	(82.4-87.1)
	<b>11th grade</b>	171	14.4%	(12.0-16.9)	1044	85.6%	(83.1-88.0)
	<b>12th grade</b>	163	15.7%	(12.7-18.8)	764	84.3%	(81.2-87.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	16	9.2%	(2.5-16.0)	87	90.8%	(84.0-97.5)
	<b>Asian<sup>d</sup></b>	19	7.4%	(3.6-11.2)	235	92.6%	(88.8-96.4)
	<b>Black<sup>d</sup></b>	45	17.2%	(12.4-21.9)	213	82.8%	(78.1-87.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	10	9.2%	(2.7-15.7)	79	90.8%	(84.3-97.3)
	<b>White<sup>d</sup></b>	302	15.4%	(13.5-17.2)	1613	84.6%	(82.8-86.5)
	<b>Hispanic/Latino</b>	271	14.2%	(12.1-16.3)	1667	85.8%	(83.7-87.9)
	<b>Other/Multiple<sup>d</sup></b>	45	16.6%	(11.7-21.4)	230	83.4%	(78.6-88.3)
<b>Region</b>	<b>1: Carson City and Douglas</b>	27	8.3%	(2.9-13.8)	259	91.7%	(86.2-97.1)
	<b>2: Elko, White Pine, and Eureka</b>	62	17.6%	(13.2-22.0)	286	82.4%	(78.0-86.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	54	15.8%	(11.8-19.9)	261	84.2%	(80.1-88.2)
	<b>4: Lyon, Mineral, and Storey</b>	54	24.4%	(16.7-32.1)	173	75.6%	(67.9-83.3)
	<b>5: Nye and Lincoln</b>	77	17.9%	(13.4-22.3)	330	82.1%	(77.7-86.6)
	<b>6: Washoe</b>	137	13.4%	(11.0-15.7)	980	86.6%	(84.3-89.0)
	<b>7: Clark</b>	316	14.5%	(12.9-16.1)	1918	85.5%	(83.9-87.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> A can, bottle, or glass of soda or pop, not counting diet soda or diet pop

<sup>f</sup> During the 7 days before the survey

**Table 95: Percentage of high school students who drank soda or pop two or more times/day,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	451	8.8%	(7.8-9.8)	4483	91.2%	(90.2-92.2)
<b>Sex</b>	<b>Female</b>	188	7.5%	(6.0-8.9)	2347	92.5%	(91.1-94.0)
	<b>Male</b>	263	10.1%	(8.7-11.5)	2118	89.9%	(88.5-91.3)
<b>Age</b>	<b>14 years old or younger</b>	54	7.9%	(5.7-10.2)	530	92.1%	(89.8-94.3)
	<b>15 years old</b>	127	9.9%	(8.0-11.8)	1231	90.1%	(88.2-92.0)
	<b>16 years old</b>	101	7.1%	(5.4-8.7)	1212	92.9%	(91.3-94.6)
	<b>17 years old</b>	99	8.5%	(6.4-10.5)	1035	91.5%	(89.5-93.6)
	<b>18 years old or older</b>	68	11.2%	(7.7-14.8)	466	88.8%	(85.2-92.3)
<b>Grade</b>	<b>9th grade</b>	130	8.5%	(7.0-10.1)	1300	91.5%	(89.9-93.0)
	<b>10th grade</b>	114	9.5%	(7.6-11.5)	1183	90.5%	(88.5-92.4)
	<b>11th grade</b>	98	7.4%	(5.7-9.2)	1117	92.6%	(90.8-94.3)
	<b>12th grade</b>	106	10.0%	(7.4-12.6)	821	90.0%	(87.4-92.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	8	5.8%	(0.0-12.2)	95	94.2%	(87.8-100.0)
	<b>Asian<sup>d</sup></b>	8	2.7%	(0.4-5.0)	246	97.3%	(95.0-99.6)
	<b>Black<sup>d</sup></b>	30	10.7%	(6.8-14.6)	228	89.3%	(85.4-93.2)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	6	5.6%	(0.7-10.5)	83	94.4%	(89.5-99.3)
	<b>White<sup>d</sup></b>	191	9.1%	(7.4-10.7)	1724	90.9%	(89.3-92.6)
	<b>Hispanic/Latino</b>	169	8.9%	(7.4-10.4)	1769	91.1%	(89.6-92.6)
	<b>Other/Multiple<sup>d</sup></b>	27	11.5%	(7.0-15.9)	248	88.5%	(84.1-93.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	18	6.4%	(2.0-10.8)	268	93.6%	(89.2-98.0)
	<b>2: Elko, White Pine, and Eureka</b>	32	9.5%	(6.4-12.6)	316	90.5%	(87.4-93.6)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	39	11.7%	(7.3-16.1)	276	88.3%	(83.9-92.7)
	<b>4: Lyon, Mineral, and Storey</b>	34	16.5%	(10.1-22.8)	193	83.5%	(77.2-89.9)
	<b>5: Nye and Lincoln</b>	54	12.8%	(9.0-16.6)	353	87.2%	(83.4-91.0)
	<b>6: Washoe</b>	86	8.5%	(6.1-10.9)	1031	91.5%	(89.1-93.9)
	<b>7: Clark</b>	188	8.5%	(7.3-9.8)	2046	91.5%	(90.2-92.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> A can, bottle, or glass of soda or pop, not counting diet soda or diet pop

<sup>f</sup> During the 7 days before the survey

**Table 96: Percentage of high school students who drank soda or pop three or more times/day,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	254	5.0%	(4.2-5.8)	4680	95.0%	(94.2-95.8)
<b>Sex</b>	<b>Female</b>	112	4.6%	(3.5-5.7)	2423	95.4%	(94.3-96.5)
	<b>Male</b>	142	5.4%	(4.2-6.5)	2239	94.6%	(93.5-95.8)
<b>Age</b>	<b>14 years old or younger</b>	30	4.8%	(3.0-6.7)	554	95.2%	(93.3-97.0)
	<b>15 years old</b>	71	5.3%	(3.7-6.9)	1287	94.7%	(93.1-96.3)
	<b>16 years old</b>	65	5.0%	(3.5-6.5)	1248	95.0%	(93.5-96.5)
	<b>17 years old</b>	44	3.8%	(2.5-5.1)	1090	96.2%	(94.9-97.5)
	<b>18 years old or older</b>	44	6.8%	(3.7-9.8)	490	93.2%	(90.2-96.3)
<b>Grade</b>	<b>9th grade</b>	70	4.6%	(3.2-5.9)	1360	95.4%	(94.1-96.8)
	<b>10th grade</b>	69	6.0%	(4.4-7.6)	1228	94.0%	(92.4-95.6)
	<b>11th grade</b>	57	4.2%	(2.8-5.6)	1158	95.8%	(94.4-97.2)
	<b>12th grade</b>	57	5.3%	(3.4-7.3)	870	94.7%	(92.7-96.6)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	4	4.6%	(0.0-11.0)	99	95.4%	(89.0-100.0)
	<b>Asian<sup>d</sup></b>	2	1.0%	(0.0-2.3)	252	99.0%	(97.7-100.0)
	<b>Black<sup>d</sup></b>	17	6.3%	(3.4-9.2)	241	93.7%	(90.8-96.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	3	3.1%	(0.0-6.8)	86	96.9%	(93.2-100.0)
	<b>White<sup>d</sup></b>	98	4.4%	(3.3-5.5)	1817	95.6%	(94.5-96.7)
	<b>Hispanic/Latino</b>	105	5.5%	(4.3-6.8)	1833	94.5%	(93.2-95.7)
	<b>Other/Multiple<sup>d</sup></b>	17	8.0%	(4.0-11.9)	258	92.0%	(88.1-96.0)
<b>Region</b>	<b>1: Carson City and Douglas</b>	5	2.7%	(0.0-5.7)	281	97.3%	(94.3-100.0)
	<b>2: Elko, White Pine, and Eureka</b>	17	5.0%	(2.8-7.1)	331	95.0%	(92.9-97.2)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	20	6.1%	(3.0-9.1)	295	93.9%	(90.9-97.0)
	<b>4: Lyon, Mineral, and Storey</b>	20	9.4%	(4.0-14.7)	207	90.6%	(85.3-96.0)
	<b>5: Nye and Lincoln</b>	33	8.0%	(5.4-10.6)	374	92.0%	(89.4-94.6)
	<b>6: Washoe</b>	48	5.0%	(3.1-6.9)	1069	95.0%	(93.1-96.9)
	<b>7: Clark</b>	111	4.9%	(3.9-5.9)	2123	95.1%	(94.1-96.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> A can, bottle, or glass of soda or pop, not counting diet soda or diet pop

<sup>f</sup> During the 7 days before the survey

**Table 97: Percentage of high school students who did not eat breakfast,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	820	16.7%	(15.2-18.1)	4091	83.3%	(81.9-84.8)
<b>Sex</b>	<b>Female</b>	410	17.2%	(15.1-19.2)	2108	82.8%	(80.8-84.9)
	<b>Male</b>	405	16.2%	(14.1-18.2)	1966	83.8%	(81.8-85.9)
<b>Age</b>	<b>14 years old or younger</b>	81	12.7%	(9.6-15.8)	499	87.3%	(84.2-90.4)
	<b>15 years old</b>	228	17.9%	(15.3-20.5)	1127	82.1%	(79.5-84.7)
	<b>16 years old</b>	213	16.2%	(13.8-18.6)	1088	83.8%	(81.4-86.2)
	<b>17 years old</b>	197	17.2%	(14.2-20.3)	934	82.8%	(79.7-85.8)
	<b>18 years old or older</b>	98	17.6%	(13.1-22.1)	432	82.4%	(77.9-86.9)
<b>Grade</b>	<b>9th grade</b>	241	17.2%	(14.8-19.6)	1182	82.8%	(80.4-85.2)
	<b>10th grade</b>	217	17.5%	(14.8-20.2)	1072	82.5%	(79.8-85.2)
	<b>11th grade</b>	200	17.0%	(14.3-19.7)	1012	83.0%	(80.3-85.7)
	<b>12th grade</b>	153	15.1%	(11.8-18.4)	767	84.9%	(81.6-88.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	15	20.1%	(9.5-30.7)	87	79.9%	(69.3-90.5)
	<b>Asian<sup>d</sup></b>	37	15.8%	(10.0-21.6)	215	84.2%	(78.4-90.0)
	<b>Black<sup>d</sup></b>	57	20.8%	(15.2-26.3)	200	79.2%	(73.7-84.8)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	12	13.4%	(5.6-21.3)	76	86.6%	(78.7-94.4)
	<b>White<sup>d</sup></b>	263	13.5%	(11.4-15.6)	1639	86.5%	(84.4-88.6)
	<b>Hispanic/Latino</b>	363	18.6%	(16.5-20.6)	1567	81.4%	(79.4-83.5)
	<b>Other/Multiple<sup>d</sup></b>	46	17.4%	(12.2-22.6)	227	82.6%	(77.4-87.8)
<b>Region</b>	<b>1: Carson City and Douglas</b>	41	13.4%	(9.8-17.1)	244	86.6%	(82.9-90.2)
	<b>2: Elko, White Pine, and Eureka</b>	51	12.2%	(7.9-16.6)	294	87.8%	(83.4-92.1)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	61	18.7%	(14.8-22.6)	254	81.3%	(77.4-85.2)
	<b>4: Lyon, Mineral, and Storey</b>	50	21.5%	(13.9-29.1)	173	78.5%	(70.9-86.1)
	<b>5: Nye and Lincoln</b>	71	16.6%	(12.4-20.9)	335	83.4%	(79.1-87.6)
	<b>6: Washoe</b>	158	14.7%	(12.1-17.3)	956	85.3%	(82.7-87.9)
	<b>7: Clark</b>	388	17.2%	(15.3-19.0)	1835	82.8%	(81.0-84.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 7 days before the survey

**Table 98: Percentage of high school students who ate breakfast all 7 days,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1699	34.1%	(32.1-36.2)	3212	65.9%	(63.8-67.9)
<b>Sex</b>	<b>Female</b>	800	30.8%	(28.2-33.3)	1718	69.2%	(66.7-71.8)
	<b>Male</b>	889	37.2%	(34.2-40.3)	1482	62.8%	(59.7-65.8)
<b>Age</b>	<b>14 years old or younger</b>	229	40.2%	(34.8-45.7)	351	59.8%	(54.3-65.2)
	<b>15 years old</b>	490	36.6%	(33.4-39.8)	865	63.4%	(60.2-66.6)
	<b>16 years old</b>	435	32.3%	(28.7-36.0)	866	67.7%	(64.0-71.3)
	<b>17 years old</b>	368	31.1%	(27.7-34.6)	763	68.9%	(65.4-72.3)
	<b>18 years old or older</b>	173	33.4%	(28.4-38.4)	357	66.6%	(61.6-71.6)
<b>Grade</b>	<b>9th grade</b>	530	38.1%	(34.9-41.3)	893	61.9%	(58.7-65.1)
	<b>10th grade</b>	440	33.2%	(29.4-37.0)	849	66.8%	(63.0-70.6)
	<b>11th grade</b>	413	32.2%	(28.4-36.0)	799	67.8%	(64.0-71.6)
	<b>12th grade</b>	292	32.6%	(28.3-36.9)	628	67.4%	(63.1-71.7)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	32	38.2%	(24.7-51.6)	70	61.8%	(48.4-75.3)
	<b>Asian<sup>d</sup></b>	111	41.1%	(33.7-48.5)	141	58.9%	(51.5-66.3)
	<b>Black<sup>d</sup></b>	67	25.4%	(20.1-30.7)	190	74.6%	(69.3-79.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	32	37.9%	(25.1-50.7)	56	62.1%	(49.3-74.9)
	<b>White<sup>d</sup></b>	736	38.8%	(35.6-42.0)	1166	61.2%	(58.0-64.4)
	<b>Hispanic/Latino</b>	596	31.0%	(28.1-34.0)	1334	69.0%	(66.0-71.9)
	<b>Other/Multiple<sup>d</sup></b>	92	30.6%	(24.5-36.6)	181	69.4%	(63.4-75.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	109	44.6%	(29.2-60.0)	176	55.4%	(40.0-70.8)
	<b>2: Elko, White Pine, and Eureka</b>	111	34.3%	(27.2-41.3)	234	65.7%	(58.7-72.8)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	118	38.1%	(32.2-43.9)	197	61.9%	(56.1-67.8)
	<b>4: Lyon, Mineral, and Storey</b>	61	25.9%	(19.7-32.1)	162	74.1%	(67.9-80.3)
	<b>5: Nye and Lincoln</b>	137	34.2%	(28.2-40.1)	269	65.8%	(59.9-71.8)
	<b>6: Washoe</b>	429	38.9%	(34.6-43.2)	685	61.1%	(56.8-65.4)
	<b>7: Clark</b>	734	32.8%	(30.3-35.3)	1489	67.2%	(64.7-69.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 7 days before the survey

**Table 99: Percentage of high school students who go hungry because there is not enough food in the house,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	4125	84.7%	(83.5-86.0)	545	11.2%	(10.1-12.3)	222	4.0%	(3.4-4.7)
<b>Sex</b>	<b>Female</b>	2119	84.4%	(82.3-86.5)	290	11.6%	(9.9-13.3)	101	4.0%	(3.0-5.1)
	<b>Male</b>	1991	85.1%	(83.4-86.8)	255	10.9%	(9.4-12.4)	119	4.0%	(3.1-4.9)
<b>Age</b>	<b>14 years/younger</b>	484	84.8%	(81.5-88.0)	70	12.3%	(9.6-15.1)	23	2.9%	(1.4-4.4)
	<b>15 years old</b>	1133	85.0%	(82.6-87.4)	151	10.7%	(8.6-12.8)	60	4.3%	(3.1-5.5)
	<b>16 years old</b>	1110	84.3%	(81.9-86.7)	138	12.0%	(9.9-14.2)	57	3.7%	(2.5-4.8)
	<b>17 years old</b>	943	85.7%	(83.2-88.1)	131	10.0%	(8.0-12.0)	50	4.3%	(2.8-5.9)
	<b>18 years/older</b>	445	83.5%	(79.4-87.6)	54	11.8%	(8.3-15.4)	32	4.7%	(2.7-6.7)
<b>Grade</b>	<b>9th grade</b>	1176	83.8%	(81.3-86.4)	175	12.0%	(9.9-14.2)	63	4.2%	(2.9-5.5)
	<b>10th grade</b>	1094	85.2%	(83.2-87.3)	138	11.3%	(9.3-13.4)	56	3.5%	(2.3-4.6)
	<b>11th grade</b>	1032	85.4%	(82.8-88.1)	134	10.7%	(8.4-13.1)	46	3.9%	(2.6-5.1)
	<b>12th grade</b>	772	84.5%	(81.4-87.6)	92	10.7%	(8.1-13.4)	52	4.7%	(3.0-6.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	77	76.8%	(66.4-87.3)	16	15.5%	(6.3-24.6)	6	7.7%	(0.6-14.8)
	<b>Asian<sup>d</sup></b>	209	84.1%	(78.5-89.6)	34	12.3%	(7.8-16.7)	10	3.7%	(0.9-6.4)
	<b>Black<sup>d</sup></b>	218	86.2%	(82.2-90.2)	26	9.4%	(6.0-12.8)	12	4.4%	(1.8-7.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	66	74.7%	(64.4-85.0)	15	17.6%	(7.7-27.6)	7	7.6%	(1.7-13.6)
	<b>White<sup>d</sup></b>	1674	88.5%	(86.7-90.3)	166	8.6%	(7.0-10.3)	63	2.9%	(2.0-3.7)
	<b>Hispanic/Latino</b>	1572	82.0%	(80.1-83.9)	244	13.3%	(11.5-15.2)	103	4.7%	(3.6-5.7)
	<b>Other/Multiple<sup>d</sup></b>	226	82.3%	(76.9-87.6)	34	12.6%	(7.9-17.3)	14	5.1%	(2.2-8.1)
<b>Region</b>	<b>1: Carson City and Douglas</b>	238	87.1%	(82.0-92.3)	31	9.6%	(5.4-13.8)	17	3.3%	(1.4-5.1)
	<b>2: Elko, White Pine, and Eureka</b>	300	88.3%	(85.0-91.6)	33	8.5%	(4.6-12.3)	14	3.3%	(1.6-4.9)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	267	88.4%	(85.0-91.8)	21	6.3%	(4.0-8.6)	18	5.3%	(2.5-8.1)
	<b>4: Lyon, Mineral, and Storey</b>	186	86.2%	(80.5-91.9)	22	9.6%	(4.2-14.9)	11	4.2%	(1.8-6.7)
	<b>5: Nye and Lincoln</b>	351	87.2%	(83.7-90.7)	38	8.8%	(6.0-11.5)	16	4.1%	(2.1-6.1)
	<b>6: Washoe</b>	922	83.0%	(80.3-85.7)	132	11.5%	(9.1-13.9)	58	5.5%	(3.8-7.2)
	<b>7: Clark</b>	1861	84.7%	(83.1-86.3)	268	11.5%	(10.2-12.9)	88	3.8%	(2.9-4.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data  
<sup>b</sup> Weighted row percent  
<sup>c</sup> 95% confidence interval  
<sup>d</sup> Non-Hispanic  
<sup>e</sup> During the last 30 days before the survey

**Table 100: Percentage of high school students who visited a dentist,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	3354	69.7%	(67.8-71.6)	1525	30.3%	(28.4-32.2)
<b>Sex</b>	<b>Female</b>	1737	69.8%	(67.4-72.3)	769	30.2%	(27.7-32.6)
	<b>Male</b>	1607	69.6%	(67.1-72.0)	749	30.4%	(28.0-32.9)
<b>Age</b>	<b>14 years old or younger</b>	416	73.8%	(69.6-77.9)	163	26.2%	(22.1-30.4)
	<b>15 years old</b>	947	71.1%	(68.2-74.0)	394	28.9%	(26.0-31.8)
	<b>16 years old</b>	887	69.9%	(66.4-73.4)	412	30.1%	(26.6-33.6)
	<b>17 years old</b>	763	69.0%	(65.4-72.6)	363	31.0%	(27.4-34.6)
	<b>18 years old or older</b>	332	64.9%	(59.4-70.4)	191	35.1%	(29.6-40.6)
<b>Grade</b>	<b>9th grade</b>	1011	72.3%	(69.2-75.5)	405	27.7%	(24.5-30.8)
	<b>10th grade</b>	875	69.0%	(65.5-72.5)	409	31.0%	(27.5-34.5)
	<b>11th grade</b>	832	70.7%	(67.4-74.0)	373	29.3%	(26.0-32.6)
	<b>12th grade</b>	604	67.1%	(62.9-71.2)	308	32.9%	(28.8-37.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	64	65.1%	(52.3-77.8)	38	34.9%	(22.2-47.7)
	<b>Asian<sup>d</sup></b>	180	76.1%	(69.2-83.1)	70	23.9%	(16.9-30.8)
	<b>Black<sup>d</sup></b>	159	60.0%	(53.1-66.9)	96	40.0%	(33.1-46.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	55	62.2%	(50.7-73.8)	33	37.8%	(26.2-49.3)
	<b>White<sup>d</sup></b>	1413	76.9%	(74.4-79.5)	484	23.1%	(20.5-25.6)
	<b>Hispanic/Latino</b>	1255	65.5%	(63.3-67.8)	656	34.5%	(32.2-36.7)
	<b>Other/Multiple<sup>d</sup></b>	173	64.9%	(57.5-72.2)	101	35.1%	(27.8-42.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	211	76.7%	(68.4-85.0)	72	23.3%	(15.0-31.6)
	<b>2: Elko, White Pine, and Eureka</b>	222	65.8%	(59.7-71.9)	126	34.2%	(28.1-40.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	203	65.1%	(56.9-73.3)	102	34.9%	(26.7-43.1)
	<b>4: Lyon, Mineral, and Storey</b>	148	67.9%	(60.3-75.6)	76	32.1%	(24.4-39.7)
	<b>5: Nye and Lincoln</b>	247	60.9%	(52.4-69.3)	159	39.1%	(30.7-47.6)
	<b>6: Washoe</b>	804	73.6%	(69.5-77.8)	299	26.4%	(22.2-30.5)
	<b>7: Clark</b>	1519	69.1%	(66.8-71.5)	691	30.9%	(28.5-33.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 12 months before the survey

<sup>f</sup> Visited a dentist office for a check-up, exam, teeth cleaning, or other dental work

## Physical Activity

**Table 101: Percentage of high school students who did not participate in at least 60 minutes of physical activity on any day,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	638	13.9%	(12.4-15.3)	4254	86.1%	(84.7-87.6)
<b>Sex</b>	<b>Female</b>	368	17.2%	(14.7-19.6)	2139	82.8%	(80.4-85.3)
	<b>Male</b>	265	10.6%	(9.1-12.1)	2100	89.4%	(87.9-90.9)
<b>Age</b>	<b>14 years old or younger</b>	60	9.1%	(6.0-12.2)	523	90.9%	(87.8-94.0)
	<b>15 years old</b>	153	12.2%	(10.0-14.4)	1193	87.8%	(85.6-90.0)
	<b>16 years old</b>	172	14.2%	(11.9-16.6)	1127	85.8%	(83.4-88.1)
	<b>17 years old</b>	160	14.8%	(12.2-17.4)	966	85.2%	(82.6-87.8)
	<b>18 years old or older</b>	91	18.7%	(14.1-23.3)	436	81.3%	(76.7-85.9)
<b>Grade</b>	<b>9th grade</b>	146	9.9%	(7.9-11.9)	1276	90.1%	(88.1-92.1)
	<b>10th grade</b>	156	12.8%	(10.2-15.3)	1129	87.2%	(84.7-89.8)
	<b>11th grade</b>	183	16.9%	(14.1-19.7)	1022	83.1%	(80.3-85.9)
	<b>12th grade</b>	145	16.2%	(13.0-19.4)	771	83.8%	(80.6-87.0)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	14	19.3%	(9.7-28.8)	88	80.7%	(71.2-90.3)
	<b>Asian<sup>d</sup></b>	49	22.0%	(14.6-29.5)	202	78.0%	(70.5-85.4)
	<b>Black<sup>d</sup></b>	38	14.8%	(9.7-19.9)	217	85.2%	(80.1-90.3)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	6	8.5%	(0.8-16.1)	81	91.5%	(83.9-99.2)
	<b>White<sup>d</sup></b>	205	10.7%	(8.6-12.8)	1696	89.3%	(87.2-91.4)
	<b>Hispanic/Latino</b>	278	15.4%	(13.5-17.3)	1639	84.6%	(82.7-86.5)
	<b>Other/Multiple<sup>d</sup></b>	29	12.9%	(8.4-17.5)	244	87.1%	(82.5-91.6)
<b>Region</b>	<b>1: Carson City and Douglas</b>	28	9.8%	(4.9-14.7)	254	90.2%	(85.3-95.1)
	<b>2: Elko, White Pine, and Eureka</b>	36	9.6%	(6.4-12.9)	311	90.4%	(87.1-93.6)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	36	12.2%	(8.4-15.9)	274	87.8%	(84.1-91.6)
	<b>4: Lyon, Mineral, and Storey</b>	25	11.1%	(3.6-18.5)	200	88.9%	(81.5-96.4)
	<b>5: Nye and Lincoln</b>	62	15.4%	(10.1-20.8)	344	84.6%	(79.2-89.9)
	<b>6: Washoe</b>	127	11.2%	(8.9-13.5)	980	88.8%	(86.5-91.1)
	<b>7: Clark</b>	324	14.8%	(12.9-16.7)	1891	85.2%	(83.3-87.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> No participation in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey



**Table 102: Percentage of high school students who were physically active at least 60 minutes/day on 5 or more days,<sup>e,f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	2461	49.9%	(47.6-52.3)	2431	50.1%	(47.7-52.4)
<b>Sex</b>	<b>Female</b>	1108	42.2%	(39.0-45.3)	1399	57.8%	(54.7-61.0)
	<b>Male</b>	1343	57.2%	(54.4-60.1)	1022	42.8%	(39.9-45.6)
<b>Age</b>	<b>14 years old or younger</b>	299	52.1%	(46.2-58.1)	284	47.9%	(41.9-53.8)
	<b>15 years old</b>	752	56.3%	(52.9-59.7)	594	43.7%	(40.3-47.1)
	<b>16 years old</b>	658	49.8%	(46.4-53.3)	641	50.2%	(46.7-53.6)
	<b>17 years old</b>	516	46.1%	(41.4-50.8)	610	53.9%	(49.2-58.6)
	<b>18 years old or older</b>	230	43.1%	(36.6-49.6)	297	56.9%	(50.4-63.4)
<b>Grade</b>	<b>9th grade</b>	780	55.5%	(51.7-59.4)	642	44.5%	(40.6-48.3)
	<b>10th grade</b>	674	51.5%	(47.6-55.5)	611	48.5%	(44.5-52.4)
	<b>11th grade</b>	577	48.6%	(45.1-52.0)	628	51.4%	(48.0-54.9)
	<b>12th grade</b>	397	43.2%	(37.9-48.6)	519	56.8%	(51.4-62.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	59	56.3%	(43.0-69.5)	43	43.7%	(30.5-57.0)
	<b>Asian<sup>d</sup></b>	92	34.8%	(27.2-42.5)	159	65.2%	(57.5-72.8)
	<b>Black<sup>d</sup></b>	132	51.9%	(44.4-59.4)	123	48.1%	(40.6-55.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	53	61.2%	(49.2-73.2)	34	38.8%	(26.8-50.8)
	<b>White<sup>d</sup></b>	1056	56.7%	(53.1-60.3)	845	43.3%	(39.7-46.9)
	<b>Hispanic/Latino</b>	867	44.6%	(41.7-47.4)	1050	55.4%	(52.6-58.3)
	<b>Other/Multiple<sup>d</sup></b>	149	51.7%	(45.7-57.8)	124	48.3%	(42.2-54.3)
<b>Region</b>	<b>1: Carson City and Douglas</b>	136	56.2%	(46.3-66.1)	146	43.8%	(33.9-53.7)
	<b>2: Elko, White Pine, and Eureka</b>	188	57.4%	(48.3-66.6)	159	42.6%	(33.4-51.7)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	178	56.5%	(49.8-63.2)	132	43.5%	(36.8-50.2)
	<b>4: Lyon, Mineral, and Storey</b>	134	62.2%	(52.8-71.5)	91	37.8%	(28.5-47.2)
	<b>5: Nye and Lincoln</b>	206	49.1%	(41.0-57.2)	200	50.9%	(42.8-59.0)
	<b>6: Washoe</b>	537	50.5%	(45.8-55.2)	570	49.5%	(44.8-54.2)
	<b>7: Clark</b>	1082	48.8%	(45.8-51.7)	1133	51.2%	(48.3-54.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> During the 7 days before the survey

<sup>f</sup> Were physically active doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time

**Table 103: Percentage of high school students who were physically active at least 60 minutes/day for 7 days,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1329	27.6%	(25.7-29.5)	3563	72.4%	(70.5-74.3)
<b>Sex</b>	<b>Female</b>	531	20.6%	(18.5-22.6)	1976	79.4%	(77.4-81.5)
	<b>Male</b>	790	34.2%	(31.4-37.0)	1575	65.8%	(63.0-68.6)
<b>Age</b>	<b>14 years old or younger</b>	151	26.5%	(22.4-30.6)	432	73.5%	(69.4-77.6)
	<b>15 years old</b>	399	29.8%	(27.0-32.7)	947	70.2%	(67.3-73.0)
	<b>16 years old</b>	355	27.0%	(24.2-29.9)	944	73.0%	(70.1-75.8)
	<b>17 years old</b>	286	27.0%	(22.7-31.2)	840	73.0%	(68.8-77.3)
	<b>18 years old or older</b>	132	26.0%	(20.4-31.5)	395	74.0%	(68.5-79.6)
<b>Grade</b>	<b>9th grade</b>	406	28.8%	(25.8-31.7)	1016	71.2%	(68.3-74.2)
	<b>10th grade</b>	364	28.1%	(25.0-31.2)	921	71.9%	(68.8-75.0)
	<b>11th grade</b>	319	28.2%	(25.0-31.4)	886	71.8%	(68.6-75.0)
	<b>12th grade</b>	221	25.0%	(20.1-29.9)	695	75.0%	(70.1-79.9)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	38	36.4%	(23.4-49.3)	64	63.6%	(50.7-76.6)
	<b>Asian<sup>d</sup></b>	41	16.5%	(9.7-23.3)	210	83.5%	(76.7-90.3)
	<b>Black<sup>d</sup></b>	76	31.6%	(25.2-37.9)	179	68.4%	(62.1-74.8)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	32	37.4%	(25.3-49.5)	55	62.6%	(50.5-74.7)
	<b>White<sup>d</sup></b>	570	31.1%	(28.1-34.0)	1331	68.9%	(66.0-71.9)
	<b>Hispanic/Latino</b>	464	24.4%	(22.1-26.7)	1453	75.6%	(73.3-77.9)
	<b>Other/Multiple<sup>d</sup></b>	81	27.8%	(22.7-32.8)	192	72.2%	(67.2-77.3)
<b>Region</b>	<b>1: Carson City and Douglas</b>	61	30.8%	(22.7-38.8)	221	69.2%	(61.2-77.3)
	<b>2: Elko, White Pine, and Eureka</b>	112	34.2%	(24.7-43.8)	235	65.8%	(56.2-75.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	110	34.7%	(30.1-39.3)	200	65.3%	(60.7-69.9)
	<b>4: Lyon, Mineral, and Storey</b>	58	27.8%	(19.3-36.3)	167	72.2%	(63.7-80.7)
	<b>5: Nye and Lincoln</b>	114	27.5%	(22.6-32.5)	292	72.5%	(67.5-77.4)
	<b>6: Washoe</b>	281	27.0%	(23.8-30.2)	826	73.0%	(69.8-76.2)
	<b>7: Clark</b>	593	27.1%	(24.7-29.5)	1622	72.9%	(70.5-75.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey

**Table 104: Percentage of high school students who played video or computer games or used a computer<sup>e</sup> for 3 or more hours/day,<sup>f</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1824	38.3%	(36.4-40.3)	3066	61.7%	(59.7-63.6)
<b>Sex</b>	<b>Female</b>	915	37.8%	(35.3-40.4)	1599	62.2%	(59.6-64.7)
	<b>Male</b>	906	38.9%	(36.0-41.8)	1453	61.1%	(58.2-64.0)
<b>Age</b>	<b>14 years old or younger</b>	246	43.4%	(38.0-48.8)	338	56.6%	(51.2-62.0)
	<b>15 years old</b>	549	42.6%	(39.1-46.2)	794	57.4%	(53.8-60.9)
	<b>16 years old</b>	460	36.3%	(32.7-39.9)	839	63.7%	(60.1-67.3)
	<b>17 years old</b>	390	35.2%	(31.7-38.8)	740	64.8%	(61.2-68.3)
	<b>18 years old or older</b>	177	36.2%	(31.1-41.4)	347	63.8%	(58.6-68.9)
<b>Grade</b>	<b>9th grade</b>	583	42.5%	(38.7-46.3)	838	57.5%	(53.7-61.3)
	<b>10th grade</b>	514	41.4%	(37.7-45.1)	771	58.6%	(54.9-62.3)
	<b>11th grade</b>	404	34.4%	(31.4-37.5)	805	65.6%	(62.5-68.6)
	<b>12th grade</b>	308	35.1%	(30.8-39.3)	606	64.9%	(60.7-69.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	32	31.3%	(20.3-42.3)	70	68.7%	(57.7-79.7)
	<b>Asian<sup>d</sup></b>	112	47.7%	(39.8-55.6)	138	52.3%	(44.4-60.2)
	<b>Black<sup>d</sup></b>	103	40.2%	(34.1-46.2)	153	59.8%	(53.8-65.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	34	39.5%	(28.8-50.2)	53	60.5%	(49.8-71.2)
	<b>White<sup>d</sup></b>	610	31.8%	(28.7-34.8)	1288	68.2%	(65.2-71.3)
	<b>Hispanic/Latino</b>	770	41.0%	(38.5-43.5)	1150	59.0%	(56.5-61.5)
	<b>Other/Multiple<sup>d</sup></b>	130	51.3%	(44.5-58.1)	144	48.7%	(41.9-55.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	115	31.5%	(22.4-40.5)	167	68.5%	(59.5-77.6)
	<b>2: Elko, White Pine, and Eureka</b>	117	34.3%	(28.1-40.5)	230	65.7%	(59.5-71.9)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	100	32.7%	(27.6-37.9)	206	67.3%	(62.1-72.4)
	<b>4: Lyon, Mineral, and Storey</b>	73	32.0%	(24.7-39.3)	150	68.0%	(60.7-75.3)
	<b>5: Nye and Lincoln</b>	130	31.7%	(27.1-36.3)	273	68.3%	(63.7-72.9)
	<b>6: Washoe</b>	377	33.6%	(29.9-37.2)	731	66.4%	(62.8-70.1)
	<b>7: Clark</b>	912	40.2%	(37.6-42.7)	1309	59.8%	(57.3-62.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> On an average school day

<sup>f</sup> For something that was not school work

**Table 105: Percentage of high school students who watched 3 or more hours/day of television,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1134	22.9%	(21.3-24.5)	3742	77.1%	(75.5-78.7)
<b>Sex</b>	<b>Female</b>	588	23.3%	(21.0-25.6)	1920	76.7%	(74.4-79.0)
	<b>Male</b>	539	22.2%	(20.1-24.4)	1813	77.8%	(75.6-79.9)
<b>Age</b>	<b>14 years old or younger</b>	119	19.2%	(15.1-23.2)	460	80.8%	(76.8-84.9)
	<b>15 years old</b>	304	21.9%	(19.3-24.6)	1033	78.1%	(75.4-80.7)
	<b>16 years old</b>	288	22.6%	(19.7-25.4)	1011	77.4%	(74.6-80.3)
	<b>17 years old</b>	263	23.7%	(20.4-27.0)	861	76.3%	(73.0-79.6)
	<b>18 years old or older</b>	157	26.8%	(22.4-31.1)	369	73.2%	(68.9-77.6)
<b>Grade</b>	<b>9th grade</b>	329	22.3%	(19.5-25.1)	1083	77.7%	(74.9-80.5)
	<b>10th grade</b>	287	22.7%	(19.4-26.0)	994	77.3%	(74.0-80.6)
	<b>11th grade</b>	261	21.9%	(18.7-25.0)	942	78.1%	(75.0-81.3)
	<b>12th grade</b>	241	24.8%	(21.2-28.5)	676	75.2%	(71.5-78.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	34	28.2%	(17.5-38.9)	69	71.8%	(61.1-82.5)
	<b>Asian<sup>d</sup></b>	41	11.7%	(7.0-16.5)	210	88.3%	(83.5-93.0)
	<b>Black<sup>d</sup></b>	87	35.2%	(28.6-41.8)	166	64.8%	(58.2-71.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	17	18.0%	(9.0-27.0)	69	82.0%	(73.0-91.0)
	<b>White<sup>d</sup></b>	370	17.7%	(15.6-19.8)	1525	82.3%	(80.2-84.4)
	<b>Hispanic/Latino</b>	498	26.1%	(23.8-28.3)	1414	73.9%	(71.7-76.2)
	<b>Other/Multiple<sup>d</sup></b>	60	25.1%	(19.1-31.1)	213	74.9%	(68.9-80.9)
<b>Region</b>	<b>1: Carson City and Douglas</b>	67	18.3%	(14.2-22.5)	215	81.7%	(77.5-85.8)
	<b>2: Elko, White Pine, and Eureka</b>	90	24.4%	(19.3-29.5)	258	75.6%	(70.5-80.7)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	74	25.6%	(16.4-34.8)	232	74.4%	(65.2-83.6)
	<b>4: Lyon, Mineral, and Storey</b>	51	21.4%	(15.9-27.0)	173	78.6%	(73.0-84.1)
	<b>5: Nye and Lincoln</b>	104	25.9%	(20.0-31.8)	301	74.1%	(68.2-80.0)
	<b>6: Washoe</b>	231	20.9%	(18.1-23.8)	873	79.1%	(76.2-81.9)
	<b>7: Clark</b>	517	23.3%	(21.3-25.4)	1690	76.7%	(74.6-78.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> On an average school day

**Table 106: Percentage of high school students who attended physical education (PE) classes,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	2842	54.4%	(49.7-59.1)	2015	45.6%	(40.9-50.3)
<b>Sex</b>	<b>Female</b>	1300	47.0%	(41.5-52.4)	1197	53.0%	(47.6-58.5)
	<b>Male</b>	1533	61.5%	(56.5-66.5)	811	38.5%	(33.5-43.5)
<b>Age</b>	<b>14 years old or younger</b>	482	83.7%	(79.0-88.4)	96	16.3%	(11.6-21.0)
	<b>15 years old</b>	1050	78.6%	(74.7-82.5)	282	21.4%	(17.5-25.3)
	<b>16 years old</b>	732	55.5%	(49.7-61.3)	559	44.5%	(38.7-50.3)
	<b>17 years old</b>	400	31.1%	(25.8-36.4)	721	68.9%	(63.6-74.2)
	<b>18 years old or older</b>	171	27.1%	(20.7-33.4)	353	72.9%	(66.6-79.3)
<b>Grade</b>	<b>9th grade</b>	1195	84.8%	(81.1-88.4)	214	15.2%	(11.6-18.9)
	<b>10th grade</b>	884	70.9%	(66.1-75.8)	387	29.1%	(24.2-33.9)
	<b>11th grade</b>	446	33.1%	(27.7-38.4)	758	66.9%	(61.6-72.3)
	<b>12th grade</b>	276	26.0%	(19.9-32.2)	634	74.0%	(67.8-80.1)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	60	58.6%	(46.5-70.8)	39	41.4%	(29.2-53.5)
	<b>Asian<sup>d</sup></b>	123	43.7%	(32.9-54.5)	125	56.3%	(45.5-67.1)
	<b>Black<sup>d</sup></b>	149	55.4%	(47.4-63.5)	105	44.6%	(36.5-52.6)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	61	66.7%	(55.0-78.5)	27	33.3%	(21.5-45.0)
	<b>White<sup>d</sup></b>	1056	52.8%	(46.9-58.6)	837	47.2%	(41.4-53.1)
	<b>Hispanic/Latino</b>	1168	56.5%	(51.1-62.0)	731	43.5%	(38.0-48.9)
	<b>Other/Multiple<sup>d</sup></b>	167	56.4%	(46.7-66.2)	106	43.6%	(33.8-53.3)
<b>Region</b>	<b>1: Carson City and Douglas</b>	194	50.8%	(34.5-67.1)	87	49.2%	(32.9-65.5)
	<b>2: Elko, White Pine, and Eureka</b>	195	56.3%	(44.5-68.1)	152	43.7%	(31.9-55.5)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	195	60.1%	(46.3-73.9)	107	39.9%	(26.1-53.7)
	<b>4: Lyon, Mineral, and Storey</b>	105	48.7%	(35.9-61.6)	117	51.3%	(38.4-64.1)
	<b>5: Nye and Lincoln</b>	233	56.3%	(42.4-70.2)	167	43.7%	(29.8-57.6)
	<b>6: Washoe</b>	655	60.7%	(54.2-67.1)	447	39.3%	(32.9-45.8)
	<b>7: Clark</b>	1265	53.3%	(47.1-59.4)	938	46.7%	(40.6-52.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> On 1 or more days in an average week when they were in school

**Table 107: Percentage of high school students who attended physical education (PE) classes daily,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1373	27.8%	(23.1-32.4)	3484	72.2%	(67.6-76.9)
<b>Sex</b>	<b>Female</b>	659	24.9%	(20.0-29.7)	1838	75.1%	(70.3-80.0)
	<b>Male</b>	709	30.4%	(24.7-36.1)	1635	69.6%	(63.9-75.3)
<b>Age</b>	<b>14 years old or younger</b>	240	46.0%	(36.0-56.0)	338	54.0%	(44.0-64.0)
	<b>15 years old</b>	535	43.3%	(36.1-50.4)	797	56.7%	(49.6-63.9)
	<b>16 years old</b>	331	25.6%	(20.3-30.9)	960	74.4%	(69.1-79.7)
	<b>17 years old</b>	186	14.6%	(9.8-19.4)	935	85.4%	(80.6-90.2)
	<b>18 years old or older</b>	76	12.6%	(7.6-17.6)	448	87.4%	(82.4-92.4)
<b>Grade</b>	<b>9th grade</b>	631	50.2%	(41.0-59.4)	778	49.8%	(40.6-59.0)
	<b>10th grade</b>	383	31.2%	(23.5-38.9)	888	68.8%	(61.1-76.5)
	<b>11th grade</b>	222	16.5%	(12.8-20.2)	982	83.5%	(79.8-87.2)
	<b>12th grade</b>	125	12.2%	(6.8-17.5)	785	87.8%	(82.5-93.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	30	26.1%	(14.2-37.9)	69	73.9%	(62.1-85.8)
	<b>Asian<sup>d</sup></b>	57	21.2%	(12.7-29.8)	191	78.8%	(70.2-87.3)
	<b>Black<sup>d</sup></b>	71	25.8%	(17.9-33.6)	183	74.2%	(66.4-82.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	27	25.7%	(14.8-36.6)	61	74.3%	(63.4-85.2)
	<b>White<sup>d</sup></b>	499	26.4%	(20.9-31.8)	1394	73.6%	(68.2-79.1)
	<b>Hispanic/Latino</b>	582	30.3%	(24.8-35.7)	1317	69.7%	(64.3-75.2)
	<b>Other/Multiple<sup>d</sup></b>	87	31.3%	(20.9-41.6)	186	68.7%	(58.4-79.1)
<b>Region</b>	<b>1: Carson City and Douglas</b>	39	8.5%	(3.4-13.6)	242	91.5%	(86.4-96.6)
	<b>2: Elko, White Pine, and Eureka</b>	98	28.2%	(12.4-43.9)	249	71.8%	(56.1-87.6)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	70	21.9%	(11.5-32.2)	232	78.1%	(67.8-88.5)
	<b>4: Lyon, Mineral, and Storey</b>	94	43.2%	(29.7-56.7)	128	56.8%	(43.3-70.3)
	<b>5: Nye and Lincoln</b>	127	29.9%	(16.6-43.1)	273	70.1%	(56.9-83.4)
	<b>6: Washoe</b>	239	22.5%	(15.5-29.5)	863	77.5%	(70.5-84.5)
	<b>7: Clark</b>	706	29.3%	(23.3-35.3)	1497	70.7%	(64.7-76.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> 5 days in an average week when they were in school

**Table 108: Percentage of high school students who played on at least one sports team,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	2539	50.1%	(47.6-52.6)	2288	49.9%	(47.4-52.4)
<b>Sex</b>	<b>Female</b>	1235	46.6%	(43.4-49.8)	1256	53.4%	(50.2-56.6)
	<b>Male</b>	1294	53.5%	(50.4-56.6)	1026	46.5%	(43.4-49.6)
<b>Age</b>	<b>14 years old or younger</b>	315	52.8%	(47.8-57.8)	256	47.2%	(42.2-52.2)
	<b>15 years old</b>	761	55.5%	(51.9-59.1)	566	44.5%	(40.9-48.1)
	<b>16 years old</b>	694	53.2%	(49.1-57.3)	587	46.8%	(42.7-50.9)
	<b>17 years old</b>	543	45.3%	(41.0-49.6)	576	54.7%	(50.4-59.0)
	<b>18 years old or older</b>	221	40.2%	(34.3-46.1)	297	59.8%	(53.9-65.7)
<b>Grade</b>	<b>9th grade</b>	789	55.1%	(51.5-58.6)	605	44.9%	(41.4-48.5)
	<b>10th grade</b>	707	53.2%	(48.9-57.5)	561	46.8%	(42.5-51.1)
	<b>11th grade</b>	606	50.5%	(46.5-54.6)	590	49.5%	(45.4-53.5)
	<b>12th grade</b>	404	41.2%	(35.6-46.9)	503	58.8%	(53.1-64.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	57	50.0%	(35.5-64.4)	42	50.0%	(35.6-64.5)
	<b>Asian<sup>d</sup></b>	103	35.2%	(28.0-42.4)	144	64.8%	(57.6-72.0)
	<b>Black<sup>d</sup></b>	132	51.1%	(44.1-58.1)	118	48.9%	(41.9-55.9)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	50	57.7%	(45.4-69.9)	36	42.3%	(30.1-54.6)
	<b>White<sup>d</sup></b>	1101	57.6%	(54.0-61.2)	775	42.4%	(38.8-46.0)
	<b>Hispanic/Latino</b>	916	45.6%	(42.8-48.3)	981	54.4%	(51.7-57.2)
	<b>Other/Multiple<sup>d</sup></b>	128	45.5%	(38.5-52.6)	143	54.5%	(47.4-61.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	141	56.2%	(41.0-71.5)	140	43.8%	(28.5-59.0)
	<b>2: Elko, White Pine, and Eureka</b>	219	64.8%	(57.9-71.8)	129	35.2%	(28.2-42.1)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	178	59.0%	(51.9-66.0)	116	41.0%	(34.0-48.1)
	<b>4: Lyon, Mineral, and Storey</b>	146	68.3%	(60.4-76.2)	74	31.7%	(23.8-39.6)
	<b>5: Nye and Lincoln</b>	249	63.8%	(54.9-72.6)	146	36.2%	(27.4-45.1)
	<b>6: Washoe</b>	545	50.8%	(45.8-55.8)	551	49.2%	(44.2-54.2)
	<b>7: Clark</b>	1061	48.2%	(45.0-51.3)	1132	51.8%	(48.7-55.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Run by their school or community groups during the 12 months before the survey

**Table 109: Percentage of high school students who had 8 or more hours of sleep,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1211	22.5%	(20.8-24.3)	3645	77.5%	(75.7-79.2)
<b>Sex</b>	<b>Female</b>	570	19.6%	(17.7-21.6)	1925	80.4%	(78.4-82.3)
	<b>Male</b>	634	25.2%	(22.8-27.6)	1709	74.8%	(72.4-77.2)
<b>Age</b>	<b>14 years old or younger</b>	198	32.5%	(28.2-36.7)	379	67.5%	(63.3-71.8)
	<b>15 years old</b>	383	27.6%	(24.4-30.8)	961	72.4%	(69.2-75.6)
	<b>16 years old</b>	300	20.3%	(17.3-23.3)	988	79.7%	(76.7-82.7)
	<b>17 years old</b>	226	17.9%	(15.1-20.8)	889	82.1%	(79.2-84.9)
	<b>18 years old or older</b>	100	17.6%	(13.4-21.8)	421	82.4%	(78.2-86.6)
<b>Grade</b>	<b>9th grade</b>	449	30.6%	(26.9-34.4)	964	69.4%	(65.6-73.1)
	<b>10th grade</b>	328	23.6%	(20.3-26.9)	947	76.4%	(73.1-79.7)
	<b>11th grade</b>	251	18.9%	(15.8-22.0)	943	81.1%	(78.0-84.2)
	<b>12th grade</b>	167	16.2%	(13.2-19.2)	742	83.8%	(80.8-86.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	21	18.8%	(8.2-29.4)	81	81.2%	(70.6-91.8)
	<b>Asian<sup>d</sup></b>	49	17.5%	(11.3-23.6)	198	82.5%	(76.4-88.7)
	<b>Black<sup>d</sup></b>	50	18.5%	(12.5-24.5)	207	81.5%	(75.5-87.5)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	21	23.5%	(14.3-32.6)	67	76.5%	(67.4-85.7)
	<b>White<sup>d</sup></b>	554	26.8%	(24.1-29.5)	1336	73.2%	(70.5-75.9)
	<b>Hispanic/Latino</b>	431	21.0%	(18.8-23.2)	1465	79.0%	(76.8-81.2)
	<b>Other/Multiple<sup>d</sup></b>	56	18.4%	(13.1-23.6)	216	81.6%	(76.4-86.9)
<b>Region</b>	<b>1: Carson City and Douglas</b>	83	30.6%	(18.2-43.0)	200	69.4%	(57.0-81.8)
	<b>2: Elko, White Pine, and Eureka</b>	107	33.1%	(28.9-37.4)	241	66.9%	(62.6-71.1)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	106	33.7%	(27.1-40.3)	197	66.3%	(59.7-72.9)
	<b>4: Lyon, Mineral, and Storey</b>	52	22.8%	(18.2-27.3)	171	77.2%	(72.7-81.8)
	<b>5: Nye and Lincoln</b>	106	25.6%	(21.0-30.1)	298	74.4%	(69.9-79.0)
	<b>6: Washoe</b>	299	28.1%	(24.2-32.0)	798	71.9%	(68.0-75.8)
	<b>7: Clark</b>	458	20.3%	(18.3-22.4)	1740	79.7%	(77.6-81.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> On an average school night



**Weight**

**Table 110: Percentage of high school students who were obese,<sup>e</sup> by sex, age, grade, race/ethnicity, and region —Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	608	11.4%	(10.1-12.7)	4500	88.6%	(87.3-89.9)
<b>Sex</b>	<b>Female</b>	275	10.3%	(8.6-11.9)	2325	89.7%	(88.1-91.4)
	<b>Male</b>	333	12.6%	(10.7-14.4)	2147	87.4%	(85.6-89.3)
<b>Age</b>	<b>14 years old or younger</b>	86	13.7%	(10.4-17.0)	524	86.3%	(83.0-89.6)
	<b>15 years old</b>	159	11.3%	(9.4-13.3)	1242	88.7%	(86.7-90.6)
	<b>16 years old</b>	169	12.0%	(9.7-14.3)	1178	88.0%	(85.7-90.3)
	<b>17 years old</b>	135	11.3%	(8.5-14.1)	1038	88.7%	(85.9-91.5)
	<b>18 years old or older</b>	59	9.2%	(6.5-11.8)	500	90.8%	(88.2-93.5)
<b>Grade</b>	<b>9th grade</b>	180	11.6%	(9.9-13.4)	1310	88.4%	(86.6-90.1)
	<b>10th grade</b>	153	11.8%	(9.6-13.9)	1181	88.2%	(86.1-90.4)
	<b>11th grade</b>	151	11.9%	(9.2-14.7)	1098	88.1%	(85.3-90.8)
	<b>12th grade</b>	113	10.2%	(7.6-12.7)	845	89.8%	(87.3-92.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	16	9.4%	(3.8-15.1)	88	90.6%	(84.9-96.2)
	<b>Asian<sup>d</sup></b>	15	4.1%	(1.4-6.8)	243	95.9%	(93.2-98.6)
	<b>Black<sup>d</sup></b>	35	13.0%	(8.9-17.1)	238	87.0%	(82.9-91.1)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	20	22.0%	(11.9-32.1)	72	78.0%	(67.9-88.1)
	<b>White<sup>d</sup></b>	183	8.6%	(6.8-10.4)	1772	91.4%	(89.6-93.2)
	<b>Hispanic/Latino</b>	297	14.6%	(12.7-16.5)	1732	85.4%	(83.5-87.3)
	<b>Other/Multiple<sup>d</sup></b>	32	10.0%	(6.2-13.7)	245	90.0%	(86.3-93.8)
<b>Region</b>	<b>1: Carson City and Douglas</b>	37	11.6%	(7.3-15.9)	254	88.4%	(84.1-92.7)
	<b>2: Elko, White Pine, and Eureka</b>	48	13.0%	(9.0-16.9)	308	87.0%	(83.1-91.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	46	15.7%	(11.4-20.0)	280	84.3%	(80.0-88.6)
	<b>4: Lyon, Mineral, and Storey</b>	32	15.4%	(9.2-21.6)	202	84.6%	(78.4-90.8)
	<b>5: Nye and Lincoln</b>	54	12.7%	(8.7-16.8)	361	87.3%	(83.2-91.3)
	<b>6: Washoe</b>	122	9.9%	(7.9-11.8)	1053	90.1%	(88.2-92.1)
	<b>7: Clark</b>	269	11.4%	(9.7-13.1)	2042	88.6%	(86.9-90.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Students who were ≥95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts

**Table 111: Percentage of high school students who were overweight,<sup>e</sup> by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	799	15.8%	(14.4-17.2)	4309	84.2%	(82.8-85.6)
<b>Sex</b>	<b>Female</b>	371	13.9%	(12.3-15.6)	2229	86.1%	(84.4-87.7)
	<b>Male</b>	428	17.7%	(15.6-19.8)	2052	82.3%	(80.2-84.4)
<b>Age</b>	<b>14 years old or younger</b>	81	12.4%	(8.8-15.9)	529	87.6%	(84.1-91.2)
	<b>15 years old</b>	219	15.2%	(13.0-17.4)	1182	84.8%	(82.6-87.0)
	<b>16 years old</b>	217	17.2%	(14.4-19.9)	1130	82.8%	(80.1-85.6)
	<b>17 years old</b>	193	17.4%	(14.6-20.2)	980	82.6%	(79.8-85.4)
	<b>18 years old or older</b>	89	14.6%	(10.6-18.5)	470	85.4%	(81.5-89.4)
<b>Grade</b>	<b>9th grade</b>	210	13.9%	(12.0-15.9)	1280	86.1%	(84.1-88.0)
	<b>10th grade</b>	232	17.1%	(14.4-19.8)	1102	82.9%	(80.2-85.6)
	<b>11th grade</b>	195	16.4%	(13.6-19.2)	1054	83.6%	(80.8-86.4)
	<b>12th grade</b>	154	16.1%	(13.2-19.1)	804	83.9%	(80.9-86.8)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	18	18.3%	(7.7-28.9)	86	81.7%	(71.1-92.3)
	<b>Asian<sup>d</sup></b>	37	15.7%	(10.5-21.0)	221	84.3%	(79.0-89.5)
	<b>Black<sup>d</sup></b>	46	16.8%	(11.6-22.0)	227	83.2%	(78.0-88.4)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	14	18.4%	(8.6-28.2)	78	81.6%	(71.8-91.4)
	<b>White<sup>d</sup></b>	256	13.3%	(11.0-15.6)	1699	86.7%	(84.4-89.0)
	<b>Hispanic/Latino</b>	381	18.4%	(16.4-20.3)	1648	81.6%	(79.7-83.6)
	<b>Other/Multiple<sup>d</sup></b>	36	11.1%	(7.5-14.7)	241	88.9%	(85.3-92.5)
<b>Region</b>	<b>1: Carson City and Douglas</b>	48	15.0%	(4.1-26.0)	243	85.0%	(74.0-95.9)
	<b>2: Elko, White Pine, and Eureka</b>	57	14.8%	(10.7-18.9)	299	85.2%	(81.1-89.3)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	56	18.6%	(13.0-24.1)	270	81.4%	(75.9-87.0)
	<b>4: Lyon, Mineral, and Storey</b>	36	16.4%	(9.7-23.1)	198	83.6%	(76.9-90.3)
	<b>5: Nye and Lincoln</b>	74	16.9%	(12.6-21.3)	341	83.1%	(78.7-87.4)
	<b>6: Washoe</b>	159	13.9%	(11.8-16.1)	1016	86.1%	(83.9-88.2)
	<b>7: Clark</b>	369	16.2%	(14.4-17.9)	1942	83.8%	(82.1-85.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Students who were ≥85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts

**Table 112: Percentage of high school students who described themselves as slightly or very overweight, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1591	32.5%	(30.7-34.3)	3359	67.5%	(65.7-69.3)
<b>Sex</b>	<b>Female</b>	918	36.8%	(34.3-39.3)	1616	63.2%	(60.7-65.7)
	<b>Male</b>	671	28.5%	(26.1-30.9)	1727	71.5%	(69.1-73.9)
<b>Age</b>	<b>14 years old or younger</b>	175	29.7%	(25.3-34.1)	414	70.3%	(65.9-74.7)
	<b>15 years old</b>	440	32.2%	(29.1-35.3)	919	67.8%	(64.7-70.9)
	<b>16 years old</b>	442	35.0%	(32.2-37.9)	871	65.0%	(62.1-67.8)
	<b>17 years old</b>	359	32.7%	(28.7-36.8)	779	67.3%	(63.2-71.3)
	<b>18 years old or older</b>	173	29.9%	(24.1-35.6)	368	70.1%	(64.4-75.9)
<b>Grade</b>	<b>9th grade</b>	452	31.5%	(28.4-34.6)	984	68.5%	(65.4-71.6)
	<b>10th grade</b>	428	33.7%	(30.5-36.8)	872	66.3%	(63.2-69.5)
	<b>11th grade</b>	382	32.7%	(29.1-36.3)	835	67.3%	(63.7-70.9)
	<b>12th grade</b>	309	31.8%	(27.6-36.0)	622	68.2%	(64.0-72.4)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	38	34.8%	(21.2-48.4)	65	65.2%	(51.6-78.8)
	<b>Asian<sup>d</sup></b>	78	33.1%	(26.6-39.6)	174	66.9%	(60.4-73.4)
	<b>Black<sup>d</sup></b>	76	29.6%	(23.0-36.2)	184	70.4%	(63.8-77.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	33	42.6%	(31.3-53.8)	57	57.4%	(46.2-68.7)
	<b>White<sup>d</sup></b>	544	28.3%	(25.4-31.2)	1375	71.7%	(68.8-74.6)
	<b>Hispanic/Latino</b>	710	36.9%	(34.7-39.1)	1238	63.1%	(60.9-65.3)
	<b>Other/Multiple<sup>d</sup></b>	92	30.2%	(24.1-36.4)	185	69.8%	(63.6-75.9)
<b>Region</b>	<b>1: Carson City and Douglas</b>	104	29.3%	(24.8-33.9)	182	70.7%	(66.1-75.2)
	<b>2: Elko, White Pine, and Eureka</b>	116	31.4%	(26.0-36.8)	236	68.6%	(63.2-74.0)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	88	29.6%	(23.8-35.5)	228	70.4%	(64.5-76.2)
	<b>4: Lyon, Mineral, and Storey</b>	74	33.2%	(24.7-41.6)	154	66.8%	(58.4-75.3)
	<b>5: Nye and Lincoln</b>	122	30.6%	(26.2-34.9)	283	69.4%	(65.1-73.8)
	<b>6: Washoe</b>	325	28.4%	(25.1-31.7)	797	71.6%	(68.3-74.9)
	<b>7: Clark</b>	762	33.5%	(31.2-35.9)	1479	66.5%	(64.1-68.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**Table 113: Percentage of high school students who were trying to lose weight, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	2383	48.1%	(46.2-50.1)	2561	51.9%	(49.9-53.8)
<b>Sex</b>	<b>Female</b>	1531	61.3%	(59.2-63.3)	1007	38.7%	(36.7-40.8)
	<b>Male</b>	845	35.7%	(33.3-38.1)	1541	64.3%	(61.9-66.7)
<b>Age</b>	<b>14 years old or younger</b>	279	48.1%	(42.7-53.4)	309	51.9%	(46.6-57.3)
	<b>15 years old</b>	651	47.4%	(44.1-50.7)	707	52.6%	(49.3-55.9)
	<b>16 years old</b>	651	49.9%	(46.6-53.1)	660	50.1%	(46.9-53.4)
	<b>17 years old</b>	538	47.6%	(43.8-51.5)	597	52.4%	(48.5-56.2)
	<b>18 years old or older</b>	256	47.3%	(42.0-52.5)	283	52.7%	(47.5-58.0)
<b>Grade</b>	<b>9th grade</b>	703	48.6%	(45.0-52.2)	734	51.4%	(47.8-55.0)
	<b>10th grade</b>	625	48.8%	(45.4-52.3)	675	51.2%	(47.7-54.6)
	<b>11th grade</b>	578	47.2%	(43.7-50.7)	635	52.8%	(49.3-56.3)
	<b>12th grade</b>	447	47.8%	(43.8-51.8)	481	52.2%	(48.2-56.2)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	49	43.3%	(29.6-57.0)	54	56.7%	(43.0-70.4)
	<b>Asian<sup>d</sup></b>	117	49.3%	(41.1-57.6)	133	50.7%	(42.4-58.9)
	<b>Black<sup>d</sup></b>	119	46.1%	(39.3-52.8)	138	53.9%	(47.2-60.7)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	56	66.0%	(53.9-78.2)	33	34.0%	(21.8-46.1)
	<b>White<sup>d</sup></b>	827	42.9%	(39.6-46.2)	1088	57.1%	(53.8-60.4)
	<b>Hispanic/Latino</b>	1057	53.9%	(51.1-56.7)	892	46.1%	(43.3-48.9)
	<b>Other/Multiple<sup>d</sup></b>	114	41.0%	(34.6-47.3)	163	59.0%	(52.7-65.4)
<b>Region</b>	<b>1: Carson City and Douglas</b>	135	52.7%	(42.2-63.2)	149	47.3%	(36.8-57.8)
	<b>2: Elko, White Pine, and Eureka</b>	176	49.2%	(43.1-55.2)	174	50.8%	(44.8-56.9)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	142	45.9%	(39.9-52.0)	177	54.1%	(48.0-60.1)
	<b>4: Lyon, Mineral, and Storey</b>	113	48.8%	(42.7-54.8)	117	51.2%	(45.2-57.3)
	<b>5: Nye and Lincoln</b>	186	45.8%	(41.1-50.5)	220	54.2%	(49.5-58.9)
	<b>6: Washoe</b>	506	43.0%	(38.8-47.2)	609	57.0%	(52.8-61.2)
	<b>7: Clark</b>	1125	49.0%	(46.6-51.4)	1115	51.0%	(48.6-53.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**Resilience**

**Table 114: Percentage of high school students whose parents or other adults asked where they were going or who they would be with, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	621	12.4%	(11.1-13.7)	493	10.1%	(9.0-11.2)	3718	77.5%	(75.7-79.3)
<b>Sex</b>	<b>Female</b>	217	8.2%	(6.7-9.7)	197	7.5%	(6.3-8.7)	2064	84.3%	(82.4-86.2)
	<b>Male</b>	402	16.3%	(14.4-18.3)	294	12.6%	(10.9-14.4)	1641	71.1%	(68.7-73.5)
<b>Age</b>	<b>14 years/younger</b>	81	12.9%	(9.3-16.4)	56	10.2%	(7.1-13.3)	438	76.9%	(72.5-81.3)
	<b>15 years old</b>	170	12.5%	(10.1-14.9)	133	9.5%	(7.7-11.3)	1033	78.0%	(74.8-81.2)
	<b>16 years old</b>	147	10.2%	(8.0-12.4)	135	10.5%	(8.5-12.4)	1003	79.3%	(76.4-82.3)
	<b>17 years old</b>	134	12.4%	(10.2-14.5)	111	10.7%	(8.0-13.5)	866	76.9%	(73.5-80.2)
	<b>18 years/older</b>	87	16.0%	(11.9-20.2)	56	9.6%	(7.0-12.2)	372	74.4%	(69.6-79.1)
<b>Grade</b>	<b>9th grade</b>	195	12.7%	(10.1-15.2)	137	9.0%	(7.2-10.9)	1079	78.3%	(75.0-81.6)
	<b>10th grade</b>	165	12.3%	(9.5-15.0)	138	11.0%	(8.9-13.1)	969	76.7%	(72.9-80.6)
	<b>11th grade</b>	129	10.7%	(8.6-12.7)	111	9.8%	(7.8-11.7)	948	79.6%	(76.8-82.4)
	<b>12th grade</b>	121	13.8%	(11.2-16.5)	97	10.5%	(7.8-13.2)	682	75.7%	(72.1-79.3)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	19	15.1%	(3.7-26.5)	10	6.1%	(2.0-10.3)	73	78.8%	(67.2-90.4)
	<b>Asian<sup>d</sup></b>	30	13.5%	(8.2-18.8)	22	6.2%	(2.5-9.9)	198	80.3%	(74.2-86.3)
	<b>Black<sup>d</sup></b>	47	18.3%	(12.9-23.7)	35	13.2%	(8.5-17.9)	170	68.5%	(61.8-75.2)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	13	13.5%	(5.3-21.7)	14	15.7%	(8.0-23.4)	61	70.8%	(60.9-80.6)
	<b>White<sup>d</sup></b>	229	11.7%	(9.8-13.7)	188	10.1%	(8.1-12.1)	1460	78.2%	(75.4-81.0)
	<b>Hispanic/Latino</b>	231	11.5%	(9.5-13.5)	192	10.1%	(8.6-11.6)	1468	78.4%	(76.0-80.7)
	<b>Other/Multiple<sup>d</sup></b>	33	9.7%	(5.9-13.6)	24	9.2%	(5.0-13.4)	216	81.1%	(75.6-86.6)
<b>Region</b>	<b>1: Carson City and Douglas</b>	34	15.4%	(5.4-25.5)	31	7.6%	(4.6-10.5)	219	77.0%	(66.4-87.6)
	<b>2: Elko, White Pine, and Eureka</b>	48	11.9%	(9.0-14.7)	36	8.9%	(5.2-12.5)	262	79.3%	(74.9-83.7)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	57	17.6%	(14.0-21.1)	23	8.5%	(4.0-12.9)	224	74.0%	(68.0-80.0)
	<b>4: Lyon, Mineral, and Storey</b>	35	19.0%	(6.3-31.8)	25	12.8%	(8.6-17.0)	152	68.2%	(54.7-81.7)
	<b>5: Nye and Lincoln</b>	69	18.2%	(11.8-24.6)	51	13.4%	(9.6-17.1)	277	68.4%	(62.6-74.2)
	<b>6: Washoe</b>	128	12.6%	(10.0-15.3)	107	9.7%	(7.7-11.7)	854	77.7%	(74.3-81.0)
	<b>7: Clark</b>	250	11.8%	(10.2-13.3)	220	10.3%	(8.9-11.7)	1730	78.0%	(75.8-80.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

**Table 115: Percentage of high school students who felt comfortable talking to their friends, a parent or other adult family member, or a teacher or other adult about important life questions<sup>e</sup>, by sex, age, grade, race/ethnicity, and region — Nevada, Youth Risk Behavior Survey, 2015**

		Friends			Parent or other family member			Teacher or other adult		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>Overall Total</b>	<b>Total</b>	1858	62.7%	(60.4-65.0)	999	32.6%	(30.5-34.8)	152	4.6%	(3.6-5.6)
<b>Sex</b>	<b>Female</b>	1138	64.3%	(61.3-67.3)	584	31.3%	(28.7-33.9)	85	4.4%	(3.0-5.8)
	<b>Male</b>	718	60.8%	(57.1-64.6)	411	34.2%	(30.6-37.8)	65	5.0%	(3.5-6.4)
<b>Age</b>	<b>14 years/younger</b>	191	54.9%	(48.4-61.4)	139	40.0%	(33.8-46.1)	22	5.1%	(2.6-7.7)
	<b>15 years old</b>	480	61.2%	(56.9-65.5)	257	34.0%	(29.9-38.2)	34	4.8%	(3.0-6.6)
	<b>16 years old</b>	488	60.6%	(56.4-64.7)	281	35.0%	(30.9-39.2)	32	4.4%	(2.7-6.1)
	<b>17 years old</b>	481	66.7%	(62.5-70.8)	219	28.9%	(25.2-32.6)	45	4.4%	(2.7-6.2)
	<b>18 years/older</b>	214	67.8%	(61.2-74.4)	102	27.3%	(20.9-33.7)	19	4.9%	(1.0-8.7)
<b>Grade</b>	<b>9th grade</b>	464	56.1%	(51.5-60.8)	305	38.9%	(34.7-43.1)	42	4.9%	(3.0-6.9)
	<b>10th grade</b>	491	61.9%	(57.8-66.0)	262	33.8%	(29.6-37.9)	31	4.3%	(2.7-5.9)
	<b>11th grade</b>	490	65.2%	(60.9-69.5)	243	30.6%	(26.8-34.4)	42	4.2%	(2.3-6.0)
	<b>12th grade</b>	392	68.2%	(63.5-72.9)	178	26.9%	(22.5-31.3)	32	4.9%	(2.2-7.5)
<b>Race/Ethnicity</b>	<b>American Indian/Alaska Native<sup>d</sup></b>	44	60.0%	(45.3-74.7)	20	37.9%	(23.2-52.6)	3	2.1%	(0.0-4.6)
	<b>Asian<sup>d</sup></b>	110	75.2%	(66.3-84.1)	40	23.6%	(14.9-32.4)	5	1.2%	(0.0-2.8)
	<b>Black<sup>d</sup></b>	81	57.3%	(49.0-65.6)	52	35.9%	(27.8-44.0)	10	6.8%	(2.6-11.0)
	<b>Native Hawaiian/Pacific Islander<sup>d</sup></b>	35	74.1%	(59.7-88.6)	15	25.1%	(10.7-39.5)	1	0.8%	(0.0-2.3)
	<b>White<sup>d</sup></b>	715	60.2%	(56.0-64.3)	430	34.9%	(30.9-39.0)	65	4.9%	(3.2-6.5)
	<b>Hispanic/Latino</b>	713	62.5%	(59.3-65.8)	371	32.2%	(29.4-35.1)	63	5.2%	(3.6-6.9)
	<b>Other/Multiple<sup>d</sup></b>	128	74.8%	(67.1-82.4)	43	24.2%	(16.7-31.7)	3	1.0%	(0.0-2.6)
<b>Region</b>	<b>1: Carson City and Douglas</b>	96	47.9%	(38.4-57.5)	62	43.0%	(26.5-59.5)	7	9.1%	(0.0-19.1)
	<b>2: Elko, White Pine, and Eureka</b>	119	54.6%	(43.6-65.6)	65	34.8%	(26.5-43.2)	17	10.6%	(4.2-16.9)
	<b>3: Churchill, Humboldt, Pershing, and Lander</b>	92	51.8%	(43.9-59.6)	67	38.6%	(32.9-44.4)	15	9.6%	(5.4-13.8)
	<b>4: Lyon, Mineral, and Storey</b>	93	58.7%	(49.0-68.4)	53	36.2%	(26.1-46.2)	8	5.1%	(1.9-8.3)
	<b>5: Nye and Lincoln</b>	145	58.9%	(49.2-68.5)	79	35.5%	(27.2-43.8)	14	5.6%	(2.4-8.8)
	<b>6: Washoe</b>	422	60.4%	(56.9-63.8)	230	35.3%	(31.9-38.7)	34	4.3%	(2.6-6.0)
	<b>7: Clark</b>	891	64.6%	(61.8-67.5)	443	31.2%	(28.6-33.9)	57	4.1%	(3.0-5.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Non-Hispanic

<sup>e</sup> Among student who felt sad, empty, or hopeless in the past 12 months

2015 Nevada High School YRBS

For additional information regarding this publication, contact:

Division of Public and Behavioral Health  
Office of Public Health Informatics and Epidemiology  
<http://health.nv.gov/>

Amberlee Baxa, MPH  
[abaxa@health.nv.gov](mailto:abaxa@health.nv.gov)  
702.486.3567



**Public Health**  
Prevent. Promote. Protect.